



# Validity Fuzzing and Parametric Generators for Effective Random Testing




Full paper!

Rohan Padhye\*, Caroline Lemieux\*, Koushik Sen\*, Mike Papadakis†, Yves Le Traon†  
 \*University of California, Berkeley †University of Luxembourg


<https://github.com/rohanpadhye/jqf>

Fuzz testers mostly explore syntax analysis;




we want to test deeper stages of programs.

QuickCheck-like generators allow us to create random *highly-structured* inputs.




Syntactically valid by construction

## Key idea 1: Parametric Generators



Bit flips on parameters → Structural mutations on inputs

## Key idea 2: Validity Fuzzing (with Parametric Generators)




More results in full paper (ISSTA'19)  
*Semantic Fuzzing with Zest*

## Evaluation

### Generator Benchmarks

XML	Apache Maven Apache Ant
JavaScript	Google Closure Compiler Mozilla Rhino
Chess FEN	ScalaChess
JVM .class	Apache BCEL

### Bugs Found (3 hour timeout)



Total 18 new bugs reported  
 ➔ 7 unique to Zest!  
 ➔ Within 10 minutes on average

Validity fuzzing +  
 Parametric Generators

Example:  
 Semantic Bug in Closure

```

while ((l_0)){
    while ((l_0)){
        if ((l_0))
            { break; var l_0; continue }
        { break; var l_0 }
    }
}
    
```

Unreachable statement,  
 but not dead code!

JavaScript generated by Zest\_VG