

CATI Survey on Visual Height Intolerance Population ≥ 14 years of age

The following variables are taken from the general statistics section
Information on area code and postal code: BIK city area (bik)
Information on area code and postal code: federal state (land)
Information on area code and postal code: variable according to East/West mapping (region)
Sex : decided on basis of voice; when in doubt, ask (sex)
Age: How old are you? (age)
age in years
Miller I. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
Which educational institution did you last attend or which is the highest level of education reached? (bild)
☐ I'm still going to school
 □ I'm still going to school □ grade school or secondary school, with vocational training
grade school of secondary school, with vocational training grade school or secondary school, without vocational training
post secondary school without "abitur" (German university entrance qualification)
"abitur", higher education entrance qualification, technical college qualification
university degree
□ no answer
Are you yourself employed? (beruf)
yes (also if currently unemployed)
no, incl. trainees, schoolchildren, students, senior citizens
□ no answer
How many people live in your household (include yourself)? (hhgr)
□ one person
□ two persons
□ three persons
□ four persons
☐ five persons or more
□ no answer
When you add up everything earned: how high is the monthly net income of your household, after deduction of
taxes and social insurance? Does the net income vary?
I will now read a few income groupings and ask you to please tell me which applies to you (net)
□ below EURO 500
= FUDO 500 / FUDO 4 000
☐ EURO 500 to EURO 1,000 ☐ EURO 1,000 to below EURO 1,500
□ EURO 1,500 to below EURO 2,000
□ EURO 2,000 to below EURO 2,500
☐ EURO 2,500 to below EURO 3,000
☐ EURO 3,000 to below EURO 3,500
☐ EURO 3,500 to below EURO 4,000
□ EURO 4,000 or more
□ no answer
Status: approved by Prof. Brandt on 19 January 2011, final change 26 January 2011 (questions 4, 23)
Screening question:
Our Committee Guide Guid

1. H		ou already experienced visual height intolerance / height vertigo (an unpleasant feeling sed by visual exposure to heights)? (V1)
		One answer possible (SP)!
		Interviewer: Classify answers!
	Yes	Continue with question 2!
	Othe	erwise
	No	
	Don	t know
2.	How	old were you when you first noticed height intolerance? (V2) One answer possible (SP)! age in years (test, must be larger than 5 but smaller than the current age)
		Do not read aloud! Don't know
3.	Whe	re were you when you first experienced height intolerance?
		Multiple answers possible (MP)!
		Interviewer: Read the possible answers only if there is no response!
	Α	on a tower (V3_11)
	В	in a ski lift / gondola (V3_12)
	С	on a bridge (V3_13)
	D	on steps (V3_14)
	E	on a ladder (V3_15)
	F	on a balcony (V3_16)
	G	when looking out a window in a high-rise building (V3_17)
	Н	when wandering / mountain climbing (V3_18)
	I	when rock climbing / during rock-climbing tour (V3_19)
	J	other situation (V3_20)
		please enter:(q3t)
		coded text (q3c1, q3c2)
		Do not read aloud!

	M	Don't know. (V3_98)
	N	No answer (V3_99)
4.	Whe	re do you <u>now</u> experience height intolerance (<u>after the first time</u>)?
		Multiple answers possible (MP)!
		Interviewer: Read aloud possible answers
	Α	on a tower (V4_11)
	В	in a ski lift / gondola (V4_12)
	С	on a bridge (V4_13)
	D	on steps (V4_14)
	Е	on a ladder (V4_15)
	F	on a balcony (V4_16)
	G	when looking out a window in a high-rise building (V4_17)
	Н	when wandering / mountain climbing (V4_18)
	I	when rock climbing / during rock-climbing tour (V4_19)
	K	Height intolerance did not reoccur after the one time. (V4_21)
	J	other situation (V4_20)
		please enter:(q4t)
		Coded text (q4c1, q4c2)
		Do not read aloud!
	М	Don't know (V4_98)
	N	No answer (V4_99)
	nswer	does the height intolerance you experience express itself concretely? option answer K is chosen (question 4), the question should be formulated as follows: accretely do you experience when you have height intolerance? Continue with stion 9b!
		Multiple answers possible (MP)!
		Interviewer: Read the possible answers aloud!
	Α	giddiness (V5_11)
	В	postural (to-and-fro) vertigo, as if on a boat (V5_12)
	С	inner agitation (V5_13)
	D	trembling (V5_14)
	Е	sudden, profuse sweating (V5_15)
	F	palpitations (V5_16)

	G	fearfulness (V5_17)
	Н	instability of stance and gait (V5_18)
	1	queasy feeling in the stomach region (V5_19)
	J	weakness in the knees (V5_20)
	K	other (V5_21)
		please enter:(q5t)
		coded text (q5c1, q5c2)
	P	Don't read aloud!
	L	Don't know. (V5_98)
	M	No answer (V5_99)
6.		we want to know how height intolerance has <u>developed</u> <u>since the first time</u> you experied it. I will now read several possible answers to you. Please indicate which applies best.
		Only one answer possible (SP)!
		Interviewer: Read aloud possible answers!
	Α	Since the first time, height intolerance has reoccurred <u>again and again in the same situation</u> \Box
	В	Since the first time, height intolerance has reoccurred again and again in the same situation,
	but	more seldom.
	С	Since the first time, height intolerance has also occurred \underline{in} different situations
		Don't read aloud!
	G	Don't know
	Н	No answer
7.	Heig year Heig for s	we want to know how height intolerance has developed over the course of time since you experienced it in the one situation. I will now read different possible answers. Please indiwhich applies best. (V7) ht intolerance subsequently reoccurred (after the first time), but it hasn't occurred for more than 10 so now
	_	ht intolerance subsequently reoccurred <u>again and again</u> (after the first time). ☐ → Continue with question 8!

		Don't read aloud!
		Don't know
		No answer
8.	How	often has height intolerance reoccurred in the last 12 months? (V8)
		frequency (three-digit number)
	Not	once/ not at all
		Don't read aloud!
		Don't know
		No answer
		No answer
9.		n height intolerance occurs, does it influence your behavior during wandering / mountain bing (or rock climbing)? I will read different possible answers.
		Multiple choice with restrictions A and B
		Interviewer: Read possible answers!
		Note to programmer: In case the possible answer A occurs, continue with 9b; if B occurs, continue with 12, otherwise read possible answers C,D,E,F,G,H,I,J, in their order and make a cross when the answer fits the behavior.
	Α	I don't go wandering. (V9_11)
	В	It doesn't affect my behavior during wandering or mountain climbing (V9_12)□ → Continue with 12
		trifft zu
	С	I am able to control it so that I can continue without any substantial restrictions (V9_13)
	D	I can continue only with great effort (V9_14)
	E	I have to take a longer break before I can continue (V9_15)
	F	I have to break off the mountain or rock-climbing tour (V9_16)
		Continue with question 10
	G	I have to change my route (V9_17)
		→ Continue with question 11
	Н	My behavior in the mountains has fundamentally changed because of height intolerance, i.e., I undertake different tours than I used to (for example, instead of rock climbing, I only do easy hikes) (V9_18)
	I	I don't undertake any hikes or wander any more because of height intolerance (V9_19) \Box
	J	I undertake more hikes in the mountains because of height intolerance (V9_20) \Box
		Don't read aloud!
	L	Don't know (V9_98)
	М	No answer (V9_99)

	U.	TOW OHER HAVE YOU HAD TO DIEAK OH A MOUHIAIH / TOCK-CIIIHDIID TOUL III HE IAST TO VEATS DECAUSE (
		How often have you had to break off a mountain / rock-climbing tour in the last 10 years because height intolerance? (V10)
		Please read possible answers aloud.
		1x
		2-5x
		5-10x
		more than 10x
		Every timeL
Œ	P	Note to programmer: Only ask question 10, if possible answer F was given for question 9.
	>	Continue with question 12
1	1.	How often in the last 10 years have you had to change your route because of height intolerance?
		Please read possible answers aloud.
		1x
		2-5x
		5-10x
		more than 10x
		Every time
Œ	P	Note to programmer: Only ask question 11, if possible answer G was given for question 9.
C	ont	tinue with question 12
		n height intolerance occurs, independently of mountain tours, which behavior is/was typior you? (V91)
(E	P	One possible answer (SP)!
Œ	3	Interviewer: Read possible answers aloud!
Α	`	I avoid the trigger situation
В	3	I don't change my behavior
С		I intentionally expose myself to the trigger situation.

i	intolerance? One answer possible (SP)! (V12)						
C	Interviewer: Read aloud possible answers!						
	I can talk freely about it with accompanying persons						
	B I can only talk freely about it with close friends w	I can only talk freely about it with close friends who know about my "weakness"					
C	Don't read aloud!						
	D Don't know						
	E No answer						
	Have you already asked for help to deal with your	height i	ntolerance? (V13)				
	One answer possible (SP)!						
C	Interviewer: classify possible answers!						
ļ ,	A Yes	→	Continue with question 14!				
E	B No	→	Continue with question 17!				
C	Don't read aloud!						
(C Don't know	→	Continue with question 17!				
С	D No answer	→	Continue with question 17!				
	In which concrete situation have you asked for he One answer possible (SP)! In Situation: please enter: (q146) Coded text (q14c1, q14c2)		our height intolerance? → Continue with question 15!				
C	Don't read aloud!						
	C Don't know	→	Continue with question 15!				
	No answer	→	Continue with question 15!				
15. H	How often has this occurred, since you realized th	at you h	and height intolerance? (V15)				
-	frequency (three digits)						
C	© Don't read aloud!						

73.07.118893 – CATI Befragung zur Höhenangst

	F	Don't know				
	G	No answer				
16	Wha	at kind of help did you require?				
	******	a mila of norp ara you roquiro.				
		Multiple answers possible (MP)!				
		Interviewer: classify answers!				
	Α	help of accompanying persons (V16_1)				
	В	help of the mountain rescue service (V16_2	2)		□	
	С	help of other persons (V16_3)				
	D	emergency medical rescue (V16_4)				
	Ε	other help (V16_5)				
		♥ please enter:			(q16t)	
		Coded text (q16c1)				
		Don't read aloud!				
	F	Don't know (V16_8)				
	G	No answer (V16_9)				
17.	Have	e you already been to the doctor for your l One possible answer (SP)! Interviewer: classify the answers of the			ance? (V17)	
	Α	Yes	_	<i>→</i>	Continue with 18!	
	В	No		→	Continue with 17b!	
	С	Don't know		→	Continue with 22!	
	D	No answer		→	Continue with 22!	
471-			:-		Janes 20 ()/474)	
17b	. Hav	e you developed your own way to treat yo	ur heig	jht into	olerance? (V171)	
	Α	Yes		→	Continue with 17c!	
	В	No		→	Continue with 22!	
17 c	17 c) If yes, which way?					

		(q17t) Continue with 22			
Co	oded ¹	text (q17c1, q17c2, q17c3, q17c4)			
18.	Wh	at kind of doctor have you consulted?			
		Multiple answers possible (MP)!			
		Interviewer: read possible answers aloud!			
	Α	General practitioner (V18_1)			
	В	ENT doctor (V18_2)			
	С	Neurologist (V18_3)			
	D	Internist (V18_4)			
	Ε	Psychiatrist / psychologist (V18_5)			
	F	Other specialities (V18_6)			
		blease enter:(q18t)			
		Coded text (q18c1)			
		Don't read aloud!			
	G	Don't know (V18_8)			
	Н	No answer (V18_9)			
40	D:4	view as to the destar for only an eventination or for an eventination and treatment? (MO)			
19.	19. Did you go to the doctor for only an examination or for an examination and treatment? (V19)				
	•	One answer possible (SP)!			
	Α	Only for an examination			
		What did the doctor diagnose?			
		A1 Please enter the diagnosis:(19at) and (19ac1, 19ac2) → Continue with question 22!			
		A2 I can't recall the diagnosis any more. □→ Continue with question 22!			
		72 Teal the diagnosis any more. 🗀 🗸 continue with question 22:			
	В	For an examination and treatment \square			
		₩ What did your doctor diagnose?			
		B1 Please enter the diagnosis:(19bt) and (19bc1, 19bc2) → Continue with question 20!			
		B2 I can't recall the diagnosis any more. □ → Continue with question 20!			
		Don't read aloud!			
	С	Don't know ☐ → Continue with question 22!			
	D	No answer			

20.	Wha	t type of treatment did you have?
	P	Multiple answers possible (MP)!
		Interviewer: read possible answers aloud!
	Α	medicine (V20_1)
	В	behavioral instructions (V20_2)
	С	behavioral therapy (V20_3)
	D	other psychotherapy (V20_4)
	D	a different therapy (V20_5)
		please enter the different therapy:(q20t)
		Coded text (q20c1, q20c2)
	Ε	treatment refused (V20_6)
	P	Don't read aloud!
	F	Don't know (V20_8)
	G	No answer (V20_9)
		One answer possible (SP)! Interviewer: assign to possible answers!
	۸	
	A B	Improved
	С	Unchanged
		Unchanged
		Don't read aloud!
	D	Don't know
	Е	No answer
ĺ		
22.	Are	there cases of height intolerance among your close relatives? (V22)
	\$	One answer possible (SP)!
	Υ	es
	N	o ☐ → Continue with question 23!
		Interviewer: assign to answers possible!
		^{tt} ⇒ 22 b) Who?

		Mutiple answers possible (MP)!	
		Interviewer: assign to answers possible!	
		grandparents (V222_1)	🗆
		parents (V222_2)	🗆
		brothers and/or sisters (V222_3)	🗆
		children (V222_4)	🗆
		other relatives (V222_5)	_
		Don't know (V222_8)	🗆
		Unknown, no answer (V222_9)	🗆
23.		you prone to or do you have the following (other) illnesses? Please indicate which of ceptibilities / illnesses apply to you! Mutiple answers possible	these
		wutipie answers possible	
		Note to programmer: ("other") should be deleted if participant answered "no" or "deknow" / gave no answer to the screening question (question 1).	on't
		Interviewer: read possible answers aloud!	Trifft zu
	Α		
		migraine (V23 11)	🗆
	, ,	migraine (V23_11) If "applies", specify:	Ш
	, ,	If "applies", specify:	🗆
	В	If "applies", specify: A1 During a migraine attack I am especially susceptible to height intolerance (V231)	🗆
		If "applies", specify:	🗆
	В	If "applies", specify: A1 During a migraine attack I am especially susceptible to height intolerance (V231) motion sickness (e.g., nausea during travel by ship or car) (V23_12) Menière's disease (pronounce "Meniär"; give a definition) (V23_13)	.
	B C	If "applies", specify: A1 During a migraine attack I am especially susceptible to height intolerance (V231) motion sickness (e.g., nausea during travel by ship or car) (V23_12) Menière's disease (pronounce "Meniär"; give a definition) (V23_13) other illnesses with symptoms of dizziness (V23_14)	.
	B C D	If "applies", specify: A1 During a migraine attack I am especially susceptible to height intolerance (V231) motion sickness (e.g., nausea during travel by ship or car) (V23_12) Menière's disease (pronounce "Meniär"; give a definition) (V23_13)	
	B C D	If "applies", specify: A1 During a migraine attack I am especially susceptible to height intolerance (V231) motion sickness (e.g., nausea during travel by ship or car) (V23_12) Menière's disease (pronounce "Meniär"; give a definition) (V23_13) other illnesses with symptoms of dizziness (V23_14)	
	B C D E F	If "applies", specify: A1 During a migraine attack I am especially susceptible to height intolerance (V231) motion sickness (e.g., nausea during travel by ship or car) (V23_12) Menière's disease (pronounce "Meniär"; give a definition) (V23_13) other illnesses with symptoms of dizziness (V23_14) anxiety (V23_15)	
	B C D E F	If "applies", specify: A1 During a migraine attack I am especially susceptible to height intolerance (V231) motion sickness (e.g., nausea during travel by ship or car) (V23_12) Menière's disease (pronounce "Meniär"; give a definition) (V23_13) other illnesses with symptoms of dizziness (V23_14)	
	B C D E F G	If "applies", specify: A1 During a migraine attack I am especially susceptible to height intolerance (V231) motion sickness (e.g., nausea during travel by ship or car) (V23_12) Menière's disease (pronounce "Meniär"; give a definition) (V23_13) other illnesses with symptoms of dizziness (V23_14) anxiety (V23_15)	
	B C D E F G	If "applies", specify: A1 During a migraine attack I am especially susceptible to height intolerance (V231) motion sickness (e.g., nausea during travel by ship or car) (V23_12) Menière's disease (pronounce "Meniär"; give a definition) (V23_13) other illnesses with symptoms of dizziness (V23_14)	
	B C D E F G	If "applies", specify: A1 During a migraine attack I am especially susceptible to height intolerance (V231) motion sickness (e.g., nausea during travel by ship or car) (V23_12) Menière's disease (pronounce "Meniär"; give a definition) (V23_13) other illnesses with symptoms of dizziness (V23_14) anxiety (V23_15)	
	B C D E F G	If "applies", specify: A1 During a migraine attack I am especially susceptible to height intolerance (V231)	
	B C D E F G	If "applies", specify: A1 During a migraine attack I am especially susceptible to height intolerance (V231)	
	B C D E F G	If "applies", specify: A1 During a migraine attack I am especially susceptible to height intolerance (V231) motion sickness (e.g., nausea during travel by ship or car) (V23_12) Menière's disease (pronounce "Meniär"; give a definition) (V23_13)	

73.07.118893 – CATI Befragung zur Höhenangst

	♦ Please enter:	_(q232t)
	Coded text (q232c1, q232c2)	
	G7 Don't know (V232_8)	
	G8 No answer (V232_9)	
Р	Other illness which you think could be associated with height intolerance (occurs only of tolerance) (V23_18)	· -
	♦ Please enter:	(q23t)
	Coded text (q23c1, q23c2)	
Q	none of the cited (V23_19)	