

Corresponding author(s):	Tom Schonberg
Last updated by author(s):	Mar 25, 2020

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see Authors & Referees and the Editorial Policy Checklist.

<u> </u>			
St	at	isti	Γ

For	all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.
n/a	Confirmed
	The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement
	A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
	The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.
	A description of all covariates tested
	A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
	A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
	For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted <i>Give P values as exact values whenever suitable.</i>
	For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings
	For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
	Estimates of effect sizes (e.g. Cohen's <i>d</i> , Pearson's <i>r</i>), indicating how they were calculated
	Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.

Software and code

Policy information about availability of computer code

Data collection

A full description of the experimental procedures, validations and the fMRI dataset is available in a Data Descriptor (https://doi.org/10.1038/s41597-019-0113-7). Code used for fMRI data collection are available at https://github.com/rotemb9/NARPS_scientific_data.

Data analysis

Fully reproducible code for the analyses of the analysis teams' submitted results and statistical maps, as well as the prediction markets, are available at DOI: 10.5281/zenodo.3709273. The full list of software and versions used within the code are available in the dockerfile: https://github.com/poldrack/narps/blob/master/Dockerfile

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors/reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.

Data

Policy information about availability of data

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

The fMRI dataset is openly available via OpenNeuro at DOI:10.18112/openneuro.ds001734.v1.0.4. Additional data are included with the analyses code at DOI:10.5281/zenodo.3709273

_						c·			100	
ΗI	Р	\Box	-5	ne	ירו:	fic	re	$n \cap$	rti	nø
		·		\sim	CI	110		$P \cup$	1 (1	סיי

Life sciences For a reference copy of the documents	Behavioural & social sciences
For a reference copy of the docume	Deflavioural & social sciences Cological, evolutionally & environmental sciences
	ent with all sections, see <u>nature.com/documents/nr-reporting-summary-flat.pdf</u>
Behavioural	& social sciences study design
All studies must disclose on	n these points even when the disclosure is negative.
Study description Qua	antitative
four 70 a mar	e fMRI dataset included nueroimaging and behavioral data of 108 participants. Demographic information of the participants can be and at DOI:10.18112/openneuro.ds001734.v1.0.4. analysis teams analyzed the dataset. 96 "team members" and 91 "non-team members" signed up to participate in the prediction relates. N = 83 "team members" and N = 65 "non-team members" actively participated in the markets. Members of the analysis teams datasets in the predictions market were researchers in the field from around the world.
	evant information for the fMRI dataset is available at the Data Descriptor (https://doi.org/10.1038/s41597-019-0113-7). With regard the number of analysis teams and traders in the prediction markets, we aimed to recruit as many as possible within the time frame.
	evant information for the fMRI dataset is available at the Data Descriptor (https://doi.org/10.1038/s41597-019-0113-7). Shortly, data s collected using MRI scanner and computers.
0	e fMRI dataset was collected between November 2017 and May 2018. Analysis teams were recruited and analyzed the data between vember 2018 and March 2019. The prediction markets were open between May 2nd to May 12th 2019.
rem	e team was excluded from all analyses since their reported results were not based on a whole-brain analysis as instructed. Of the naining 69 teams, thresholded maps of 65 teams and unthresholded (z / t) maps of 64 teams were included in the analyses (see ended Data Table 3b for detailed reasons for exclusion of the other teams).
resu	out of the 82 analysis teams that signed the non-disclosure form and were provided with access to the data did not submit their ults by the deadline. 13 traders in the "team members" and 26 traders in the "non-team members" prediction markets registered but not actively participate in the prediction markets.
	RI dataset- participants were pseudo-randomly (alternately) assigned to one of two experimental conditions (Equal Indifference or ual Range). Analysis teams were not allocated into experimental groups.

Reporting for specific materials, systems and methods

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

Materials & experimental systems			Methods		
n/a	Involved in the study	n/a	Involved in the study		
\boxtimes	Antibodies	\boxtimes	ChIP-seq		
\boxtimes	Eukaryotic cell lines	\boxtimes	Flow cytometry		
\boxtimes	Palaeontology		MRI-based neuroimaging		
\boxtimes	Animals and other organisms				
	Human research participants				
\boxtimes	Clinical data				

Human research participants

Policy information about <u>studies involving human research participants</u>

Population characteristics

fMRI dataset- demographic information of the participants can be found at DOI:10.18112/openneuro.ds001734.v1.0.4. 108 participants where included in the dataset:

54 in the Equal Indifference group (30 females, mean age = 26.06 years, SD age = 3.02 years) and 54 in the Equal Range group (30 females, mean age = 25.04 years, SD age = 3.99 years).

All participants were right-handed, had normal or corrected-to-normal vision and reported no history of psychiatric or neurologic diagnoses, or use any medications that would interfere with the experiment.

Recruitment

Analysis teams were recruited via social media, mainly Twitter and Facebook, as well as during the 2018 annual meeting of The Society for Neuroeconomics. Prediction market traders were recruited via social media (mainly Facebook and Twitter) and emails. This recruitment method may increase the chances of specific researchers to participate in an analysis team or in the prediction markets, for example researchers that are more active in social media or attended the 2018 meeting of The Society for Neuroeconomics. Researchers who advocate for replication attempts and "open science" practices may also be more inclined to join such study. However, our results strongly suggest that they were not biased. For example, the fact that several hypotheses were only affirmed by roughly 5% of teams, while Hypothesis #5 was affirmed by 84% of teams, suggests that there was no overall bias towards either affirmation or rejection of hypotheses. In addition, each of the 70 analysis teams chose to use a different analysis pipeline, which suggests evidence against a potential bias in methods used by the specific analysis teams that joined the study. With regard to the prediction markets, traders that were exposed to the recruitment ads on social media may be biased with regard to their predictions, but as there is a debate in the published literature regarding most of the hypotheses included in our study, we do not have a specific reason to assume such bias.

Ethics oversight

MRI data collection was approved by the Helsinki committee at Sheba Tel Hashomer Medical Center and the ethics committee at Tel Aviv University, and all participants gave written informed consent (as described in the Scientific Data Descriptor of this dataset). The Board for Ethical Questions in Science at the University of Innsbruck approved the data collection in regards of the prediction markets, and certified that the project is in correspondence with all requirements of the ethical principles and the guidelines of good scientific practice. The Stanford University IRB determined that the analysis of the submitted team results did not meet the definition of human subject research, and thus no further IRB review was required.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Magnetic resonance imaging

Experimental design	
Design type	Task
Design specifications	The fMRI dataset was published in a Data Descriptor (https://doi.org/10.1038/s41597-019-0113-7)
Behavioral performance measures	The fMRI dataset was published in a Data Descriptor (https://doi.org/10.1038/s41597-019-0113-7)
Acquisition	
Imaging type(s)	functional and structural
Field strength	ЗТ
Sequence & imaging parameters	Imaging data were acquired using a 3T Siemens Prisma MRI scanner with a 64-channel head coil, at the Strauss Imaging Center on the campus of Tel Aviv University. Functional data during the mixed gambles task were acquired using T2*-weighted echo-planar imaging sequence with multi-band acceleration factor of 4 and parallel imaging factor (iPAT) of 2, TR=1000ms, TE=30ms, flip angle=68 degrees, field of view (FOV)=212×212mm, in plane resolution of 2×2mm 30 degrees off the anterior commissure-posterior commissure line to reduce the frontal signal dropout27, slice thickness of 2mm, 64 slices and a gap of 0.4mm between slices to cover the entire brain. For each functional run, we acquired 453 volumes.
Area of acquisition	Whole brain
Diffusion MRI Used	Not used ■ Not used
Preprocessing	
Preprocessing software	Each team performed their own preprocessing. Raw data and data preprocessed with fMRIprep v. 1.1.4 were shared with the teams.
Normalization	Each team performed their own preprocessing. Raw data and data preprocessed with fMRIprep v. 1.1.4 were shared with the teams.
Normalization template	Each team performed their own preprocessing. Raw data and data preprocessed with fMRIprep v. 1.1.4 were shared with the teams.
Noise and artifact removal	Each team performed their own preprocessing. Raw data and data preprocessed with fMRIprep v. 1.1.4 were shared with the teams.
Volume censoring	Each team performed their own preprocessing. Raw data and data preprocessed with fMRIprep v. 1.1.4 were shared with the teams.

Statistical modeling & inference

Model type and settings

Each team performed their own analysis.

Effect(s) tested

Each team performed their own analysis.

9	
	-
2	
-	_
-	┰
- (L
-	_
- 1	т
	L
٠,	•
_ (т
	ι
	Ţ
- 2	⊥
	-
	-
- (٦
	_
-	_
-	=
_ -	_ 7
_ _	_ T
- (7	_ <u>_</u>
_ - - -	Ē
-	- T
- 000	
- 1001 111	

	`	١	
۱	Ś		
Š			
	۰	,	
	=		
	¢		

Specify type of analysis: Whole brain ROI-based Both			
Statistic type for inference (See <u>Eklund et al. 2016</u>)	Each team performed their own analysis.		
Correction	Each team performed their own analysis.		
Models & analysis			
n/a Involved in the study			
Functional and/or effective connectivity			
Graph analysis			
Multivariate modeling or predictive analysis			
'			