

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see [Authors & Referees](#) and the [Editorial Policy Checklist](#).

Statistics

For all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.

n/a Confirmed

- | | | |
|-------------------------------------|-------------------------------------|--|
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | The statistical test(s) used AND whether they are one- or two-sided
<i>Only common tests should be described solely by name; describe more complex techniques in the Methods section.</i> |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | A description of all covariates tested |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals) |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | For null hypothesis testing, the test statistic (e.g. F , t , r) with confidence intervals, effect sizes, degrees of freedom and P value noted
<i>Give P values as exact values whenever suitable.</i> |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Estimates of effect sizes (e.g. Cohen's d , Pearson's r), indicating how they were calculated |

Our web collection on [statistics for biologists](#) contains articles on many of the points above.

Software and code

Policy information about [availability of computer code](#)

Data collection

Zeiss LSM710 confocal microscope and Zeiss Zen software (2012 S4) were used to acquire images. FlowJo software (Version 10) was used to analyze cytometry data. Prism version 7 (GraphPad) was used to analyze data, generate decay graphs and standard bar graphs. High through-put sequencing data was collected by illumina HiSeq Control Software v2.2.58 for HiSeq2500 System.

Data analysis

Cutadapt v1.18 was used to filter low quality reads. R v3.5.1 was used to perform all statistical analysis. ggplot2 for R was used to make all statistical figures. MEME v4.11.2 was used to motif analysis. The custom Perl scripts was used for all other data analyses, which are available on request to the corresponding authors.

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors/reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research [guidelines for submitting code & software](#) for further information.

Data

Policy information about [availability of data](#)

All manuscripts must include a [data availability statement](#). This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

All sequencing data have been deposited to GEO database. All other data supporting the findings of this study are available from the corresponding authors on reasonable request.

Field-specific reporting

Please select the one below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.

Life sciences Behavioural & social sciences Ecological, evolutionary & environmental sciences

For a reference copy of the document with all sections, see [nature.com/documents/nr-reporting-summary-flat.pdf](https://www.nature.com/documents/nr-reporting-summary-flat.pdf)

Life sciences study design

All studies must disclose on these points even when the disclosure is negative.

Sample size No sample size was per-determined. Three or more independent results were used to perform statistical analysis. All sample sizes and the number of replicates were stated in figure legends.

Data exclusions No data were excluded from analysis.

Replication Experiments in this study were reproduced at least two times. Replication were described in figure legends.

Randomization No randomization was used.

Blinding Investigators were blinded to group allocation during data collection and analysis.

Reporting for specific materials, systems and methods

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

Materials & experimental systems

n/a Involved in the study

Antibodies

Eukaryotic cell lines

Palaeontology

Animals and other organisms

Human research participants

Clinical data

Methods

n/a Involved in the study

ChIP-seq

Flow cytometry

MRI-based neuroimaging

Antibodies

Antibodies used Anti-DCP2 (Abcam ab28658, lot GR3209242-2), used at 1:1000
Goat anti-rabbit Alexa Fluor 594 (Invitrogen, A-11007, lot 2107787), used at 1:2000
25D1 monoclonal antibody (from J. W. Yewdell lab, see ref. 12).

Validation Antibodies were validated as noted on manufacturer's website or as cited in the results/Methods sections.

Eukaryotic cell lines

Policy information about [cell lines](#)

Cell line source(s) HEK293 cells (human, purchased from the American Type Culture Collection (ATCC))
HEK293-Kb cells (human, from J. W. Yewdell lab)

Authentication Cell lines were not authenticated by ourselves.

Mycoplasma contamination Cell lines were tested negative for mycoplasma contamination prior to our studies..

Commonly misidentified lines
(See [ICLAC](#) register) No commonly misidentified cell lines were used.

Flow Cytometry

Plots

Confirm that:

- The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).
- The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).
- All plots are contour plots with outliers or pseudocolor plots.
- A numerical value for number of cells or percentage (with statistics) is provided.

Methodology

Sample preparation

Transfected cells are washed with PBS and harvested by trypsin. Cells are then re-suspended in blocking buffer (1% bovine serum albumin (BSA) in PBS). Cells are aliquoted into a 96-well plate followed by 2000 rpm spinning for 2 min. After removal of blocking buffer, cells are washed one more time followed by staining with antibody. After incubation in the dark with gentle rocking at 4° C for 30 minutes, cells are washed three times with 200 uL of the blocking buffer to remove unbound antibodies. Resuspend cells in 300 uL of blocking buffer followed by single cell filtering (Falcon). Cells are analyzed on a BD FACSAria Fusion flow cytometer (BD Biosciences). Cytometry data analysis is conducted using FlowJo.

Instrument

BD FACSAria Fusion flow cytometer.

Software

FlowJo software (Version 10).

Cell population abundance

At least 10,000 counts were recorded using a 0.5 mL s⁻¹ flow rate.

Gating strategy

Cells were first assessed in the FSC-A/SSC-A dot plot to exclude cell debris (P1) and doublet discrimination was carried out by additional plots to remove doublets and cell clumps (P2 and P3). Finally, fluorescence was detected in the FITC, APC or PE channel. For a negative control, cells are transfected with Lipofectamine MessengerMAX only. Tools for fluorescence compensation were applied whenever needed. A detailed description of the experimental design can be found in the main manuscript.

Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.