COMPLEXITY HIERARCHIES BEYOND ELEMENTARY

SYLVAIN SCHMITZ

ABSTRACT. We introduce a hierarchy of fast-growing complexity classes and show its suitability for completeness statements of many non elementary problems. This hierarchy allows the classification of many decision problems with a non-elementary complexity, which occur naturally in logic, combinatorics, formal languages, verification, etc., with complexities ranging from simple towers of exponentials to Ackermannian and beyond.

KEY WORDS. Fast-growing complexity, subrecursion, well-quasi-order

1. Introduction

Complexity classes, along with the associated notions of reductions and completeness, provide our best theoretical tools to classify and compare computational problems. The richness and liveness of this field can be experienced by taking a guided tour of the Complexity Zoo, which presents succinctly most of the known specimens. The visitor will find there a wealth of classes at the frontier between tractability and intractability, starring the classes P and NP, as they help in understanding what can be solved efficiently by algorithmic means.

From this tractability point of view, it is not so surprising to find much less space devoted to the "truly intractable" classes, in the exponential hierarchy and beyond. Such classes are nevertheless quite useful for classifying problems, and employed routinely in logic, combinatorics, formal languages, verification, etc. since the 70's and the exponential lower bounds proven by Meyer and Stockmeyer [66, 87].

Non Elementary Problems. Actually, these two seminal articles go further than mere exponential lower bounds: they show respectively that satisfiability of the weak monadic theory of one successor (WS1S) and equivalence of star-free expressions (SFEq) are non elementary, as they require space bounded above and below by towers of exponentials of height depending (elementarily) on the size of the input. Those are just two examples among many others of problems with non elementary complexities [see e.g. 67, 38, 92], but they are actually good representatives of problems with a tower of exponentials as complexity, i.e., one would expect them to be complete for some suitable complexity class.

Work supported in part by the REACHARD project (ANR 11 BS02 001 01).

¹https://complexityzoo.uwaterloo.ca.

What might then come as a surprise is the fact that, presently, the Zoo does not provide any intermediate stops where classical problems like WS1S and SFEq would fit adequately: they are not in Elementary (henceforth Elem), but the next class is Primitive-Recursive (aka PR), which is far too big: WS1S and SFEq are not hard for PR under any reasonable notion of reduction. In other words, we seem to be missing a "Tower" complexity class, which ought to sit somewhere between Elem and PR. Going higher, we find a similar uncharted area between PR and Recursive (aka R). These absences are not specific to the Complexity Zoo: they seem on the contrary universal in textbooks on complexity theory—which seldom even mention Elem or PR. Somewhat oddly, the complexities above R are better explored and can rely on the arithmetical and analytical hierarchies.

Drawing distinctions based on complexity characterisations can guide the search for practically relevant restrictions to the problems. In addition, non elementary problems are much more pervasive now than in the 70's, and they are also considered for practical applications, motivating the implementation of tools, e.g. MONA for WS1S [27]. It is therefore high time for the definition of hierarchies suited for their classification.

Our Contribution. In this paper, we propose an ordinal-indexed hierarchy $(\mathbf{F}_{\alpha})_{\alpha}$ of fast growing complexity classes for non elementary complexities. Beyond the already mentioned Tower $\stackrel{\text{def}}{=} \mathbf{F}_3$ —for which WS1S and SFEq are examples of complete problems—, this hierarchy includes non primitive-recursive classes, for which quite a few complete problems have arisen in the recent years, e.g.

- \mathbf{F}_{ω} in [64, 91, 83, 31, 14, 58, 45, 43],
- $\mathbf{F}_{\omega^{\omega}}$ in [18, 73, 55, 8, 16, 9, 77],
- $\mathbf{F}_{\omega^{\omega^{\omega}}}$ in [42], and
- $\mathbf{F}_{\varepsilon_0}$ in [40, 24].

The classes \mathbf{F}_{α} are related to the Grzegorczyk $(\mathscr{E}^k)_k$ [39] and extended Grzegorczyk $(\mathscr{F}_{\alpha})_{\alpha}$ [62] hierarchies, which have been used in complexity statements for non elementary bounds. The $(\mathscr{F}_{\alpha})_{\alpha}$ classes are very well-suited for characterising various classes of functions, for instance computed by forms of for programs [68] or terminating while programs [28], or provably total in fragments of Peano arithmetic [29, 85], and they characterise some important milestones like ELEM or PR. They are however too large to classify our decision problems and do not lead to completeness statements—in fact, one can show that there are no "ELEM-complete" nor "PR-complete" problems—; see Section 2. Our \mathbf{F}_{α} share however several nice properties with the \mathscr{F}_{α} classes: for instance, they form a strict hierarchy (Section 5) and are robust to slight changes in their generative functions and to changes in the underlying model of computation (Section 4).

In order to argue for the suitability of the classes \mathbf{F}_{α} for the classification of high-complexity problems, we sketch two completeness proofs in Section 3, and present an already long list of complete problems for \mathbf{F}_{ω} and beyond in

Section 6. A general rule of thumb seems to be that statements of the form "L is in \mathscr{F}_{α} but not in \mathscr{F}_{β} for any $\beta < \alpha$ " found in the literature can often be replaced by the much more precise "L is \mathbf{F}_{α} -complete."

There are of course essential limitations to our approach: there is no hope of defining such ordinal-indexed hierarchies that would exhaust R using sensible ordinal notations [30]; this is called the "subrecursive stumbling block" by Schwichtenberg and Wainer [85, Section 5.1]. Our aim here is more modestly to provide suitable definitions "from below" for naturally-occurring complexity classes above Elem.

In an attempt not to drown the reader in the details of subrecursive functions and their properties, most of the technical contents appears in Appendix A at the end of the paper.

2. Fast-Growing Complexity Classes

We define in this section the complexity classes \mathbf{F}_{α} . We rely for this on the fast-growing functions F_{α} of Löb and Wainer [62] as a standard against which we can measure high complexities (c.f. §2.2.1). In logic and recursion theory, these functions are used to generate the classes of functions \mathscr{F}_{α} when closed under substitution and limited primitive recursion (see §5.3.1). These classes are however not suitable for our complexity classification objectives: the class \mathscr{F}_{α} contains indeed arbitrary finite compositions of the function F_{α} . We define instead in Section 2.3 each \mathbf{F}_{α} class as the class of problems decidable within time bounded by a single application of F_{α} composed with any function p already defined in the lower levels \mathscr{F}_{β} for $\beta < \alpha$.

These hierarchies of functions, function classes, and complexity classes we employ in order to deal with non elementary complexities are all indexed using ordinals, and we reuse the very rich literature on subrecursion [e.g. 78, 70, 85]. We strive to employ notations compatible with those of Schwichtenberg and Wainer [85, Chapter 4], and refer the interested reader to their monograph for proofs and additional material.

2.1. Cantor Normal Forms and Fundamental Sequences. In this paper, we only deal with ordinals that can be denoted syntactically as terms in *Cantor Normal Form*:

$$\alpha = \omega^{\alpha_1} \cdot c_1 + \dots + \omega^{\alpha_n} \cdot c_n$$
 where $\alpha > \alpha_1 > \dots > \alpha_n$ and $\omega > c_1, \dots, c_n > 0$ (CNF)

and hereditarily $\alpha_1, \ldots, \alpha_n$ are also written in CNF. In this representation, $\alpha = 0$ if and only if n = 0. An ordinal α with CNF of form $\alpha' + 1$ is called a *successor* ordinal—it has n > 0 and $\alpha_n = 0$ —, and otherwise if $\alpha > 0$ it is called a *limit* ordinal, and can be written as $\gamma + \omega^{\beta}$ by setting $\gamma = \omega^{\alpha_1} \cdot c_1 + \cdots + \omega^{\alpha_n} \cdot (c_n - 1)$ and $\beta = \alpha_n$. We usually employ " λ " to denote limit ordinals.

A fundamental sequence for a limit ordinal λ is a sequence $(\lambda(x))_{x<\omega}$ of ordinals with supremum λ . We consider a standard assignment of fundamental sequences for limit ordinals, which is defined inductively by

$$(\gamma + \omega^{\beta+1})(x) \stackrel{\text{def}}{=} \gamma + \omega^{\beta} \cdot (x+1) , \qquad (\gamma + \omega^{\lambda})(x) \stackrel{\text{def}}{=} \gamma + \omega^{\lambda(x)} .$$
 (1)

This particular assignment of fundamental sequences satisfies e.g. $0 < \lambda(x) < \lambda(y)$ for all x < y and limit ordinals λ . For instance, $\omega(x) = x + 1$, $(\omega^{\omega^4} + \omega^{\omega^3 + \omega^2})(x) = \omega^{\omega^4} + \omega^{\omega^3 + \omega \cdot (x+1)}$. We also consider the ordinal ε_0 , which is the supremum of all the ordinals writable in CNF, as a limit ordinal with fundamental sequence defined by $\varepsilon_0(0) \stackrel{\text{def}}{=} \omega$ and $\varepsilon_0(x+1) \stackrel{\text{def}}{=} \omega^{\varepsilon_0(x)}$, i.e. a tower of ω 's of height x+1.

- 2.2. The Extended Grzegorczyk Hierarchy. $(\mathscr{F}_{\alpha})_{\alpha < \varepsilon_0}$ is an ordinal-indexed infinite hierarchy of classes of functions with argument(s) and images in \mathbb{N} [62]. The extended Grzegorczyk hierarchy has multiple natural characterisations: for instance as loop programs for $\alpha < \omega$ [68], as ordinal-recursive functions with bounded growth [93], as functions computable with restricted resources as we will see in (5), as functions that can be proven total in fragments of Peano arithmetic [29], etc.
- 2.2.1. Fast-Growing Functions. At the heart of each \mathscr{F}_{α} lies the α th fast-growing function $F_{\alpha}: \mathbb{N} \to \mathbb{N}$, which is defined inductively on the ordinal index: as the successor function at index 0

$$F_0(x) \stackrel{\text{def}}{=} x + 1 \,, \tag{2}$$

by iteration at successor indices $\alpha + 1$

$$F_{\alpha+1}(x) \stackrel{\text{def}}{=} F_{\alpha}^{\omega(x)}(x) = \overbrace{F_{\alpha}(\cdots(F_{\alpha}(x))\cdots)}^{\omega(x) \text{ times}},$$
(3)

and by diagonalisation on the fundamental sequence at limit indices λ

$$F_{\lambda}(x) \stackrel{\text{def}}{=} F_{\lambda(x)}(x) . \tag{4}$$

For instance, $F_1(x) = 2x + 1$, $F_2(x) = 2^{x+1}(x+1) - 1$, F_3 is a non elementary function that grows faster than $\mathrm{tower}(x) \stackrel{\text{def}}{=} 2^{\cdot \cdot \cdot^2} x^2$ times, F_{ω} a non primitive-recursive "Ackermannian" function, $F_{\omega^{\omega}}$ a non multiply-recursive "hyper-Ackermannian" function, and $F_{\varepsilon_0}(x)$ cannot be proven total in Peano arithmetic. For every α , the F_{α} function is strictly *monotone* in its argument, i.e. x < y implies $F_{\alpha}(x) < F_{\alpha}(y)$. As $F_{\alpha}(0) = 1$, it is therefore also strictly *expansive*, i.e. $F_{\alpha}(x) > x$ for all x.

2.2.2. Computational Characterisation. The extended Grzegorczyk hierarchy itself is defined by means of recursion schemes with the $(F_{\alpha})_{\alpha}$ as generators (see §5.3.1). Nevertheless, for $\alpha \geq 2$, each of its levels \mathscr{F}_{α} is also characterised as a class of functions computable with bounded resources [93].

More precisely, for $\alpha \geq 2$, it is the class of functions computable by deterministic Turing machines in time bounded by $O(F_{\alpha}^{c}(n))$ for some constant c, when given an input of size n:

$$\mathscr{F}_{\alpha} = \bigcup_{c < \omega} \text{FDTIME} \left(F_{\alpha}^{c}(n) \right). \tag{5}$$

Note that the choice between deterministic and nondeterministic, or between time-bounded and space-bounded computations in (5) is irrelevant, because $\alpha \geq 2$ and F_2 is already a function of exponential growth.

2.2.3. Main Properties. Each class \mathscr{F}_{α} is closed under (finite) composition. Every function f in \mathscr{F}_{α} is honest, i.e. can be computed in time bounded by some function also in \mathscr{F}_{α} [93, 29]—this is a relaxation of the time constructible condition, which asks instead for computability in time O(f(n)). Since each f in \mathscr{F}_{α} is also bounded by F_{α}^{c} for some c [62, Theorem 2.10], this means that

$$\mathscr{F}_{\alpha} = \bigcup_{f \in \mathscr{F}_{\alpha}} \text{FDTIME}(f(n)) .$$
 (6)

In particular, for every α the function F_{α} belongs to \mathscr{F}_{α} , and therefore F_{α}^{c} also belongs to \mathscr{F}_{α} .

Every f in \mathscr{F}_{β} is also eventually bounded by F_{α} if $\beta < \alpha$ [62], i.e. there exists a rank x_0 such that, for all x_1, \ldots, x_n , if $\max_i x_i \geq x_0$, then $f(x_1, \ldots, x_n) \leq F_{\alpha}(\max_i x_i)$ —a fact that we will use copiously. However, for all $\alpha > \beta > 0$, $F_{\alpha} \notin \mathscr{F}_{\beta}$, and the hierarchy $(\mathscr{F}_{\alpha})_{\alpha < \varepsilon_0}$ is therefore strict for $\alpha > 0$.

2.2.4. Milestones. At the lower levels, $\mathscr{F}_0 = \mathscr{F}_1$ contains (among others) all the linear functions (see §5.3.2). We focus however in this paper on the non elementary classes by restricting ourselves to $\alpha \geq 2$. Writing

$$\mathscr{F}_{<\alpha} \stackrel{\text{def}}{=} \bigcup_{\beta < \alpha} \mathscr{F}_{\beta} , \qquad (7)$$

we find for instance $\mathscr{F}_2 = \mathscr{F}_{<3} = \text{FELEM}$ the set of Kalmar-elementary functions, $\mathscr{F}_{<\omega} = \text{FPR}$ the set of primitive-recursive functions, $\mathscr{F}_{<\omega} = \text{FMR}$ the set of multiply-recursive functions, and $\mathscr{F}_{<\varepsilon_0} = \text{FOR}$ the set of ordinal-recursive functions (up to ε_0). We are dealing here with classes of functions, but writing \mathscr{F}_{α}^* for the restriction of \mathscr{F}_{α} to $\{0,1\}$ -valued functions, i.e.

$$\mathscr{F}_{\alpha}^* = \bigcup_{c < \omega} \text{DTIME}\left(F_{\alpha}^c(n)\right), \qquad \mathscr{F}_{<\alpha}^* \stackrel{\text{def}}{=} \bigcup_{\beta < \alpha} \mathscr{F}_{\beta}^*, \qquad (8)$$

we obtain the corresponding classes for decision problems $\mathscr{F}^*_{<3} = \text{Elem}$, $\mathscr{F}^*_{<\omega} = \text{PR}$, $\mathscr{F}^*_{<\omega} = \text{MR}$, and $\mathscr{F}^*_{<\varepsilon_0} = \text{OR}$.




Figure 1. Some complexity classes beyond Elem.

2.3. Fast-Growing Complexity Classes. Unfortunately, the classes in the extended Grzegorczyk hierarchy are not quite satisfying for some interesting problems, which are non elementary (or non primitive-recursive, or non multiply-recursive, ...), but only barely so. The issue is that complexity classes like e.g. \mathscr{F}_3^* , which is the first class to contain non elementary problems, are very large: \mathscr{F}_3^* contains for instance problems that require space $F_3^{100}(n)$, more than a hundred-fold compositions of towers of exponentials. As a result, hardness for \mathscr{F}_3^* cannot be obtained for many classical examples of non elementary problems.

We therefore introduce smaller classes of problems:

$$\mathbf{F}_{\alpha} \stackrel{\text{def}}{=} \bigcup_{p \in \mathscr{F}_{<\alpha}} \text{DTIME} \left(F_{\alpha}(p(n)) \right) . \tag{9}$$

In contrast with \mathscr{F}_{α}^{*} in (8), only a single application of F_{α} is possible, composed with some "lower" reduction function p from $\mathscr{F}_{<\alpha}$. As previously, the choice of DTIME rather than NTIME or SPACE is irrelevant for $\alpha \geq 3$ (see Lemma 4.6 later).

This definition yields for instance the desired class Tower $\stackrel{\text{def}}{=}$ \mathbf{F}_3 , closed under elementary reductions (i.e., reductions in \mathscr{F}_2), but also a class ACK $\stackrel{\text{def}}{=}$ \mathbf{F}_{ω} of Ackermannian problems closed under primitive-recursive reductions, a class HACK $\stackrel{\text{def}}{=}$ $\mathbf{F}_{\omega^{\omega}}$ of hyper-Ackermannian problems closed under multiply-recursive reductions, etc. In each case, we can think of \mathbf{F}_{α} as the class of problems not solvable with resources in $\mathscr{F}_{<\alpha}$, but barely so: non elementary problems for \mathbf{F}_3 , non primitive-recursive ones for \mathbf{F}_{ω} , non multiply-recursive ones for $\mathbf{F}_{\omega^{\omega}}$, and so on. See Figure 1 for the first main stops of the hierarchy.

2.3.1. Reduction Classes. Of course, we could replace in (9) the class of reductions $\mathscr{F}_{<\alpha}$ by a more traditional one, like logarithmic space (FL) or polynomial time (FP) functions. We feel however that our definition in (9) better captures the intuition we have of a problem being "complete

for F_{α} ." Moreover, using at least \mathscr{F}_2 as our class of reductions allows to effectively compute the F_{α} function in the functional version $F\mathbf{F}_{\alpha}$ of \mathbf{F}_{α} (see Section 5.1), leading to interesting combinatorial algorithms (see §3.2.3 for an example).

Unless stated differently, we always assume many-one $\mathscr{F}_{<\alpha}$ reductions when discussing hardness for \mathbf{F}_{α} in the remainder of this paper, but we could just as easily consider Turing reductions (see §4.2.3).

2.3.2. Basic \mathbf{F}_{α} -Complete Problems. By (9), \mathbf{F}_{α} -hardness proofs can reduce from the acceptance problem of some input string x by some deterministic Turing machine M working in time $F_{\alpha}(p(n))$ for some p in $\mathscr{F}_{<\alpha}$. This can be simplified to a machine M' working in time $F_{\alpha}(n)$. Indeed, because p in $\mathscr{F}_{<\alpha}$ is honest, p(n) can be computed in $\mathscr{F}_{<\alpha}$. Thus the acceptance of x by M can be reduced to the acceptance problem of a #-padded input string $x' \stackrel{\text{def}}{=} x \#^{p(|x|)-|x|}$ of length p(|x|) by a machine M' that simulates M, and treats # as a blank symbol—now M' works in time $F_{\alpha}(n)$. Another similarly basic \mathbf{F}_{α} -hard problem is the halting problem for Minsky machines with the sum of counters bounded by $F_{\alpha}(n)$ [see 37].

To sum up, we have by definition of the $(\mathbf{F}_{\alpha})_{\alpha}$ classes the following two \mathbf{F}_{α} -complete problems—which incidentally have been used in most of the master reductions in the literature in order to prove non primitive-recursiveness, non multiple-recursiveness, and other hardness results [47, 91, 83, 18, 42, 40, 58, 77, 24]:

F_{α} -Bounded Turing Machine Acceptance (F_{α} -TM)

instance: A deterministic Turing machine M working in time F_{α} and an input x.

question: Does M accept x?

F_{α} -Bounded Minsky Machine Halting (F_{α} -MM)

instance: A deterministic Minsky machine M with sum of counters bounded by $F_{\alpha}(|M|)$.

question: Does M halt?

See Section 6 for a catalogue of natural complete problems, which should be easier to employ in reductions.

3. Fast-Growing Complexities in Action

We present now two short tutorials for the use of fast-growing complexities, namely for the equivalence problem for start-free expressions (Section 3.1) and reachability in lossy counter systems (Section 3.2), pointing to the relevant technical results from later sections. We also briefly discuss in each case the palliatives employed so far in the literature for expressing such complexities.

3.1. A Tower-Complete Example can be found in the seminal paper of Stockmeyer and Meyer [87], and is quite likely already known by many

S. SCHMITZ

readers. Define a $star-free\ expression$ over some alphabet Σ as a term e with abstract syntax

$$e ::= a \mid \varepsilon \mid \emptyset \mid e + e \mid ee \mid \neg e$$

where "a" ranges over Σ and " ε " denotes the empty string. Such expressions are inductively interpreted as languages included in Σ^* by:

The decision problem SFEq asks, given two such expressions e_1, e_2 , whether they are *equivalent*, i.e. whether $[\![e_1]\!] = [\![e_2]\!]$. Stockmeyer and Meyer [87] show that this problem is hard for tower(log n) space under FL reductions if $|\Sigma| \geq 2$. The problem WS1S can be shown similarly hard thanks to a reduction from SFEq.

3.1.1. Completeness. Recall that TOWER is defined as \mathbf{F}_3 , i.e. by the instantiation of (9) for $\alpha = 3$, as the problems decidable by a Turing machine working in time F_3 of some elementary function of the input size:

Tower
$$\stackrel{\text{def}}{=} \mathbf{F}_3 = \bigcup_{p \in \text{FELEM}} \text{DTIME} (F_3(p(n)))$$
 (10)

Once hardness for tower($\log n$) is established, hardness for Tower under elementary reductions is immediate; a detailed proof can apply Theorem 4.1 and Equation (22) to show that

Tower =
$$\bigcup_{p \in \text{FELEM}} \text{Space}(\text{tower}(p(n)))$$
 (11)

and use a padding argument as in §2.3.2 to conclude.

That SFEq is in Tower can be checked using an automaton-based algorithm: construct automata recognising $[e_1]$ and $[e_2]$ respectively, using determinization to handle each complement operator at the expense of an exponential blowup, and check equivalence of the obtained automata in PSPACE—the overall procedure is in space polynomial in tower(n), thus in \mathbf{F}_3 . A similar automata-based procedure yields the upper bound for WS1S.

3.1.2. Discussion. Regarding upper bounds, there was a natural candidate in the literature for the missing class Tower: Grzegorczyk [39] defines an infinite hierarchy of function classes $(\mathscr{E}^k)_{k\in\mathbb{N}}$ inside FPR with $\mathscr{E}^{k+1} = \mathscr{F}_k$ for $k \geq 2$. This yields FELEM = \mathscr{E}^3 , and the tower function is in $\mathscr{E}^4 \setminus \mathscr{E}^3$. Thus WS1S and SFEq are in "time \mathscr{E}^4 ," and such a notation has occasionally been employed, for instance for β -Eq the β equivalence of simply typed λ -terms [86, 84, 10]. Again, we face the issue that \mathscr{E}^4 is much too large a resource bound, as it contains for instance all the finite iterates of the tower function, and there is therefore no hope of proving the hardness for \mathscr{E}^4 of WS1S, SFEq, or indeed β -Eq, at least if using a meaningful class of reductions.

Regarding non elementary lower bounds, recent papers typically establish hardness for k-ExpTime (or k-ExpSpace) for infinitely many k (possibly through a suitable parametrisation of the problem at hand), for instance by

reducing from the acceptance of an input of size n by a $\underbrace{2^{n}}_{k \text{ times}}^{n}$ time-bounded

Turing machine. Provided that such a lower bound argument is uniform for those infinitely many k, it immediately yields a TOWER-hardness proof, by choosing $k \geq n$. On a related topic, note that, in contrast with e.g. the relationship between PH and PSPACE, because the exponential hierarchy is known to be strict, we know for certain that

- for all k, k-ExpTime \subseteq Elem = $\bigcup_k k$ -ExpTime,
- there are no "Elem-complete problems," and
- Elem ⊊ Tower.
- 3.2. An Ack-Complete Example. Possibly the most popular complete problem for Ack in use in reductions, LCM Reachability asks whether a given configuration is reachable in a lossy counter machine (LCM) [83]. Such counter machines are syntactically identical to Minsky machines $\langle Q, \mathsf{C}, \delta, q_0 \rangle$, where transitions $\delta \subseteq Q \times \mathsf{C} \times \{=0?, ++, --\} \times Q$ operate on a set C of counters through zero-tests c=0?, increments c++ and decrements c--. The semantics of an LCM differ however from the usual, "reliable" semantics of a counter machine in that the counter values can decrease in an uncontrolled manner at any point of the execution. These unreliable behaviours make several problems decidable on LCMs, contrasting with the situation with Minsky machines.

Formally, a configuration $\sigma=(q,\vec{v})$ associates a control location q in Q with a counter valuation \vec{v} in $\mathbb{N}^{\mathbb{C}}$, i.e. counter values can never go negative. A transition of the form $(q, \mathsf{c}, \mathsf{op}, q')$ defines a computation step $(q, \vec{v}) \to (q', \vec{v}')$ where $\vec{v}(\mathsf{c}') \leq \vec{v}'(\mathsf{c}')$ for all $\mathsf{c} \neq \mathsf{c}'$ in C , and

- if op = =0?, then $\vec{v}(c) \ge \vec{v}'(c) = 0$,
- if op = ++, then $\vec{v}(c) + 1 \ge \vec{v}'(c)$, and
- if op = --, then $\vec{v}(c) \ge \vec{v}'(c) + 1$.

Let the initial configuration be $(q_0, \vec{0})$. The reachability problem for such a system asks whether a given configuration τ can be reached in a finite number of steps, i.e. whether $(q_0, \vec{0}) \to^* \tau$. The hardness proof of Schnoebelen [83] immediately yields that this problem is ACK-hard [see also 91, 82], where ACK is defined as an instance of (9): it is the class of problems decidable with F_{ω} resources of some primitive-recursive function of the input size:

$$ACK \stackrel{\text{def}}{=} \mathbf{F}_{\omega} = \bigcup_{p \in FPR} DTIME(F_{\omega}(p(n))).$$
 (12)

3.2.1. Decidability of LCM. Lossy counter machines define well-structured transition systems over the set of configurations $Q \times \mathbb{N}^{\mathbf{c}}$, for which generic

10 S. SCHMITZ

algorithms have been designed [4, 36], which rely on the existence of a well-quasi-ordering [wqo, see 53] over the set of configurations. The particular variant of the algorithm we present here is well-suited for a complexity analysis, and is taken from [81].

Call a sequence of configurations $\sigma_0, \sigma_1, \ldots, \sigma_n$ a witness if $\sigma_0 = \tau$ is the target configuration, $\sigma_n = (q_0, \vec{0})$ is the initial configuration, and $\sigma_{i+1} \to \sigma_i$ for all $0 \le i < n$. An instance of LCM is positive if and only if there exists a witness, which we will search for backwards, starting from τ and attempting to reach the initial configuration $(q_0, \vec{0})$.

Consider the ordering over configurations defined by $(q, \vec{v}) \leq (q', \vec{v}')$ if and only if q = q' and $\vec{v} \leq_{\times} \vec{v}'$, the latter being defined as $\vec{v}(\mathbf{c}) \leq \vec{v}'(\mathbf{c})$ for all \mathbf{c} in \mathbf{C} . Observe that, if $\sigma_0, \sigma_1, \ldots, \sigma_n$ is a *shortest* witness, then for all $i < j, \sigma_i \not\leq \sigma_j$, i.e. it is a *bad* sequence for \leq , or we could have picked σ_j at step i and obtained a strictly shorter witness. Furthermore, if at some step i there existed $s_i' \leq s_i$ with $s_i' \to s_{i-1}$, then we could substitute s_i' for s_i and still have a witness, because $s_{i+1} \to s_i'$. Thus, if there exists a witness, then there is a *minimal bad* one, i.e. a bad one where for all 0 < i < n, $\sigma_{i+1} \in \text{MinPre}(\sigma_i)$ where $\text{MinPre}(\sigma) \stackrel{\text{def}}{=} \min_{s \in \sigma_i'} \{\sigma' \mid \sigma' \to \sigma\}$.

Now, because Q and \mathbb{C} are finite, $(Q \times \mathbb{N}^{\mathbb{C}}, \leq)$ is a well-quasi-order by Dickson's Lemma, thus

- (i) for all i, the set MinPre(σ_i) is finite, and
- (ii) any bad sequence, i.e. any sequence $\sigma_0, \sigma_1, \ldots$ where $\sigma_i \not\leq \sigma_j$ for all i < j, is finite.

Therefore, an algorithm for LCM can proceed by exploring a tree of prefixes of potential minimal witnesses, which has finite degree by (i) and finite height by (ii), hence by Kőnig's Lemma is finite.

3.2.2. Length Function Theorems. A nondeterministic version of this search for a witness for LCM will see its complexity depend essentially on the height of the tree, i.e. on the length of bad sequences. Define the size of a configuration as its infinity norm $|(q, \vec{v})| = \max_{\mathbf{c} \in \mathbf{C}} \vec{v}(\mathbf{c})$, and note that any σ in MinPre (σ_i) is of size $|\sigma| \leq |\sigma_i| + 1$. This means that in any sequence $\sigma_0, \sigma_1, \ldots$ where $\tau = \sigma_0$ and $\sigma_{i+1} \in \text{MinPre}(\sigma_i)$ for all $i, |\sigma_i| \leq |\tau| + i = \text{succ}^i(|\tau|)$ the ith iterate of the successor function $\text{succ}(x) \stackrel{\text{def}}{=} x + 1$. We call such a sequence controlled by succ.

What a length function theorem provides is an upper bound on the length of controlled bad sequences over a wqo, depending on the control function—here the successor function—and the maximal order type of the wqo—here $\omega^{|\mathsf{C}|} \cdot |Q|$. In our case, the theorems in [79, 80] provide an

$$F_{h,|\mathcal{C}|}^{|Q|}(|\tau|) \le F_{h,\omega}(\max\{|\mathcal{C}|,|Q|,|\tau|\}) \stackrel{\text{def}}{=} \ell \tag{13}$$

upper bound on both this length and the maximal size of any configuration in the sequence, where

- $h: \mathbb{N} \to \mathbb{N}$ is an increasing polynomial function (which depends on the control function) and
- for any increasing $h: \mathbb{N} \to \mathbb{N}$, $(F_{h,\alpha})_{\alpha}$ is a relativized fast-growing hierarchy that uses h instead of the successor function as base function with index 0:

$$F_{h,0}(x) \stackrel{\text{def}}{=} h(x) , \quad F_{h,\alpha+1}(x) \stackrel{\text{def}}{=} F_{h,\alpha}^{\omega(x)}(x) , \quad F_{h,\lambda}(x) \stackrel{\text{def}}{=} F_{h,\lambda(x)}(x) .$$
 (14)

- 3.2.3. A Combinatorial Algorithm. We have established an upper bound on the length of a shortest minimal witness, entailing that if a witness exists, then it is of length bounded by ℓ defined in (13). This bound can be exploited by a nondeterministic forward algorithm, which
 - (1) computes ℓ in a first phase: as we will see with Theorem 5.1, this can be performed in time $F_{h,\omega}(e(n))$ for some elementary function e,
 - (2) then nondeterministically explores the reachable configurations, starting from the initial configuration $(q_0, \vec{0})$ and attempting to reach the target configuration τ —but aborts if the upper bound on the length is reached. This second phase uses at most ℓ steps, and each step can be performed in time polynomial in the size of the current configuration, itself bounded by ℓ . The whole phase can thus be performed in time polynomial in ℓ , which is bounded by $F_{h,\omega}(f(n))$ for some primitive-recursive f by Lemma 4.6.

Thus the overall complexity of this algorithm can be bounded by $F_{h,\omega}(p(n))$ where h and p are primitive-recursive. Because by Corollary 4.3 and Equation (22), for any primitive-recursive strictly increasing h,

$$ACK = \bigcup_{p \in FPR} NTIME(F_{h,\omega}(p(n))), \qquad (15)$$

this means that LCM is in ACK.

3.2.4. Discussion. The oldest statement of ACK-completeness (under polynomial time Turing reductions) we are aware of is due to Clote [20] for FCP, the finite containment problem for Petri nets; see §6.1.1. As observed by Clote, his definition of ACK as DTIME($F_{\omega}(n)$) is somewhat problematic, since the class is not robust under changes in the model of computation, for instance RAM vs. multitape Turing machines. A similar issue arises with the definition $\bigcup_{c<\omega} \text{DTIME}(F_{\omega}(n+c))$ employed in [42]: though robust under changes in the model of computation, it is not closed under reductions. Those classes are too tight to be convenient.

Conversely, stating that a problem is "in \mathscr{F}_{ω}^* but not in \mathscr{F}_k^* for any k" [e.g. 33] is much less informative than stating that it is \mathbf{F}_{ω} -complete: \mathscr{F}_{ω}^* is too large to allow for completeness statements, see Section 5.

4. Robustness

In the applications of fast-growing classes we discussed in sections 3.1 and 3.2, we relied on both counts on their "robustness" to minor changes

in their definition. More precisely, we employed space or time hierarchies in differently, and alternative generative functions: first for the lower bound of SFEq and WS1S, when we used the tower function instead of F_3 in the reduction, and later for the upper bound of LCM, where we relied on a relativised version of F_{ω} . In this section, we prove these and other small changes to be innocuous.

- 4.1. **Generative Functions.** There are many variants for the definition of the fast-growing functions $(F_{\alpha})_{\alpha}$, but they are all known to generate essentially the same hierarchy $(\mathscr{F}_{\alpha})_{\alpha}$. Nevertheless, because the fast-growing complexity classes \mathbf{F}_{α} we defined are smaller, there is no guarantee for these classical results to hold for them.
- 4.1.1. Ackermann Hierarchy. We start with one particular variant, which is rather common in the literature: define $A_{\alpha} : \mathbb{N} \to \mathbb{N}$ for $\alpha > 0$ by:

$$A_1(x) \stackrel{\text{def}}{=} 2x$$
, $A_{\alpha+1}(x) \stackrel{\text{def}}{=} A_{\alpha}^x(1)$, $A_{\lambda}(x) \stackrel{\text{def}}{=} A_{\lambda(x)}(x)$. (16)

The hierarchy differs in the treatment of successor indices, where the argument is reset to 1 instead of keeping x as in (3). This definition results for instance in $A_2(x) = 2^x$ and $A_3(x) = \text{tower}(x)$, and is typically used in lower bound proofs.

We can define a hierarchy of decision problems generated from the $(A_{\alpha})_{\alpha}$ by analogy with (9):

$$\mathbf{A}_{\alpha} \stackrel{\text{\tiny def}}{=} \bigcup_{p \in \mathscr{F}_{<\alpha}} \text{DTIME} \left(A_{\alpha}(p(n)) \right). \tag{17}$$

For two functions $g: \mathbb{N} \to \mathbb{N}$ and $h: \mathbb{N} \to \mathbb{N}$, let us write $g \leq h$ if $g(x) \leq h(x)$ for all x in \mathbb{N} . Because $A_{\alpha} \leq F_{\alpha}$ for all $\alpha > 0$, it follows that $\mathbf{A}_{\alpha} \subseteq \mathbf{F}_{\alpha}$. The converse inclusion also holds: in order to prove it, it suffices to exhibit for all $\alpha > 0$ a function p_{α} in $\mathscr{F}_{<\alpha}$ such that $F_{\alpha} \leq A_{\alpha} \circ p_{\alpha}$. It turns out that a uniform choice $p_{\alpha}(x) \stackrel{\text{def}}{=} 6x + 5$ fits those requirements—it is a linear function in \mathscr{F}_{0} and $F_{\alpha} \leq A_{\alpha} \circ p_{\alpha}$ as shown in Lemma A.4—, thus:

Theorem 4.1. For all $\alpha > 0$, $\mathbf{A}_{\alpha} = \mathbf{F}_{\alpha}$.

4.1.2. Relativised Hierarchies. Another means of defining a variant of the fast-growing functions is to pick a different definition for F_0 : recall the relativised fast-growing functions employed in (14). The corresponding relativised complexity classes are then defined by

$$\mathbf{F}_{h,\alpha} \stackrel{\text{def}}{=} \bigcup_{p \in \mathscr{F}_{<\alpha}} \text{DTIME} \left(F_{h,\alpha}(p(n)) \right). \tag{18}$$

It is easy to check that, if $g \leq h$, then $F_{g,\alpha} \leq F_{h,\alpha}$ for all α . Because we assumed h to be strictly increasing, this entails $F_{\alpha} \leq F_{h,\alpha}$, and we have the inclusion $\mathbf{F}_{\alpha} \subseteq \mathbf{F}_{h,\alpha}$ for all strictly increasing h.

 $^{^2}$ See [76] and [62, pp. 48–51] for such results—and the works of Weiermann et al. on phase transitions for investigations of when changes do have an impact [e.g. 71].

The converse inclusion does not hold, since for instance $F_{h,1}$ is non elementary for $h(x) = 2^x$. Observe however that, in this instance, $h \leq F_2$, and we can see that $F_{F_2,k} = F_{2+k}$ for all k in \mathbb{N} . This entails that $\mathbf{F}_{h,1} \subseteq \mathbf{F}_3$ for $h(x) = 2^x$. Thus, when working with relativised classes, one should somehow "offset" the ordinal index by an appropriate amount.

There is nevertheless a difficulty with relativised functions: it is rather straightforward to show that $F_{h,\alpha} \leq F_{\beta+\alpha}$ if $h \leq F_{\beta}$, assuming that the direct sum $\beta + \alpha$ does not "discard" any summand from the CNF of β ; e.g. $F_{F_1,k} = F_{k+1}$ and $F_{F_{\omega},\omega} = F_{\omega\cdot 2}$. Observe however that $F_{F_1,\omega}(x) = F_{F_1,x+1}(x) = F_{x+2}(x) > F_{x+1}(x) = F_{\omega}(x)$. Thanks to the closure of \mathbf{F}_{α} under reductions in $\mathscr{F}_{<\alpha}$, this issue can be solved by composing with an appropriate function, e.g. $F_{F_1,\omega}(x) \leq F_{\omega}(x+1)$. This idea is formalised in Section A.4, and allows to show:

Theorem 4.2. Let $h: \mathbb{N} \to \mathbb{N}$ be a strictly increasing function and α, β be two ordinals.

- (i) If $h \in \mathscr{F}_{\beta}$, then $\mathbf{F}_{h,\alpha} \subseteq \mathbf{F}_{\beta+1+\alpha}$.
- (ii) If $h \leq F_{\beta}$, then $\mathbf{F}_{h,\alpha} \subseteq \mathbf{F}_{\beta+\alpha}$.

Proof. For (i), if h is in \mathscr{F}_{β} , then there exists x_h in \mathbb{N} such that, for all $x \geq x_h$, $h(x) \leq F_{\beta+1}(x)$ [62, Lemma 2.7]. By Lemma A.5, this entails that for all $x \geq x_h$, $F_{h,\alpha}(x) \leq F_{\beta+1+\alpha}(F_{\gamma}(x))$ for some $\gamma < \beta + 1 + \alpha$. Define the function f_h by $f_h(x) \stackrel{\text{def}}{=} x + x_h$; then for all x, $F_{h,\alpha}(x) \leq F_{h,\alpha}(f_h(x)) \leq F_{\beta+1+\alpha}(F_{\gamma}(f_h(x)))$. Observe that $F_{\gamma} \circ f_h$ is in $\mathscr{F}_{<\beta+1+\alpha}$, thus $\mathbf{F}_{h,\alpha} \subseteq \mathbf{F}_{\beta+1+\alpha}$. For (ii), if $\beta + \alpha = 0$, then $\beta = \alpha = 0$, thus h(x) = x + 1 since it has to be strictly increasing, and $F_{h,0} = F_0$. Otherwise, Lemma A.5 shows that $F_{h,\alpha} \leq F_{\beta+\alpha} \circ F_{\gamma}$ for some $\gamma < \beta + \alpha$. Observe that F_{γ} is in $\mathscr{F}_{<\beta+\alpha}$, thus $\mathbf{F}_{h,\alpha} \subseteq \mathbf{F}_{\beta+\alpha}$.

The statement of Theorem 4.2 is somewhat technical, but easy to apply to concrete situations; for instance:

Corollary 4.3. Let $h: \mathbb{N} \to \mathbb{N}$ be a strictly increasing primitive recursive function and $\alpha \geq \omega$. Then $\mathbf{F}_{h,\alpha} = \mathbf{F}_{\alpha}$.

Proof. The function h is in \mathscr{T}_k for some $k < \omega$, thus $\mathbf{F}_{h,\alpha} \subseteq \mathbf{F}_{k+1+\alpha} = \mathbf{F}_{\alpha}$ by Theorem 4.2. Conversely, since h is strictly increasing, $\mathbf{F}_{\alpha} \subseteq \mathbf{F}_{h,\alpha}$.

4.1.3. Fundamental Sequences. Our last example of a minor variation is to change the assignment of fundamental sequences. Instead of the standard assignment of (1), we posit a monotone function $s: \mathbb{N} \to \mathbb{N}$ and consider the assignment

$$(\gamma + \omega^{\beta+1})(x)_s \stackrel{\text{def}}{=} \gamma + \omega^{\beta} \cdot s(x) , \qquad (\gamma + \omega^{\lambda})(x)_s \stackrel{\text{def}}{=} \gamma + \omega^{\lambda(x)_s} .$$
 (19)

Thus the standard assignment in (1) is obtained as the particular case s(x) = x + 1. As previously, this gives rise to new fast-growing functions

$$F_{0,s}(x) \stackrel{\text{\tiny def}}{=} x+1 \;, \quad F_{\alpha+1,s}(x) \stackrel{\text{\tiny def}}{=} F_{\alpha,s}^{s(x)}(x) \;, \quad F_{\lambda,s}(x) \stackrel{\text{\tiny def}}{=} F_{\lambda(x)_s,s}(x) \tag{20}$$

and complexity classes

$$\mathbf{F}_{\alpha,s} \stackrel{\text{def}}{=} \bigcup_{p \in \mathscr{F}_{<\alpha}} \text{DTIME} \left(F_{\alpha,s}(p(n)) \right). \tag{21}$$

We obtain similar results with non standard fundamental sequences as with relativised hierarchies (thus also yielding a statement similar to that of Corollary 4.3):

Theorem 4.4. Let $s: \mathbb{N} \to \mathbb{N}$ be a strictly increasing function and α, β be two ordinals.

- (i) If $s \in \mathscr{F}_{\beta}$, then $\mathbf{F}_{\alpha,s} \subseteq \mathbf{F}_{\beta+1+\alpha}$. (ii) If $s \leq F_{\beta}$, then $\mathbf{F}_{\alpha,s} \subseteq \mathbf{F}_{\beta+\alpha}$.

Proof. By applying Theorem 4.2 alongside Lemma A.6.

The case where s is the identity function $id(x) \stackrel{\text{def}}{=} x$ is fairly common in the literature; we obtain in this particular case:

Corollary 4.5. For all α , $\mathbf{F}_{\alpha,id} = \mathbf{F}_{\alpha}$.

Proof. By Theorem 4.4 and since id $\leq F_0$, we have the inclusion $\mathbf{F}_{\alpha,id} \subseteq$ \mathbf{F}_{α} . The converse inclusion stems from $F_{\alpha} \leq F_{\alpha,\mathrm{id}} \circ F_0$, as can be seen by transfinite induction over α (see Lemma A.7).

4.2. Computational Models and Reductions. In order to be used together with reductions in $\mathscr{F}_{<\alpha}$, the classes \mathbf{F}_{α} need to be closed under such functions. The main technical lemma to this end states:

Lemma 4.6. Let f and f' be two functions in $\mathscr{F}_{<\alpha}$. Then there exists p in $\mathscr{F}_{<\alpha}$ such that $f \circ F_{\alpha} \circ f' \leq F_{\alpha} \circ p$.

Proof. By Corollary A.9, we know that there exists g in $\mathscr{F}_{<\alpha}$ such that $f \circ F_{\alpha} \leq F_{\alpha} \circ g$. We can thus define $p \stackrel{\text{def}}{=} g \circ f'$, which is also in $\mathscr{F}_{<\alpha}$ since the latter is closed under composition, to obtain the statement.

4.2.1. Computational Models. Note that because we assume $\alpha \geq 3$, $\mathscr{F}_{<\alpha}$ contains all the elementary functions, thus Lemma 4.6 also entails the robustness of the \mathbf{F}_{α} classes under changes in the model of computation—e.g. RAM vs. Turing machines vs. Minsky machines, deterministic or nondeterministic or alternating—or the type of resources under consideration—time or space; e.g.

$$\mathbf{F}_{\alpha} = \bigcup_{p \in \mathscr{F}_{<\alpha}} \mathrm{NTIME}\big(F_{\alpha}(p(n))\big) = \bigcup_{p \in \mathscr{F}_{<\alpha}} \mathrm{SPACE}\big(F_{\alpha}(p(n))\big) . \tag{22}$$

4.2.2. Many-One Reductions. For a function $f: \mathbb{N} \to \mathbb{N}$ and two languages A and B, we say that A many-one reduces to B in time f(n), written $A \leq_m^f B$, if there exists a Turing transducer T working in deterministic time f(n) such that, for all x, x is in A if and only if T(x) is in B. For a class of functions C, we write $A \leq_m^C B$ if there exists f in C such that $A \leq_m^f B$. As could be expected given the definitions, each class \mathbf{F}_{α} is closed under many-one $\mathscr{F}_{<\alpha}$ reductions:

Theorem 4.7. Let A and B be two languages. If $A \leq_m^{\mathscr{F}_{<\alpha}} B$ and $B \in \mathbf{F}_{\alpha}$, then $A \in \mathbf{F}_{\alpha}$.

Proof. By definition, A extstyle extstyle

4.2.3. Turing Reductions. We write similarly that $A \leq_T^f B$ if there exists a Turing machine for A working in deterministic time f(n) with oracle calls to B, and $A \leq_T^{\mathcal{C}} B$ if there exists f in \mathcal{C} such that $A \leq_T^f B$. It turns out that Turing reductions in $\mathscr{F}_{\leq \alpha}$ can be used instead of many-one reductions:

Theorem 4.8. Let $\alpha \geq 3$ and A and B be two languages. If $A \leq_T^{\mathscr{F}_{<\alpha}} B$ and $B \in \mathbf{F}_{\alpha}$, then $A \in \mathbf{F}_{\alpha}$.

Proof. It is a folklore result on queries in recursion theory that, if $A leq_T^f B$, then $A leq_T^{2f} B^{tt}$ where $2^f(n) leq_T^{def} 2^{f(n)}$ and B^{tt} is the truth table version of the language B, which evaluates a Boolean combination of queries " $x \in B$." Indeed, we can easily simulate the oracle machine for A using a nondeterministic Turing transducer also in time f(n) that guesses the answers of the B oracle and writes a conjunction of checks " $x \in B$ " or " $x \notin B$ " on the output, to be evaluated by a B^{tt} machine. This transducer can be determinised by exploring both outcomes of the oracle calls, and handling them through disjunctions in the output; it now works in time $2^f(n)$.

Since $\alpha \geq 3$ and f is in $\mathscr{F}_{<\alpha}$, 2^f is also in $\mathscr{F}_{<\alpha}$. Furthermore, since B is in \mathbf{F}_{α} , B^{tt} is also in \mathbf{F}_{α} . The statement then holds by Theorem 4.7.

5. Strictness

The purpose of this section is to establish the strictness of the $(\mathbf{F}_{\alpha})_{\alpha}$ hierarchy (Section 5.2). As a first step, we prove that the F_{α} functions are "elementarily" constructible (Section 5.1), which is of independent interest

for combinatorial algorithms in the line of that of §3.2.3. We end this section with a remark on the case $\alpha = 2$ (Section 5.3).

5.1. Elementary Constructivity. The functions F_{α} are known to be honest, i.e. to be computable in time \mathscr{F}_{α} [93, 29]. This is however not tight enough for their use in length function theorems, as in §3.2.3, where we want to compute their value in time elementary in F_{α} itself. Formally, we call a function f elementarily constructible if there exists an elementary function e in FELEM = $\mathscr{F}_{<3}^*$ such that f(n) can be computed in time e(f(n)) for all n.

We present the statement in the more general case of relativised fast-growing functions, defined in (14) and discussed in §4.1.2; since $F_0(x) = x+1$ is elementarily constructible, this yields the result that all the F_{α} functions are elementarily constructible:

Theorem 5.1. Let $h: \mathbb{N} \to \mathbb{N}$ be an elementarily constructible strictly increasing function and α be an ordinal, then $F_{h,\alpha}$ is also elementarily constructible.

Proof. Assume that h(n) can be computed in time e(h(n)) for some fixed elementary monotone function e. Proposition A.12 shows that $F_{h,\alpha}$ can be computed in time $O(f(F_{h,\alpha}(n)))$ for the elementary function $f(x) \stackrel{\text{def}}{=} x \cdot (p \circ G_{\omega^{\alpha}}(x)) + e(x))$, where $p \circ G_{\omega^{\alpha}}$ is an elementary function that takes the cost of manipulating (an encoding of) the ordinal indices into account. Lemma 4.6 then yields the result.

5.2. **Strictness.** Let us introduce yet another generalisation of the $(\mathbf{F}_{\alpha})_{\alpha}$ classes, which will allow for a characterisation of the $(\mathscr{F}_{\alpha}^*)_{\alpha}$ and $(\mathscr{F}_{<\alpha}^*)_{\alpha}$ classes. For an ordinal α and a finite c > 0, define

$$\mathbf{F}_{\alpha}^{c} \stackrel{\text{def}}{=} \bigcup_{p \in \mathscr{F}_{<\alpha}} \mathrm{DTIME}\big(F_{\alpha}^{c}(p(n))\big) . \tag{23}$$

Thus \mathbf{F}_{α} as defined in (9) corresponds to the case c=1.

Proposition 5.2. For all $\alpha \geq 2$,

$$\mathscr{F}_{\alpha}^* = \bigcup_{c} \mathbf{F}_{\alpha}^c .$$

Proof. The left-to-right inclusion is immediate by definition of \mathscr{F}_{α}^{*} in (8). The converse inclusion stems from the fact that if p is in \mathscr{F}_{β} for some $\beta < \alpha$, then there exists d such that $p \leq F_{\alpha}^{d}$ [62, Theorem 2.10], hence $F_{\alpha}^{c} \circ p \leq F_{\alpha}^{c+d}$ by monotonicity of F_{α} .

Let us prove the strictness of the $(\mathbf{F}_{\alpha}^c)_{c,\alpha}$ hierarchy. By Proposition 5.2 it will also prove that of $(\mathscr{F}_{\alpha}^*)_{\alpha}$ along the way (note that it is not implied by the strictness of $(\mathscr{F}_{\alpha})_{\alpha}$, since it would be conceivable that none of the separating examples would be $\{0,1\}$ -valued):

Theorem 5.3 (Strictness). For all c > 0 and $2 \le \beta < \alpha$,

$$\mathbf{F}^c_\beta \subsetneq \mathbf{F}^{c+1}_\beta \subsetneq \mathbf{F}_\alpha \ .$$

Proof of $\mathbf{F}_{\beta}^{c+1} \subsetneq \mathbf{F}_{\alpha}$. Consider first a language L in \mathbf{F}_{β}^{c+1} , accepted by a Turing machine working in time $F_{\beta}^{c+1} \circ p$ for some p in $\mathscr{F}_{<\beta}$ that we can assume to be monotone. Since $\beta < \alpha$ and $F_{\beta}^{c+1} \circ p$ is in \mathscr{F}_{β} , there exists n_0 such that, for all $n \geq n_0$, $F_{\beta}^{c+1}(p(n)) \leq F_{\alpha}(n)$, hence for all n, $F_{\beta}^{c+1}(p(n)) \leq F_{\beta}^{c+1}(p(n+n_0)) \leq F_{\alpha}(n+n_0)$ by monotonicity and expansivity of F_{β} . Observe that the function $n \mapsto n_0 + n$ is in $\mathscr{F}_0 \subseteq \mathscr{F}_{<\alpha}$, thus L also belongs to \mathbf{F}_{α} .

The strictness of the inclusion can be shown by a straightforward diagonalisation argument. Define for this the language

$$L_{\alpha} \stackrel{\text{def}}{=} \{ \langle M \rangle \# x \mid M \text{ accepts } x \text{ in } F_{\alpha}(|x|) \text{ steps} \}$$
 (24)

where $\langle M \rangle$ denotes a description of the Turing machine M and # is a separator. Then, by Theorem 5.1, L_{α} belongs to \mathbf{F}_{α} , thanks to a Turing machine that first computes F_{α} in time $F_{\alpha} \circ e$ for some elementary function e, and then simulates M in time elementary in $F_{\alpha} \circ e$. Assume now for the sake of contradiction that L_{α} belongs to \mathbf{F}_{β}^{c+1} , i.e. that there exists some c and some Turing machine K that accepts L_{α} in time F_{β}^{c+1} . Again, since $\beta < \alpha$ and $F_{\beta}^{c+1} \circ F_1$ is in \mathscr{F}_{β} , there exists n_0 such that, for all $n \geq n_0$, $F_{\beta}^{c+1}(2n+1) \leq F_{\alpha}(n)$. We exhibit a new Turing machine N

- (1) that takes as input the description $\langle M \rangle$ of a Turing machine and simulates K on $\langle M \rangle \# \langle M \rangle$ but accepts if and only if K rejects, and
- (2) we ensure that a description $\langle N \rangle$ of N has size $n \geq n_0$.

Feeding this description $\langle N \rangle$ to N, it runs in time $F_{\beta}^{c+1}(2n+1) \leq F_{\alpha}(n)$, and we obtain a contradiction whether it accepts or not:

- if N accepts, then K rejects $\langle N \rangle \# \langle N \rangle$ which is therefore not in L_{α} , thus N does not accept $\langle N \rangle$ in at most $F_{\alpha}(n)$ steps, which is absurd;
- if N rejects, then K accepts $\langle N \rangle \# \langle N \rangle$ which is therefore in L_{α} , thus N accepts $\langle N \rangle$ in at most $F_{\alpha}(n)$ steps, which is absurd.

Proof of $\mathbf{F}_{\beta}^{c} \subsetneq \mathbf{F}_{\beta}^{c+1}$. Similar to the previous proof; picking F_{β}^{c+1} as the time bound instead of F_{α} in (24) suffices to establish strictness.

By Proposition 5.2, a first consequence of Theorem 5.3 is that

$$\mathscr{F}_{\beta}^* \subsetneq \mathbf{F}_{\alpha} \tag{25}$$

for all $2 \leq \beta < \alpha$. Another consequence is that $(\mathbf{F}_{\alpha})_{\alpha}$ "catches up" with $(\mathscr{F}_{\alpha}^{*})_{\alpha}$ at every limit ordinal:

Corollary 5.4. Let λ be a limit ordinal, then

$$\mathscr{F}^*_{<\lambda} = \bigcup_{\beta < \lambda} \mathbf{F}_{\beta} \subsetneq \mathbf{F}_{\lambda} .$$

Proof. The equality $\mathscr{F}_{<\lambda}^* = \bigcup_{\beta<\lambda} \mathbf{F}_{\beta}$ and the inclusion $\mathscr{F}_{<\lambda}^* \subseteq \mathbf{F}_{\lambda}$ can be checked by considering a problem in some \mathscr{F}_{β}^* for $\beta < \lambda$: it is in \mathbf{F}_{β}^c for some c > 0 by Proposition 5.2, hence in $\mathbf{F}_{\beta+1}$ with $\beta + 1 < \lambda$ by Theorem 5.3, and therefore in \mathbf{F}_{λ} again by Theorem 5.3. Regarding the strictness of the inclusion, assume for the sake of contradiction $\mathbf{F}_{\lambda} \subseteq \bigcup_{\beta<\lambda} \mathbf{F}_{\beta}$: this would entail $\mathbf{F}_{\lambda} \subseteq \mathbf{F}_{\beta}$ for some $\beta < \lambda$, violating Theorem 5.3.

Corollary 5.4 yields another characterisation of the primitive-recursive and multiply-recursive problems as

$$PR = \bigcup_{k} \mathbf{F}_{k} , \qquad MR = \bigcup_{k} \mathbf{F}_{\omega^{k}} . \qquad (26)$$

Note that strictness implies that there are no " \mathscr{F}_{α}^* -complete" problems under $\mathscr{F}_{<\alpha}$ reductions, since by Proposition 5.2 such a problem would necessarily belong to some \mathbf{F}_{α}^c level, which would in turn entail the collapse of the $(\mathbf{F}_{\alpha}^c)_c$ hierarchy at the \mathbf{F}_{α}^c level and contradict Theorem 5.3.

Similarly, fix a limit ordinal λ and some reduction class \mathscr{F}_{α} for some $\alpha < \lambda$: there cannot be any meaningful " $\mathscr{F}^*_{<\lambda}$ -complete" problem under \mathscr{F}_{α} reductions, since such a problem would be in \mathscr{F}^*_{β} for some $\alpha < \beta < \lambda$, hence contradicting the strictness of the $(\mathscr{F}^*_{\beta})_{\beta < \alpha}$ hierarchy; in particular, there are no "PR-complete" nor "MR-complete" problems.

5.3. The Case $\alpha = 2$ is a bit particular. We did not consider it in the rest of the paper (nor the other cases for $\alpha < 2$) because it does not share the usual characteristics of the $(\mathbf{F}_{\alpha})_{\alpha}$: for instance, the model of computation and the kind of resources become important, as

$$\mathbf{F}_2 \stackrel{\text{def}}{=} \bigcup_{p \in \mathscr{F}_1} \mathrm{DTIME}\big(F_2(p(n))\big) \tag{27}$$

would a priori be different if we were to define it through NTIME or DSPACE computations; the following results are artifacts of this particular choice of a definition.

5.3.1. Recursion Schemes. In order to define \mathbf{F}_2 fully we need the original definition of the extended Grzegorczyk hierarchy $(\mathscr{F}_{\alpha})_{\alpha}$ by Löb and Wainer [62]—the characterisation in (5) is only correct for $\alpha \geq 2$. This definition is based on the closure of a set of initial functions under the operations of substitution and limited primitive recursion. More precisely, the set of initial functions at level α comprises the constant zero function 0, the sum function $+: x_1, x_2 \mapsto x_1 + x_2$, the projections $\pi_i^n: x_1, \ldots, x_n \mapsto x_i$ for all $0 < i \leq n$, and the fast-growing function F_{α} . New functions are added to form the class \mathscr{F}_{α} through two operations:

substitution: if h_0, h_1, \ldots, h_p belong to the class, then so does f if

$$f(x_1,\ldots,x_n) = h_0(h_1(x_1,\ldots,x_n),\ldots,h_p(x_1,\ldots,x_n)),$$

limited primitive recursion: if h_0 , h_1 , and g belong to the class, then so does f if

$$f(0, x_1, ..., x_n) = h_0(x_1, ..., x_n) ,$$

$$f(y+1, x_1, ..., x_n) = h_1(y, x_1, ..., x_n, f(y, x_1, ..., x_n)) ,$$

$$f(y, x_1, ..., x_n) \le g(\max\{y, x_1, ..., x_n\}) .$$

Observe that primitive recursion is defined by ignoring the last *limitedness* condition in the previous definition. See the survey by Clote [21] on the relationships between machine-defined and recursion-defined complexity classes.

5.3.2. Linear Exponential Time. Let us focus for now on \mathscr{F}_1 , which is the class of reductions used in \mathbf{F}_2 . First note that the successor function $\mathrm{succ}(x) = x + 1 = x + F_1(0)$ belongs to \mathscr{F}_1 .

Call a function f linear if there exists a constant c such that $f(x_1, \ldots, x_n) \le c \cdot \max_i x_i$ for all x_1, \ldots, x_n . Observe that, for all c, the function $f_c(x) \stackrel{\text{def}}{=} c \cdot x$ is in \mathscr{F}_1 since $f_c(0) = 0$, $f_c(x+1) = \operatorname{succ}^c(0) + f_c(x)$, and $f_c(x) \le F_1^c(x)$; thus any linear function is bounded above by a function in \mathscr{F}_1 . Conversely, if f is in \mathscr{F}_1 , then it is linear: this is true of the initial functions, and preserved by the two operations of substitution and limited primitive recursion.³

This entails that \mathbf{F}_2 matches a well-known complexity class, since furthermore $F_2(n) = 2^{n+1+\log(n+1)} - 1$ is in $2^{O(n)}$: \mathbf{F}_2 is the weak (aka linear) exponential-time complexity class:

$$\mathbf{F}_2 = \mathbf{E} \stackrel{\text{def}}{=} \mathbf{DTIME}(2^{O(n)}) . \tag{28}$$

6. A SHORT CATALOGUE

Our introduction of the fast-growing complexity classes is motivated by already known decidability problems, arising for instance in logic, verification, or database theory, for which no precise classification could be provided in the existing hierarchies. By listing some of these problems, we hope to initiate the exploration of this mostly uncharted area of complexity, and to foster the use of reductions from known problems, rather than proofs from Turing machines. The following catalogue of complete problems does not attempt to be exhaustive; Friedman [38] for instance presents many problems "of enormous complexity."

Because examples for Tower are well-known and abound in the literature, starting with a 1975 survey by Meyer [67],⁴ we rather focus on the non primitive-recursive levels, i.e. the \mathbf{F}_{α} for $\alpha \geq \omega$. Interestingly, all these examples rely for their upper bound on the existence of some well-quasi-ordering (of maximal order type ω^{α} [see 23]), and on a matching length function theorem.

³Thus $\mathscr{F}_1 \subsetneq \mathscr{E}^2$: the latter additionally contains the function $x, y \mapsto (x+1) \cdot (y+1)$ as an initial function, and is equal to FLINSPACE [75, 21, Theorem 3.36].

⁴Of course Meyer does not explicitly state Tower-completeness, but it follows immediately from the lower and upper bounds he provides.

- 6.1. \mathbf{F}_{ω} -Complete Problems. We gather here some of the decision problems known to be ACK-complete at the time of this writing. The common trait of all these problems is their reliance on Dickson's Lemma over \mathbb{N}^d for some d for decidability, and on the associated length function theorems [65, 20, 33, 6] for ACK upper bounds.
- 6.1.1. Vector Addition Systems (VAS, and equivalently Petri nets), provided the first known Ackermannian decision problem: FCP.

A d-dimensional VAS is a pair $\langle \vec{v_0}, \vec{A} \rangle$ where $\vec{v_0}$ is an initial configuration in \mathbb{N}^d and \vec{A} is a finite set of transitions in \mathbb{Z}^d . A transition \vec{u} in \vec{A} can be applied to a configuration \vec{v} in \mathbb{N}^d if $\vec{v}' = \vec{v} + \vec{u}$ is in \mathbb{N}^d ; the resulting configuration is then \vec{v}' . The complexity of decision problems for VAS usually varies from ExpSpace-complete [61, 74, 11] to \mathbf{F}_{ω} -complete [64, 47] to undecidable [41, 46], via a key problem, whose exact complexity is unknown: VAS Reachability [63, 51, 54, 59, 60].

Finite Containment Problem (FCP)

instance: Two VAS V_1 and V_2 known to have finite sets Reach(V_1) and Reach(V_2) of reachable configurations.

question: Is Reach(V_1) included in Reach(V_2)?

lower bound: Mayr and Meyer [64], from an F_{ω} -bounded version of Hilbert's Tenth Problem. A simpler reduction is given by Jančar [47] from F_{ω} -MM the halting problem of F_{ω} -bounded Minsky machines.

upper bound: Originally McAloon [65] and Clote [20], or more generally using length function theorems for Dickson's Lemma [33, 6].

comment: Testing whether the set of reachable configurations of a VAS is finite is ExpSpace-complete [61, 74]. FCP has been generalised by Jančar [47] to a large range of behavioural relations between two VASs. Without the finiteness condition, these questions are undecidable [41, 46, 47].

An arguably simpler problem on vector addition systems has recently been shown to be ACK-complete by Hofman and Totzke [45]. A labelled vector addition system with states (VASS) $\mathcal{V} = \langle Q, \Sigma, d, T, q_0, \vec{v}_0 \rangle$ is a VAS extended with a finite set Q of control states that includes a distinguished initial state q_0 . The transitions in T of such systems are furthermore labelled with symbols from a finite alphabet Σ : transitions are then defined as quadruples $q \xrightarrow{a,\vec{u}} q'$ for a in Σ and \vec{u} in \mathbb{Z}^d . Such a system defines an infinite labelled transition system $\langle Q \times \mathbb{N}^d, \rightarrow, (q_0, \vec{v}_0) \rangle$ where $(q, \vec{v}) \xrightarrow{a} (q', \vec{v} + \vec{u})$ if $q \xrightarrow{a,\vec{u}} q'$ is in T and $\vec{v} + \vec{u} \geq \vec{0}$. The set of traces of \mathcal{V} is the set of finite sequences $L(\mathcal{V}) \stackrel{\text{def}}{=} \{a_1 \cdots a_n \in \Sigma^* \mid \exists (q, \vec{v}) \in Q \times \mathbb{N}^d. (q_0, \vec{v}_0) \xrightarrow{a_1 \cdots a_n} (q, \vec{v}) \}$.

One-Dimensional VASS Universality (1VASSU)

instance: A one-dimensional labelled VASS $\mathcal{V} = \langle Q, \Sigma, 1, T, q_0, \vec{x}_0 \rangle$. question: Does $L(\mathcal{V}) = \Sigma^*$, i.e. is every finite sequence over Σ a trace of \mathcal{V} ? lower bound: Hofman and Totzke [45] by reduction from reachability in

gainy counter machines, see LCM.

- upper bound: Hofman and Totzke [45] using length function theorems for Dickson's Lemma.
- comment: One-dimensional VASS are also called "one counter nets" in the literature. More generally, the *inclusion* problem $L \subseteq L(\mathcal{V})$ for some rational language L is still ACK-complete.
- 6.1.2. Unreliable Counter Machines. A lossy counter machine (LCM) is syntactically a Minsky machine, but its operational semantics are different: its counter values can decrease nondeterministically at any moment during execution. See Section 3.2 for details.

Lossy Counter Machines Reachability (LCM)

instance: A lossy counter machine M and a configuration σ .

question: Is σ reachable in M with lossy semantics?

lower bound: Schnoebelen [83], by a direct reduction from F_{ω} -bounded Minsky machines. The first proofs were given independently by Urquhart in 1999 [91] and Schnoebelen in 2002 [82].

upper bound: Length function theorem for Dickson's Lemma.

- comment: Completeness also holds for terminating LCMs (meaning that every computation starting from the initial configuration terminates), coverability in Reset or Transfer Petri nets, and for reachability in gainy counter machines, where counter values can increase nondeterministically.
- 6.1.3. Relevance Logics provide different semantics of implication, where a fact B is said to follow from A, written " $A \to B$ ", only if A is actually relevant in the deduction of B. This excludes for instance $A \to (B \to A)$, $(A \land \neg A) \to B$, etc.—see Dunn and Restall [26] for more details. Although the full logic \mathbf{R} is undecidable [90], its conjunctive-implicative fragment $\mathbf{R}_{\to,\wedge}$ is decidable, and ACK-complete:

Conjunctive Relevant Implication (CRI)

instance: A formula A of $\mathbf{R}_{\to,\wedge}$.

question: Is A a theorem of $\mathbf{R}_{\to,\wedge}$?

lower bound: Urquhart [91], from a variant of LCM: the emptiness problem of alternating expansive counter systems, for which he proved \mathbf{F}_{ω} -hardness directly from F_{ω} -MM the halting problem in F_{ω} -bounded Minsky machines.

upper bound: Urquhart [91] using length function theorem for Dickson's Lemma.

- comment: Hardness also holds for any intermediate logic between $\mathbf{R}_{\to,\wedge}$ and $\mathbf{T}_{\to,\wedge}$, which might include some undecidable fragments. The related contractive propositional linear logic LLC and its additive-multiplicative fragment MALLC are also Ack-complete [56].
- 6.1.4. Data Logics & Register Automata are concerned with structures like words or trees with an additional equivalence relation over the positions. The motivation for this stems in particular from XML processing, where

the equivalence stands for elements sharing the same datum from some infinite data domain \mathbb{D} . Enormous complexities often arise in this context, both for automata models (register automata and their variants, when extended with alternation or histories) and for logics (which include logics with freeze operators and XPath fragments)—the two views being tightly interconnected.

Emptiness of Alternating 1-Register Automata (A1RA)

instance: An A1RA \mathcal{A} .

question: Is the data language L(A) empty?

lower bound: Demri and Lazić [25], from reachability in gainy counter machines LCM.

upper bound: Demri and Lazić [25], by reducing to reachability in gainy counter machines LCM.

comment: There exist many variants of the A1RA model, and hardness also holds for the corresponding data logics [e.g. 48, 25, 32, 88, 31, 89]. See A1TA for the case of linearly ordered data, and $\mathsf{LTL}^\downarrow_{[k]}$ for data logics using multiple attributes with a hierarchical policy.

6.1.5. Metric Temporal Logic (MTL) allows to reason on timed words over $\Sigma \times \mathbb{R}$, where Σ is a finite alphabet and the real values are non decreasing timestamps on events [52]. When considering infinite timed words, one usually focuses on non-Zeno words, where the timestamps are increasing and unbounded. MTL is an extension of linear temporal logic where temporal modalities are decorated with real intervals constraining satisfaction; for instance, a timed word w satisfies the formula $\mathsf{F}_{[3,\infty)}\varphi$ at position i, written $w,i \models \mathsf{F}_{[3,\infty)}\varphi$, only if φ holds at some position j > i of w with timestamp $\tau_j - \tau_i \geq 3$. The safety fragment of MTL restricts the intervals decorating "until" modalities to be right-bounded.

Satisfiability of Safety Metric Temporal Logic (SMTL)

instance: A safety MTL formula φ .

question: Does there exist an infinite non-Zeno timed word w s.t. $w, 0 \models \varphi$? lower bound: Lazić et al. [58], by a direct reduction from F_{ω} -bounded Turing machines

upper bound: Lazić et al. [58] by resorting to length function theorems for Dickson's Lemma.

comment: The complexity bounds are established through reductions to and from the fair termination problem for insertion channel systems, which Lazić et al. [58] show to be ACK-complete; see LCST.

6.1.6. Ground Term Rewriting. A ground term rewrite system with state (sGTRS) maintains a finite ordered labelled tree along with a control state from some finite set. While most questions about ground term rewrite systems are decidable [22], the addition of a finite set of control states yields a Turing-powerful formalism. Formally, a sGTRS $\langle Q, \Sigma, R \rangle$ over a ranked alphabet Σ and a finite set of states Q is defined by a finite set of rules

 $R \subseteq (Q \times T(\Sigma))^2$ of the form $(q,t) \to (q',t')$ acting over pairs of states and trees, which rewrite a configuration (q,C[t]) into (q',C[t']) in any context C.

Hague [43] adds age labels in \mathbb{N} to every node of the current tree. In the initial configuration, every tree node has age zero, and at each rewrite step $(q, C[t]) \to (q', C[t'])$, in the resulting configuration the nodes in t' have age zero, and the nodes in C see their age increment by one if $q \neq q'$ or remain with the same age as in (q, C[t]) if q = q'. A senescent sGTRS with lifespan k in \mathbb{N} restricts rewrites to only occur in subtrees of age at most k, i.e. when matching C[t] the age of the root of t is $\leq k$.

State Reachability in Senescent Ground Term Rewrite Systems (SGTRS)

instance: A senescent sGTRS $\langle Q, \Sigma, R \rangle$ with lifespan k, two states q_0 and q_f in Q, and an initial tree t_0 in $T(\Sigma)$.

question: Does there exist a tree t in $T(\Sigma)$ such that (q_f, t) is reachable from (q_0, t_0) ?

lower bound: Hague [43], from coverability in reset Petri nets, see LCM. upper bound: Hague [43], by reducing to coverability in reset Petri nets, see LCM.

6.1.7. Interval Temporal Logics provide a formal framework for reasoning about temporal intervals. Halpern and Shoham [44] define a logic with modalities expressing the basic relationships that can hold between two temporal intervals, $\langle B \rangle$ for "begun by", $\langle E \rangle$ for "ended by", and their inverses $\langle \bar{B} \rangle$ and $\langle \bar{E} \rangle$. This logic, and even small fragments of it, has an undecidable satisfiability problem, thus prompting the search for decidable restrictions and variants. Montanari et al. [69] show that the logic with relations $A\bar{A}B\bar{B}$ —where $\langle A \rangle$ expresses that the two intervals "meet", i.e. share an endpoint—, has an \mathbf{F}_{ω} -complete satisfiability problem over finite linear orders:

Finite Linear Satisfiability of $A\bar{A}B\bar{B}$ (ITL)

instance: An AABB formula φ .

question: Does there exist an interval structure S over some finite linear order and an interval I of S s.t. $S, I \models \varphi$?

lower bound: Montanari et al. [69], from reachability in lossy counter systems (LCM).

upper bound: Montanari et al. [69], by reducing to reachability in lossy counter systems (LCM).

comment: Hardness already holds for the fragments $\bar{A}B$ and $\bar{A}\bar{B}$ [14].

- 6.2. $\mathbf{F}_{\omega\omega}$ -Complete Problems. The following problems are known to be complete for HACK. In most cases they have been proven decidable thanks to Higman's Lemma over some finite alphabet, and the complexity upper bounds stem from the length function theorems of Weiermann [94], Cichoń and Tahhan Bittar [19], Schmitz and Schnoebelen [79].
- 6.2.1. Lossy Channel Systems (LCS) are finite labelled transition systems $\langle Q, M, \delta, q_0 \rangle$ where transitions in $\delta \subseteq Q \times \{?, !\} \times M \times Q$ read and write

on an unbounded channel. This would lead to a Turing-complete model of computation, but the operational semantics of LCS are "lossy": the channel loses symbols in an uncontrolled manner. Formally, the configurations of an LCS are pairs (q,x), where q in Q holds the current state and x in M^* holds the current contents of the channel. A read (q,?m,q') in δ updates this configuration into (q,x') if there exists some x'' s.t. $x' \leq_* x''$ and $mx'' \leq_* x$ —where \leq_* denotes subword embedding—, while a write transition (q,!m,q') updates it into (q',x') with $x' \leq_* xm$; the initial configuration is (q_0,ε) , with empty initial channel contents.

Due to the unboundedness of the channel, there might be infinitely many configurations reachable through transitions. Nonetheless, many problems are decidable [2, 15] using Higman's Lemma and what would later become known as the theory of well-structured transition systems (WSTS) [35, 4, 36]. LCS are also the primary source of problems hard for $\mathbf{F}_{\omega^{\omega}}$:

LCS Reachability (LCS)

24

instance: A LCS and a configuration (q, x) in $Q \times M^*$.

question: Is (q, x) reachable from the initial configuration?

lower bound: Chambart and Schnoebelen [18], by a direct reduction from $F_{\omega^{\omega}}$ -MM the halting problem in $F_{\omega^{\omega}}$ -bounded Minsky machines.

upper bound: Chambart and Schnoebelen [18] using the length function theorem of Cichoń and Tahhan Bittar [19], or more generally using length function theorems for Higman's Lemma [94, 79].

comment: Hardness holds already for the (semantically defined) class of terminating systems, and for reachability in *insertion channel systems*, where symbols are nondeterministically inserted in the channel at arbitrary positions instead of being lost. The bounds are refined and parametrised in function of the size of the alphabet M in [49].

There are many interesting applications of this question; let us mention one in particular: Atig et al. [8] show how concurrent finite programs communicating through weak shared memory—i.e. prone to reorderings of read or writes, modelling the actual behaviour of microprocessors, their instruction pipelines, and cache levels—have an \mathbf{F}_{ω} -complete control-state reachability problem, through reductions to and from LCS.

LCS Termination (LCST)

instance: A LCS.

question: Is every sequence of transitions from the initial configuration finite?

lower bound: Chambart and Schnoebelen [18], by a reduction from terminating instances of LCS.

upper bound: Length function theorems for Higman's Lemma.

comment: Unlike Reachability, Termination is sensitive to switching from lossy semantics to insertion semantics: it becomes NL-complete in general [15], Tower-complete when the channel system is equipped with channel tests [13], and Ack-complete when one asks for fair

non termination, where the channel contents are read infinitely often [58].

6.2.2. Embedding Problems have been introduced by Chambart and Schnoebelen [16], motivated by decidability problems in various classes of channel systems mixing lossy and reliable channels. These problems are centred on the subword embedding relation \leq_* and called Post Embedding Problems. There is a wealth of variants and applications, see e.g. [17, 50, 49].

We give here a slightly different viewpoint, taken from [9, 49], that uses regular relations (i.e. definable by synchronous finite transducers) and rational relations (i.e. definable by finite transducers):

Rational Embedding Problem (RatEP)

instance: A rational relation R included in $\Sigma^* \times \Sigma^*$.

question: Is $R \cap \leq_*$ non empty?

lower bound: Chambart and Schnoebelen [16], from reachability in lossy channel systems (LCS).

upper bound: Length function theorems for Higman's Lemma.

comment: Chambart and Schnoebelen [16] call this problem the Regular Post Embedding Problem, not to be mistaken with GEP. An equivalent presentation uses a rational language L included in Σ^* and two homomorphisms $u, v: \Sigma^* \to \Sigma^*$, and asks whether there exists w in L s.t. $u(w) \leq_* v(w)$. The bounds are refined and parametrised in function of the size of the alphabet Σ in [49].

Generalised Embedding Problem (GEP)

instance: A regular relation R included in $(\Sigma^*)^m$ and a subset I of $\{1, ..., m\}^2$. question: Does there exist $(w_1, ..., w_m)$ in R s.t. for all (i, j) in I, $w_i \leq_* w_j$? lower bound: Barceló et al. [9], from RatEP.

upper bound: Length function theorems for Higman's Lemma.

comment: The Regular Embedding Problem (RegEP) corresponds to the case where m=2 and $I=\{(1,2)\}$, and is already $\mathbf{F}_{\omega^{\omega}}$ -hard; see [49] for refined bounds. Barceló et al. [9] use GEP to show the $\mathbf{F}_{\omega^{\omega}}$ -hardness of querying graph databases using particular extended conjunctive regular path queries.

6.2.3. Timed Automata [7] are finite automata able to recognise timed words. They are extended with clocks that evolve synchronously through time, and can be reset and compared against some time interval by the transitions of the automaton. The model can be extended with alternation, and is then called an ATA. Satisfiability problems for MTL reduce to emptiness problems for ATAs. Ouaknine and Worrell [73] and Lasota and Walukiewicz [55] prove using WSTS techniques that, in the case of a single clock, emptiness of ATAs is decidable. Note that the safety fragment of MTL has an ACK-complete satisfiability problem, see SMTL.

26 S. SCHMITZ

Emptiness of Alternating 1-Clock Timed Automata (A1TA)

instance: An A1TA \mathcal{A} .

question: Is the timed language L(A) empty?

lower bound: Lasota and Walukiewicz [55], from reachability in insertion channel systems (LCS).

upper bound: Length function theorems for Higman's Lemma.

comment: Hardness already holds for universality of nondeterministic 1-clock timed automata.

Finite Satisfiability of Metric Temporal Logic (fMTL)

instance: An MTL formula φ .

question: Does there exist a finite timed word w s.t. $w, 0 \models \varphi$?

lower bound: Ouaknine and Worrell [73], from reachability in insertion channel systems (LCS).

upper bound: Length function theorems for Higman's Lemma.

comment: Satisfiability for infinite timed words is undecidable [72].

Note that recent work on data automata over linearly ordered domains has uncovered some strong ties with timed automata [34, 31].

6.2.4. Unordered Data Nets are a generalisation of Petri nets where each token carries some datum from some infinite data domain, which can be tested for equality against the data of other tokens when firing the transitions of the system. This is a restriction over the more general data nets [57], where the data domain is deemed to be densely linearly ordered; see ENC. Like general data nets, unordered data nets allow so-called "whole-place" operations, endowing them with generalised reset capabilities; the exact complexity of coverability for unordered Petri data nets, where such operations are not available, is unknown at the moment (Tower-hardness is shown by Lazić et al. [57]).

Unordered Data Nets Coverability (UDN)

instance: An unordered data net \mathcal{N} and a place p of the net.

question: Is there a reachable marking with a least one token in p?

lower bound: Rosa-Velardo [77], by a direct reduction from the halting problem in $F_{\omega^{\omega}}$ -bounded Minsky machines.

upper bound: Rosa-Velardo [77], by proving a length function theorem for $\mathbb{M}_{\text{fin}}(\mathbb{N}^d)$ the set of finite multisets of vectors of naturals, ordered by multiset embedding.

This is the only instance in this list of a HACK-complete problem that does not explicitly rely on Higman's Lemma.

6.3. $\mathbf{F}_{\omega}^{\omega}$ -Complete Problems. Currently, all the known $\mathbf{F}_{\omega}^{\omega}$ -complete problems are related to extensions of Petri nets called *enriched nets*, which include timed-arc Petri nets [3], ordered data nets and ordered Petri data nets [57], and constrained multiset rewriting systems [1]. Reductions between the different classes of enriched nets can be found in [5, 12]. Defining these families of nets here would take too much space; see the referenced

papers for details. These models share one characteristic: they define well-structured transition systems over finite sequences of vectors of natural numbers, which have an $\omega^{\omega^{\omega}}$ maximal order type.

Enriched Net Coverability (ENC)

instance: An enriched net \mathcal{N} and a place p of the net.

question: Is there a reachable marking with a least one token in p?

lower bound: Haddad et al. [42], by a direct reduction from the halting problem in $F_{\omega^{\omega}}$ -bounded Minsky machines.

upper bound: Haddad et al. [42], using length function theorems for finite sequences of vectors of natural numbers and Higman's Lemma [79].

- 6.4. $\mathbf{F}_{\varepsilon_0}$ -Complete Problems Problems complete for $\mathbf{F}_{\varepsilon_0}$ are untractable in a distinctive sense: although there exists a Turing machine able to answer on every instance, the termination proof of this Turing machine implies a totality proof for a function akin to F_{ε_0} : the latter is however known to be independent of Peano Arithmetic [e.g. 29].
- 6.4.1. Priority Channel Systems are defined similarly to lossy channel systems (c.f. §6.2.1), but the message alphabet M is linearly ordered to represent message priorities. Rather than message losses, the unreliable behaviours are now message supersedings, i.e. applications of the rewrite rules $ab \to b$ for $b \ge a$ in M on the channel contents.

PCS Reachability (PCS)

instance: A PCS and a configuration (q, x) in $Q \times M^*$.

question: Is (q, x) reachable from the initial configuration?

lower bound: Haase et al. [40], by a direct reduction from the halting problem in F_{ε_0} -bounded Turing machines.

upper bound: Haase et al. [40], using length function theorems for nested applications of Higman's Lemma [79].

6.4.2. Nested Counter Systems & Hierarchical Multi-Attributed Data Logics. Finite data words may in general carry several data values from some infinite data domain in addition to a label from some finite alphabet. The satisfiability of data logics over such data words becomes undecidable, even for the restricted logics discussed in $\S 6.1.4.$ However, decidability can be recovered when the logic is restricted by a hierarchical discipline on its attributes $\{0,\ldots,k\}$, where attribute i can only be tested for equality on two positions of the word if all the attributes $0,\ldots,i-1$ are also simultaneously tested.

Satisfiability of Freeze LTL with Ordered Attributes $(\mathsf{LTL}^\downarrow_{[k]})$

instance: A formula φ of Freeze LTL with one register and k hierarchical attributes.

question: Does there exist a k-attributed finite data word w s.t. $w \models \varphi$? lower bound: Decker and Thoma [24] by a direct reduction from F_{ε_0} -bounded Minsky machine.

28 S. SCHMITZ

upper bound: Decker and Thoma [24] by a reduction to reachability in priority channel systems (PCS).

comment: The complexity bounds are established through the coverability problem for a class of nested counter systems [24].

7. Concluding Remarks

The classical complexity hierarchies are limited to elementary problems, in spite of a growing number of natural problems that require much larger computational resources. We propose in this paper a definition for fast-growing complexity classes $(\mathbf{F}_{\alpha})_{\alpha}$, which provide accurate enough notations for many non elementary decision problems: they allow to express some important landmarks, like Tower = \mathbf{F}_3 , Ack = \mathbf{F}_{ω} , or HAck = $\mathbf{F}_{\omega^{\omega}}$, and are close enough to the extended Grzegorczyck hierarchy so that complexity statements in terms of \mathscr{F}_{α} can often be refined as statements in terms of \mathbf{F}_{α} . These definitions allow to employ the familiar vocabulary of complexity theory, reductions and completeness, instead of the more ad-hoc notions used this far. This will hopefully foster the reuse of "canonical problems" in establishing high complexity results, rather than proofs from first principles, i.e. resource-bounded Turing machines.

A pattern emerges in the list of known \mathbf{F}_{α} -complete problems, allowing to answer a natural concern already expressed by Clote [20]: "what do complexity classes for such rapidly growing functions really mean?" Indeed, beyond the intellectual satisfaction one might find in establishing a problem as complete for some class, being \mathbf{F}_{α} -complete brings additional information on the problem itself: that it relies in some essential way on the ordinal ω^{α} being well-ordered. All the problems in Section 6 match this pattern, as their decision algorithms rely on well-quasi-orders with maximal order type ω^{α} for their termination, for which length function theorems then allow to derive \mathbf{F}_{α} bounds.

Finally, we remark that there are currently no known natural problem of "intermediate" complexity, for instance between ELEM and ACK, or between the latter and HACK. Parametric versions of LCM or LCS seem like good candidates for this, but so far the best lower and upper bounds do not quite match [see e.g. 49]. It would be interesting to find examples that exercise the intermediate levels of the $(\mathbf{F}_{\alpha})_{\alpha}$ hierarchy.

APPENDIX A. SUBRECURSIVE HIERARCHIES

This section presents the technical background and proofs missing from the main text.

A.1. **Hardy Functions.** Let $h: \mathbb{N} \to \mathbb{N}$ be a strictly increasing function. The *Hardy functions* $(h^{\alpha})_{\alpha < \varepsilon_0}$ controlled by h are defined inductively by

$$h^0(x) \stackrel{\text{def}}{=} x$$
, $h^{\alpha+1}(x) \stackrel{\text{def}}{=} h^{\alpha}(h(x))$, $h^{\lambda}(x) \stackrel{\text{def}}{=} h^{\lambda(x)}(x)$. (29)

A definition related to fundamental sequences is that of the predecessor at x of an ordinal greater than 0, which recursively considers the xth element in the fundamental sequence of limit ordinals, until a successor ordinal is found:

$$P_x(\alpha+1) \stackrel{\text{def}}{=} \alpha$$
, $P_x(\lambda) \stackrel{\text{def}}{=} P_x(\lambda(x))$. (30)

Using predecessors, the definition of the Hardy functions becomes even simpler: for $\alpha > 0$,

$$h^{\alpha}(x) \stackrel{\text{def}}{=} h^{P_x(\alpha)} \left(h(x) \right) . \tag{31}$$

Observe for instance that $h^k(x)$ for some finite k is the kth iterate of h. This intuition carries over: h^{α} is a transfinite iteration of the function h, using diagonalisation to handle limit ordinals. The usual Hardy functions H^{α} are then obtained by fixing $H(x) \stackrel{\text{def}}{=} \operatorname{succ}(x) = x + 1$.

The Hardy functions enjoy a number of properties; see [28, 19]. They are *expansive*, and *monotonic* with respect to both the base function h and to the argument x: for all $g \le h$, $x \le y$, and α ,

$$x \le h^{\alpha}(x)$$
, $g^{\alpha}(x) \le h^{\alpha}(x)$, $h^{\alpha}(x) \le h^{\alpha}(y)$. (32)

As often with subrecursive functions, what the Hardy functions lack is monotonicity in the ordinal index, see Section A.2.

By transfinite induction on ordinals, we also find several identities:

$$h^{\omega^{\alpha} \cdot c} = F_{h,\alpha}^c \,, \tag{33}$$

$$h^{\alpha+\beta} = h^{\alpha} \circ h^{\beta} . {34}$$

Note that (33) entails the expansiveness and monotonicity of the fast-growing functions.

Equation (34) is extremely valuable: it shows that—up to some extent—the *composition* of Hardy functions can be internalised in the ordinal index. Here we run however into a limitation of considering "set-theoretic" ordinal indices: informally, (34) is implicitly restricted to ordinals $\alpha + \beta$ "in CNF". Formally, it requires $\alpha + \beta = \alpha \oplus \beta$, where " \oplus " denotes the natural sum operation. For instance, it fails in $H^1(H^\omega(x)) = H^1(H^x(x+1)) = 2x+2 > 2x+1 = H^\omega(x)$, although $1 + \omega = \omega$. We will discuss this point further in Section A.6.

Remark A.1. Thanks to (33), the definitions of the $(\mathscr{F}_{<\alpha})_{\alpha}$ and $(\mathbf{F}_{\alpha})_{\alpha}$ classes can be restated purely in terms of the Hardy functions. Indeed,

$$\begin{split} \mathscr{F}_{<\alpha} &= \bigcup_{\beta < \alpha, c < \omega} \mathrm{FDTime} \big(F_{\beta}^{c}(n) \big) \\ &= \bigcup_{\beta < \alpha, c < \omega} \mathrm{FDTime} \big(H^{\omega^{\beta} \cdot c}(n) \big) \\ &= \bigcup_{\gamma < \omega^{\alpha}} \mathrm{FDTime} \big(H^{\gamma}(n) \big) \;, \\ \mathbf{F}_{\alpha} &= \bigcup_{p \in \mathscr{F}_{<\alpha}} \mathrm{DTime} \left(H^{\omega^{\alpha}}(p(n)) \right) \;. \end{split}$$

A.2. **Monotonicity.** One of the issues of most subrecursive hierarchies of functions is that they are not monotone in the ordinal index: $\beta < \alpha$ does not necessarily imply $H^{\beta} \leq H^{\alpha}$; for instance, $H^{x+2}(x) = 2x + 2 > 2x + 1 = H^{\omega}(x)$. What is true however is that they are eventually monotone: if $\beta < \alpha$, then there exists n_0 such that, for all $x \geq n_0$, $H^{\beta}(x) \leq H^{\alpha}(x)$. This result (and others) can be proven using a pointwise ordering: for all x, define the \prec_x relation as the transitive closure of

$$\alpha \prec_x \alpha + 1$$
, $\lambda(x) \prec_x \lambda$. (35)

The relation " $\beta \prec_x \alpha$ " is also noted " $\beta \in \alpha[x]$ " in [85, pp. 158–163], where the results of this section are proven.

The \prec_x relations form a strict hierarchy of refinements of the ordinal ordering <:

$$\prec_0 \subsetneq \prec_1 \subsetneq \cdots \subsetneq \prec_x \subsetneq \cdots \subsetneq <.$$
 (36)

We are going to use two main properties of the pointwise ordering:

$$x < y$$
 implies $\lambda(x) \prec_{y} \lambda(y)$, (37)

$$\beta \prec_x \alpha$$
 implies $H^{\beta}(x) < H^{\alpha}(x)$. (38)

For a first application, define the *norm* of an ordinal term as the maximal coefficient that appears in its normal form: if $\alpha = \omega^{\alpha_1} \cdot c_1 + \cdots + \omega^{\alpha_m} \cdot c_m$ with $\alpha_1 > \cdots > \alpha_m$ and $c_1, \ldots, c_m > 0$, then $N\alpha \stackrel{\text{def}}{=} \max\{c_1, \ldots, c_m, N\alpha_1, \ldots, N\alpha_m\}$. Then $\beta < \alpha$ implies $\beta \prec_{N\beta} \alpha$ [85, p. 158]. Together with (38), this entails that, for all $x \geq N\beta$, $H^{\beta}(x) \leq H^{\alpha}(x)$.

A.3. Ackermann Functions. We prove in this section some basic properties of the Ackermann hierarchy of functions $(A_{\alpha})_{\alpha}$ defined in §4.1.1. Its definition is less uniform than the fast-growing and Hardy functions, leading to slightly more involved proofs.

Lemma A.2. For all
$$\alpha > 0$$
, $A_{\alpha}(0) \leq 1$.

Proof. By transfinite induction over α . For $\alpha = 1$, $A_1(0) = 0 \le 1$. For a successor ordinal $\alpha + 1$, $A_{\alpha+1}(0) = 1$. For a limit ordinal λ , $A_{\lambda}(0) = A_{\lambda(0)}(0) \le 1$ by ind. hyp.

As usual with subrecursive hierarchies, the main issue with the Ackermann functions is to prove various monotonicity properties in the argument and in the index.

Lemma A.3. For all $\alpha, \beta > 0$ and x, y:

- (i) if $\alpha > 1$, A_{α} is strictly expansive: $A_{\alpha}(x) > x$,
- (ii) A_{α} is strictly monotone in its argument: if y > x, $A_{\alpha}(y) > A_{\alpha}(x)$,
- (iii) $(A_{\alpha})_{\alpha}$ is pointwise monotone in its index: if $\alpha \succ_{x} \beta$, $A_{\alpha}(x) \geq A_{\beta}(x)$.

Proof. Let us first consider the case $\alpha = 1$: A_1 is strictly monotone, proving (ii). Regarding (i) for $\alpha = 2$, $A_2(x) = 2^x > x$ for all x.

We prove now the three statements by simultaneous transfinite induction over α . Assume they hold for all $\beta < \alpha$ (and thus for all $\beta \prec_x \alpha$ for all x). For (i),

- if α is a successor ordinal $\beta + 1$, then $A_{\beta+1}(x) \geq A_{\beta}(x) > x$ by ind. hyp. (iii) and (i) on $\beta \prec_x \alpha$.
- If α is a limit ordinal λ , then $A_{\lambda}(x) = A_{\lambda(x)}(x) > x$ by ind. hyp. (i) on $\lambda(x) \prec_x \alpha$.

For (ii), it suffices to prove the result for y = x + 1.

- If α is a successor ordinal $\beta+1$, then $A_{\alpha}(x+1) = A_{\beta}(A_{\alpha}(x)) > A_{\alpha}(x)$ by ind. hyp. (i) on $\beta \prec_x \alpha$.
- If α is a limit ordinal λ , then $A_{\lambda}(x+1) = A_{\lambda(x+1)}(x+1) \ge A_{\lambda(x)}(x+1)$ by ind. hyp. (iii) on $\lambda(x) \prec_{x+1} \lambda(x+1)$ (recall Equation 37), hence the result by ind. hyp. (ii) on $\lambda_x \prec_x \alpha$.

For (iii), it suffices to prove the result for $\alpha = \beta + 1$ and $\beta = \alpha(x)$ and rely on transitivity.

- If $\alpha = \beta + 1$, then we show (iii) by induction over x: the base case x = 0 stems from $A_{\alpha}(0) = A_{\beta}^{0}(1) = 1 \ge A_{\beta}(0)$ by Lemma A.2; the induction step x+1 stems from $A_{\alpha}(x+1) = A_{\beta}(A_{\alpha}(x)) \ge A_{\beta}(x+1)$ using the ind. hyp. on x and (ii) on $\beta \prec_{A_{\alpha}(x)} \alpha$.
- If $\beta = \alpha(x)$, then $A_{\alpha}(x) = A_{\beta}(x)$ by definition.

Our main interest in the Ackermann functions is their relation with the fast-growing ones:

Lemma A.4. For all
$$\alpha > 0$$
 and all x , $A_{\alpha}(x) \leq F_{\alpha}(x) \leq A_{\alpha}(6x + 5)$.

Proof. We only prove the second inequality, as the first one can be deduced from the various monotonicity properties of F_{α} and A_{α} . The case x=0 is settled for all $\alpha>0$ by checking that $F_{\alpha}(0)=1\leq 10=A_1(5)\leq A_{\alpha}(5)$, since $1\leq_x \alpha$ for all $\alpha>0$ and we can therefore apply Lemma A.3.(iii). Assume now x>0; we prove the statement by transfinite induction over $\alpha>0$.

- For the base case $\alpha = 1$, $F_1(x) = 2x + 1 \le 12x + 10 = A_1(6x + 5)$.
- For the successor case $\alpha + 1$, $A_{\alpha+1}(6x+5) = A_{\alpha}^{5(x+1)}(A_{\alpha}^{x}(1)) \ge A_{\alpha}^{5(x+1)}(x)$ by Lemma A.3.

We show by induction over j that $A_{\alpha}^{5j}(x) \geq F_{\alpha}^{j}(x)$. This holds for the base case j=0, and for the induction step, $A^{5}_{\alpha}(A^{5j}_{\alpha}(x)) \geq$ $A^{5}_{\alpha}(F^{j}_{\alpha}(x))$ by ind. hyp. on j and Lemma A.3.(ii). Furthermore, for all y > 0, $A_{\alpha}(A_{\alpha}^{4}(y)) \ge A_{\alpha}(A_{1}^{4}(y)) = A_{\alpha}(16y) \ge A_{\alpha}(6y+5) \ge F_{\alpha}(y)$ by ind. hyp. on α , which shows that $A^5_{\alpha}(F^j_{\alpha}(x)) \geq F^{j+1}_{\alpha}(x)$ when choosing $y = F_{\alpha}^{j}(x) > 0$. Then $A_{\alpha}^{5(x+1)}(x) \ge F_{\alpha}^{x+1}(x) = F_{\alpha+1}(x)$, thus completing the proof in the successor case.

• For the limit case λ , $A_{\lambda}(6x+5)=A_{\lambda(6x+5)}(6x+5)\geq A_{\lambda(x)}(6x+5)\geq A_{\lambda(x)}(6x+5)$ $F_{\lambda(x)}(x) = F_{\lambda}(x)$, using successively Lemma A.3.(iii) on $\lambda(x) \prec_{6x+5}$ $\lambda(6x+5)$ and the ind. hyp. on $\lambda(x) < \lambda$.

A.4. Relativised Functions. We prove here the missing lemma from the proof of Theorem 4.2:

Lemma A.5. Let $h: \mathbb{N} \to \mathbb{N}$ be a function, α, β be two ordinals, and x_0 be a natural number. If for all $x \geq x_0$, $h(x) \leq F_{\beta}(x)$, then there exists an ordinal γ such that

- (i) for all $x \ge x_0$, $F_{h,\alpha}(x) \le F_{\beta+\alpha}(F_{\gamma}(x))$, and (ii) $\gamma < \beta + \alpha$ whenever $\beta + \alpha > 0$.

Proof. Let us first fix some notations: write $\alpha = \omega^{\alpha_1} + \cdots + \omega^{\alpha_m}$ with $\alpha_1 \geq \cdots \geq \alpha_m$ and $\beta = \omega^{\beta_1} + \cdots + \omega^{\beta_n}$ with $\beta_1 \geq \cdots \geq \beta_n$, and let i be the maximal index in $\{1,\ldots,n\}$ such that $\beta_i \geq \alpha_1$, or set i=0 if this does not occur. Define $\beta' \stackrel{\text{def}}{=} \omega^{\beta_1} + \cdots + \omega^{\beta_i}$ and $\gamma \stackrel{\text{def}}{=} \omega^{\beta_{i+1}} + \cdots + \omega^{\beta_n}$ (thus $\beta' = 0$ if i = 0); then $\beta = \beta' + \gamma$ and $\beta + \alpha = \beta' + \alpha$. Note that this implies $\gamma < \omega^{\alpha_1} \le \alpha \le \beta + \alpha$, unless $\alpha = 0$ and then $\gamma = 0$, thus fulfilling (ii).

We first prove by transfinite induction over α that

$$F_{\beta'+\alpha} \circ F_{\gamma} \ge F_{\gamma} \circ F_{F_{\beta},\alpha} . \tag{39}$$

Proof of (39). For the base case $\alpha = 0$, then $\gamma = 0$ and $\beta' = \beta$, and indeed

$$\begin{split} F_{\beta}(F_0(x)) &= F_{\beta}(x+1) \\ &\geq F_{\beta}(x)+1 \qquad \text{by monotonicity of } F_{\beta} \\ &= F_0(F_{\beta}(x)) \\ &= F_0(F_{F_{\beta},0}(x)) \;. \end{split}$$

For the successor case $\alpha + 1$ and assuming it holds for α , let us first show by induction over j that, for all y,

$$F_{\beta'+\alpha}^{j}(F_{\gamma}(y)) \ge F_{\gamma}(F_{F_{\beta},\alpha}^{j}(y)). \tag{40}$$

This immediately holds for the base case j=0, and for the induction step,

$$F_{\beta'+\alpha}\left(F_{\beta'+\alpha}^{j}(F_{\gamma}(y))\right) \geq F_{\beta'+\alpha}\left(F_{\gamma}(F_{F_{\beta},\alpha}^{j}(y))\right) \quad \text{by ind. hyp. (40) on } j$$
$$\geq F_{\gamma}\left(F_{F_{\beta},\alpha}(F_{F_{\beta},\alpha}^{j}(y))\right) \quad \text{by ind. hyp. (39) on } \alpha < \alpha + 1.$$

This yields the desired inequality:

$$F_{\beta'+\alpha+1}(F_{\gamma}(x)) = F_{\beta'+\alpha}^{F_{\gamma}(x)+1}(F_{\gamma}(x))$$

$$\geq F_{\beta'+\alpha}^{x+1}(F_{\gamma}(x))$$

$$\geq F_{\gamma}(F_{\beta,\alpha}^{x+1}(x))$$

$$= F_{\gamma}(F_{F_{\beta},\alpha+1}(x))$$

using (40) with j = x + 1 and y = x.

For the limit case λ ,

$$F_{\beta'+\lambda}(F_{\gamma}(x)) = F_{\beta'+\lambda(F_{\gamma}(x))}(F_{\gamma}(x))$$

$$\leq F_{\beta'+\lambda(x)}(F_{\gamma}(x)) \qquad \text{since } \lambda(x) \prec_{F_{\gamma}(x)} \lambda(F_{\gamma}(x))$$

$$\leq F_{\gamma}(F_{F_{\beta},\lambda}(x)) \qquad \text{by ind. hyp. (39) on } \lambda(x) < \lambda$$

$$= F_{\gamma}(F_{F_{\beta},\lambda}(x)).$$

Returning to the main proof, a simple induction over α shows that, for all $x \geq x_0$,

$$F_{h,\alpha}(x) \le F_{F_{\beta},\alpha}(x) . \tag{41}$$

We then conclude for (i) that, for all $x \geq x_0$,

$$F_{h,\alpha}(x) \leq F_{F_{\beta},\alpha}(x)$$
 by (41)
 $\leq F_{\gamma}(F_{F_{\beta},\alpha}(x))$ by expansivity of F_{γ}
 $\leq F_{\beta'+\alpha}(F_{\gamma}(x))$ by (39).

A.5. Non-standard Assignment of Fundamental Sequences. We show here the omitted details of the proof of Theorem 4.4:

Lemma A.6. Let $s:\mathbb{N} \to \mathbb{N}$ be a monotone function and α be an ordinal.

- If s is strictly expansive, then $F_{\alpha,s} \leq F_{s,\alpha} \circ s$, and
- otherwise $F_{\alpha,s} \leq F_{\alpha}$.

Proof. For the first point, let us show that

$$s(F_{\alpha,s}(x)) \le F_{s,\alpha}(s(x)) \tag{42}$$

for all monotone s with s(x) > x, all α and all x, which entails the lemma since s is expansive. We proceed by transfinite induction over α . For the base case, $F_{s,0}(s(x)) = s(s(x)) \ge s(x+1) = s(F_{0,s}(x))$ since s is monotone and strictly expansive. For the successor case, $F_{s,\alpha+1}(s(x)) = F_{s,\alpha}^{s(x)+1}(s(x)) \ge s(F_{\alpha,s}^{s(x)}(x)) = s(F_{\alpha+1,s}(x))$, where the middle inequality stems from the fact that $F_{s,\alpha}^j(s(x)) \ge s(F_{\alpha,s}^j(x))$, as can be seen by induction on j using the induction hypothesis on $\alpha < \alpha + 1$. For the limit case, observe that $\lambda(x)_s \prec_{s(x)} \lambda(s(x))$, thus $F_{s,\lambda}(s(x)) = F_{s,\lambda(s(x))}(s(x)) \ge F_{s,\lambda(x)_s}(s(x)) \ge s(F_{\lambda(x)_s,s}(x)) = s(F_{\lambda,s}(x))$ using the induction hypothesis on $\lambda(x)_s < \lambda$.

The second point is straightforward by induction over α .

Lemma A.7. For all α , $F_0 \circ F_{\alpha} \leq F_{\alpha,id} \circ F_0$.

Proof. By induction over α . For the zero case, $F_0(F_0(x)) = x + 2 = F_{0,\mathrm{id}}(F_0(x))$. For the successor case, we can check that $F_{\alpha,\mathrm{id}}^j(x+1) \geq F_{\alpha}^j(x) + 1$ for all j using the induction hypothesis on α , thus $F_{\alpha,\mathrm{id}}(x+1) = F_{\alpha,\mathrm{id}}^{x+1}(x+1) \geq F_{\alpha}^{x+1}(x) + 1 = F_{\alpha+1}(x) + 1$. For the limit case, note that $\lambda(x) \prec_{x+1} \lambda(x+1)$ thus $F_{\lambda,\mathrm{id}}(x+1) = F_{\lambda_{x+1},\mathrm{id}}(x+1) \geq F_{\lambda(x+1)}(x) + 1 \geq F_{\lambda(x)}(x) + 1 = F_{\lambda}(x) + 1$.

A.6. Composing Hardy Functions. The purpose of this section is to provide the technical details for the proof of Lemma 4.6.

The natural sum $\alpha \oplus \beta$ of two ordinals written as $\alpha = \omega^{\alpha_1} + \cdots + \omega^{\alpha_m}$ with $\alpha_1 \geq \cdots \geq \alpha_m$ and $\beta = \omega^{\beta_1} + \cdots + \omega^{\beta_n}$ with $\beta_1 \geq \cdots \geq \beta_n$ can be defined as the ordinal $\omega^{\gamma_1} + \cdots + \omega^{\gamma_{m+n}}$ where the γ_i 's range over $\{\alpha_j \mid 1 \leq j \leq m\} \cup \{\beta_k \mid 1 \leq k \leq n\}$ in non-increasing order. For instance, $\omega^2 + \omega^\omega = \omega^\omega$ but $\omega^2 \oplus \omega^\omega = \omega^\omega + \omega^2$.

Lemma A.8. For all ordinals α and β , and all functions h,

$$h^{\alpha} \circ h^{\beta} \leq h^{\alpha \oplus \beta}$$
.

Proof. Write $\alpha = \omega^{\alpha_1} + \dots + \omega^{\alpha_m}$ with $\alpha_1 \geq \dots \geq \alpha_m$ and $\beta = \omega^{\beta_1} + \dots + \omega^{\beta_n}$ with $\beta_1 \geq \dots \geq \beta_n$, then $\alpha \oplus \beta = \omega^{\gamma_1} + \dots + \omega^{\gamma_{m+n}}$. We prove the lemma by transfinite induction over β : it holds immediately for the base case since $\alpha \oplus 0 = \alpha$ and for the successor case since $\alpha \oplus (\beta + 1) = (\alpha \oplus \beta) + 1$. For the limit case, let i be the last index of β_n among the γ_j in the CNF of $\alpha \oplus \beta$. If i = m + n, then $\alpha \oplus (\beta(x)) = (\alpha \oplus \beta)(x)$ and the statement holds. Otherwise, define $\gamma \stackrel{\text{def}}{=} \omega^{\gamma_1} + \dots + \omega^{\gamma_i}$ and $\gamma' \stackrel{\text{def}}{=} \omega^{\gamma_{i+1}} + \dots + \omega^{\gamma_{m+n}}$. For all x.

$$h^{\alpha \oplus \beta} = h^{\gamma}(h^{\gamma'}(x)) \qquad \text{by (34)}$$

$$= h^{\gamma(h^{\gamma'}(x))}(h^{\gamma'}(x)) \qquad \text{since } \gamma \text{ is a limit ordinal}$$

$$\geq h^{\gamma(x)}(h^{\gamma'}(x)) \qquad \text{since } \gamma(x) \prec_{[h^{\gamma'}(x)]} \gamma(h^{\gamma'}(x))$$

$$= h^{\alpha \oplus (\beta(x))}(x) \qquad \text{by (34)}$$

$$\geq h^{\alpha}(h^{\beta(x)}(x)) \qquad \text{by ind. hyp. on } \beta(x) < \beta$$

$$= h^{\alpha}(h^{\beta}(x)). \qquad \square$$

Corollary A.9. Let α be an ordinal and f a function in $\mathscr{F}_{<\alpha}$. Then there exists g in $\mathscr{F}_{<\alpha}$ such that $f \circ F_{\alpha} \leq F_{\alpha} \circ g$.

Proof. As f is in some \mathscr{F}_{β} for $\beta < \alpha$, $f \leq F_{\beta}^{c}$ for some finite c by [62, Theorem 2.10], thus $f \leq H^{\omega^{\beta} \cdot c}$ by (33), and we let $g \stackrel{\text{def}}{=} H^{\omega^{\beta} \cdot c}$, which indeed belongs to $\mathscr{F}_{\beta} \subseteq \mathscr{F}_{<\alpha}$. Still by (33), $F_{\alpha} = H^{\omega^{\alpha}}$. Observe that $\omega^{\beta} \cdot c < \omega^{\alpha}$, hence $(\omega^{\beta} \cdot c) \oplus \omega^{\alpha} = \omega^{\alpha} + \omega^{\beta} \cdot c$. By (34), $H^{\omega^{\alpha} + \omega^{\beta} \cdot c} = H^{\omega^{\alpha}} \circ H^{\omega^{\beta} \cdot c}$. Applying (33) and Lemma A.8, we obtain that $f \circ F_{\alpha} \leq g \circ F_{\alpha} \leq F_{\alpha} \circ g$.

A.7. Computing Hardy Functions. We explain in this section how to compute Hardy functions, thus providing the background material for the proof of Theorem 5.1. This type of results is pretty standard—see for instance [93], [29], or [85, pp. 159–160]—, but the particular way we employ is closer in spirit to the viewpoint employed in [42, 49, 40].

A.7.1. Hardy Computations. Using (31), let us call a Hardy computation for $h^{\alpha}(n)$ a sequence of pairs $\langle \alpha_0, n_0 \rangle, \langle \alpha_1, n_1 \rangle, \dots, \langle \alpha_\ell, n_\ell \rangle$ where $\alpha_0 = \alpha$, $n_0 = n$, $\alpha_\ell = 0$, and at each step $0 < i \le \ell$, $\alpha_i = P_{n_{i-1}}(\alpha_{i-1})$ and $n_i = h(n_{i-1})$. An invariant of this computation is that $h^{\alpha_i}(n_i) = h^{\alpha}(n)$ at all steps $0 \le i \le \ell$, hence $n_\ell = h^{\alpha}(n)$. Since h is increasing, the n_i values increase throughout this computation, while the α_i values decrease, and termination is guaranteed.

Our plan is to implement the Hardy computation of $h^{\alpha}(n)$ using a Turing machine, which essentially needs to implement the ℓ steps $\langle \alpha_i, n_i \rangle \to \langle P_{n_{i-1}}(\alpha_{i-1}), h(n_{i-1}) \rangle$. We assume h to be an elementarily constructible expansive function, such that h(n) can be computed in e(h(n)) for some fixed monotone elementary function e. Then, the complexity of a single step will depend mainly on $h(n_{i-1}) \leq h^{\ell}(n)$ and on the complexity of updating α_i .

A.7.2. Cichoń Functions. In order to measure the length ℓ of a Hardy computation for $h^{\alpha}(n)$, we define a family $(h_{\alpha})_{\alpha}$ of functions $\mathbb{N} \to \mathbb{N}$ by induction on the ordinal index:

$$h_0(x) \stackrel{\text{def}}{=} 0$$
, $h_{\alpha+1}(x) \stackrel{\text{def}}{=} 1 + h_{\alpha}(h(x))$, $h_{\lambda}(x) \stackrel{\text{def}}{=} h_{\lambda(x)}(x)$. (43)

This family is also known as the *length hierarchy* and was defined by Cichoń and Tahhan Bittar [19]. It satisfies several interesting identities:

$$h^{\alpha}(x) = h^{h_{\alpha}(x)}(x) , \qquad h^{\alpha}(x) \ge h_{\alpha}(x) + x . \qquad (44)$$

Its main interest here is that it measures the length of Hardy computations: $\ell = h_{\alpha}(n) \leq h^{\alpha}(n)$ by the above equations, which in turn implies $h^{\ell}(n) = h^{\alpha}(n)$.

A.7.3. Encoding Ordinal Terms. It remains to bound the complexity of computing $\alpha_i = P_{n_{i-1}}(\alpha_{i-1})$. Assuming some reasonable string encoding of the terms denoting the α_i [e.g. 40], we will consider that each α_i can be computed in time $p(|\alpha_i|)$ a monotone polynomial function of the size $|\alpha_i|$ of its term representation, and will rather concentrate on bounding this size. We define it by induction on the term denoting α_i :

$$|0| \stackrel{\text{def}}{=} 0$$
, $|\omega^{\alpha}| \stackrel{\text{def}}{=} 1 + |\alpha|$, $|\alpha + \alpha'| \stackrel{\text{def}}{=} |\alpha| + |\alpha'|$. (45)

Let us also recall the definition of the slow-growing hierarchy $(G_{\alpha})_{\alpha}$:

$$G_0(x) \stackrel{\text{def}}{=} 0$$
, $G_{\alpha+1}(x) \stackrel{\text{def}}{=} 1 + G_{\alpha}(x)$, $G_{\lambda}(x) \stackrel{\text{def}}{=} G_{\lambda(x)}(x)$. (46)

The slow-growing function satisfy several natural identities

$$G_{\alpha}(x) = 1 + G_{P_r(\alpha)}(x) , \qquad (47)$$

$$G_{\alpha}(x+1) > G_{\alpha}(x) , \qquad (48)$$

if
$$\beta \prec_x \alpha$$
 then $G_{\beta}(x) \leq G_{\alpha}(x)$. (49)

Furthermore,

$$G_{\alpha+\alpha'}(x) = G_{\alpha}(x) + G_{\alpha'}(x) , \qquad G_{\omega^{\alpha}}(x) = (x+1)^{G_{\alpha}(x)} .$$
 (50)

Hence, $G_{\alpha}(x)$ is the elementary function which results from substituting x+1 for every occurrence of ω in the Cantor normal form of α [85, p. 159].

Lemma A.10. Let x > 0. Then $|\alpha| \leq G_{\alpha}(x)$.

Proof. By induction over the term denoting
$$\alpha$$
: $|0| = 0 = G_0(x)$, $|\omega^{\alpha}| = 1 + |\alpha| \le (x+1)^{|\alpha|} \le (x+1)^{G_{\alpha}(x)} = G_{\omega^{\alpha}}(x)$, and $|\alpha + \alpha'| = |\alpha| + |\alpha'| \le G_{\alpha}(x) + G_{\alpha'}(x) = G_{\alpha+\alpha'}(x)$.

Lemma A.11. If $\langle \alpha_0, n_0 \rangle, \ldots, \langle \alpha_\ell, n_\ell \rangle$ is a Hardy computation for $h^{\alpha}(n)$ with n > 0, then for all $0 \le i \le \ell$, $|\alpha_i| \le G_{\alpha}(n_\ell)$.

Proof. We distinguish two cases. If i=0, then $|\alpha_0|=|\alpha|\leq G_{\alpha}(n)$ by Lemma A.10 since n>0, hence $|\alpha_0|\leq G_{\alpha}(n_\ell)$ since $n_\ell\geq n$ by (48). If i>0, then

$$|\alpha_{i}| = |P_{n_{i-1}}(\alpha_{i-1})|$$

$$\leq G_{P_{n_{i-1}}(\alpha_{i-1})}(n_{i-1}) \quad \text{by Lemma A.10 since } n_{i-1} \geq n > 0$$

$$< G_{\alpha_{i-1}}(n_{i-1}) \quad \text{by (47)}$$

$$\leq G_{\alpha}(n_{i-1}) \quad \text{since } \alpha_{i-1} \prec_{n_{i-1}} \alpha \text{ by (49)}$$

$$\leq G_{\alpha}(n_{\ell}) \quad \text{since } n_{i-1} \leq n_{\ell} \text{ by (48)} \quad \Box$$

The restriction to n > 0 in Lemma A.11 is not a big issue: either h(0) = 0 and then $h^{\alpha}(0) = 0$, or h(0) > 0 and then $h^{\gamma+\omega^{\beta}}(0) = h^{\gamma}(h(0))$ and we can proceed from γ instead of $\gamma + \omega^{\beta}$ as initial ordinal of our computation.

A.7.4. Wrapping up. To conclude, each of the $\ell \leq h^{\alpha}(n)$ steps of a Hardy computation for $h^{\alpha}(n)$ needs to compute

- α_i , in time $p(G_{\alpha}(h^{\alpha}(n)))$ since $|\alpha_i| \leq G_{\alpha}(h^{\alpha}(n))$ and p was assumed monotone, and
- n_i , in time $e(h^{\alpha}(n))$ since $h(n_{i-1}) \leq h^{\alpha}(n)$ and e was assumed monotone.

This yields the following statement:

Proposition A.12. The Hardy function h^{α} can be computed in time

$$O(h^{\alpha}(n) \cdot (p(G_{\alpha}(h^{\alpha}(n))) + e(h^{\alpha}(n))))$$
.

References

- P. A. Abdulla and G. Delzanno. On the coverability problem for constrained multiset rewriting. In AVIS 2006, 2006.
- [2] P. A. Abdulla and B. Jonsson. Verifying programs with unreliable channels. *Inform. and Comput.*, 127(2):91–101, 1996. doi:10.1006/inco.1996.0053.
- [3] P. A. Abdulla and A. Nylén. Timed Petri nets and BQOs. In Petri Nets 2001, volume 2075 of Lect. Notes in Comput. Sci., pages 53-70. Springer, 2001. doi:10.1007/ 3-540-45740-2_5.
- [4] P. A. Abdulla, K. Čerāns, B. Jonsson, and Y.-K. Tsay. Algorithmic analysis of programs with well quasi-ordered domains. *Inform. and Comput.*, 160(1–2):109–127, 2000. doi:10.1006/inco.1999.2843.
- [5] P. A. Abdulla, G. Delzanno, and L. Van Begin. A classification of the expressive power of well-structured transition systems. *Inform. and Comput.*, 209(3):248–279, 2011. doi:10.1016/j.ic.2010.11.003.
- [6] S. Abriola, S. Figueira, and G. Senno. Linearizing well-quasi orders and bounding the length of bad sequences. *Theor. Comput. Sci.*, 603:3–22, 2015. doi:10.1016/ j.tcs.2015.07.012.
- [7] R. Alur and D. L. Dill. A theory of timed automata. Theor. Comput. Sci., 126(2): 183–235, 1994. doi:10.1016/0304-3975(94)90010-8.
- [8] M. F. Atig, A. Bouajjani, S. Burckhardt, and M. Musuvathi. On the verification problem for weak memory models. In *POPL 2010*, pages 7–18. ACM, 2010. doi: 10.1145/1706299.1706303.
- [9] P. Barceló, D. Figueira, and L. Libkin. Graph logics with rational relations. Logic. Meth. in Comput. Sci., 9(3:1), 2013. doi:10.2168/LMCS-9(3:1)2013.
- [10] A. Beckmann. Exact bounds for lengths of reductions in typed λ -calculus. J. Symb. Log., 66(3):1277–1285, 2001. doi:10.2307/2695106.
- [11] M. Blockelet and S. Schmitz. Model-checking coverability graphs of vector addition systems. In MFCS 2011, volume 6907 of Lect. Notes in Comput. Sci., pages 108–119. Springer, 2011. doi:10.1007/978-3-642-22993-0_13.
- [12] R. Bonnet, A. Finkel, S. Haddad, and F. Rosa-Velardo. Comparing Petri Data Nets and Timed Petri Nets. Research Report LSV-10-23, LSV, ENS Cachan, Dec. 2010. URL http://lsv.fr/Publis/rrpublis?onlykey=rr-lsv-10-23.
- [13] P. Bouyer, N. Markey, J. O. Ouaknine, Ph. Schnoebelen, and J. B. Worrell. On termination and invariance for faulty channel machines. *Form. Asp. Comput.*, 24 (4–6):595–607, 2012. doi:10.1007/s00165-012-0234-7.
- [14] D. Bresolin, D. Della Monica, A. Montanari, P. Sala, and G. Sciavicco. Interval temporal logics over finite linear orders: The complete picture. In ECAI 2012, volume 242 of Frontiers in Artificial Intelligence and Applications, pages 199–204. IOS, 2012. doi:10.3233/978-1-61499-098-7-199.
- [15] G. Cécé, A. Finkel, and S. Purushothaman Iyer. Unreliable channels are easier to verify than perfect channels. *Inform. and Comput.*, 124(1):20–31, 1996. doi:10.1006/ inco.1996.0003.
- [16] P. Chambart and Ph. Schnoebelen. Post embedding problem is not primitive recursive, with applications to channel systems. In FSTTCS 2007, volume 4855 of Lect. Notes in Comput. Sci., pages 265–276. Springer, 2007. doi:10.1007/978-3-540-77050-3_22.
- [17] P. Chambart and Ph. Schnoebelen. The ω -regular Post embedding problem. In FoSSaCS 2008, volume 4962 of Lect. Notes in Comput. Sci., pages 97–111. Springer, 2008. doi:10.1007/978-3-540-78499-9_8.
- [18] P. Chambart and Ph. Schnoebelen. The ordinal recursive complexity of lossy channel systems. In LICS 2008, pages 205–216. IEEE, 2008. doi:10.1109/LICS.2008.47.

- [19] E. A. Cichoń and E. Tahhan Bittar. Ordinal recursive bounds for Higman's Theorem. Theor. Comput. Sci., 201(1-2):63-84, 1998. doi:10.1016/S0304-3975(97)00009-1.
- [20] P. Clote. On the finite containment problem for Petri nets. Theor. Comput. Sci., 43: 99-105, 1986. doi:10.1016/0304-3975(86)90169-6.
- [21] P. Clote. Computation models and function algebras. In *Handbook of Computability Theory*, volume 140 of *Studies in Logic and the Foundations of Mathematics*, chapter 17, pages 589–681. Elsevier, 1999. doi:10.1016/S0049-237X(99)80033-0.
- [22] M. Dauchet and S. Tison. The theory of ground rewrite systems is decidable. In LICS '90, pages 242–248. IEEE, 1990. doi:10.1109/LICS.1990.113750.
- [23] D. H. J. de Jongh and R. Parikh. Well-partial orderings and hierarchies. *Indag. Math.*, 39(3):195–207, 1977. doi:10.1016/1385-7258(77)90067-1.
- [24] N. Decker and D. Thoma. On freeze LTL with ordered attributes. In FoSSaCS 2016, Lect. Notes in Comput. Sci. Springer, 2016. URL http://arxiv.org/abs/1504.06355. To appear.
- [25] S. Demri and R. Lazić. LTL with the freeze quantifier and register automata. ACM Trans. Comput. Logic, 10(3):16:1–16:30, 2009. doi:10.1145/1507244.1507246.
- [26] J. M. Dunn and G. Restall. Relevance logic. In Handbook of Philosophical Logic, volume 6, pages 1–128. Kluwer, 2002. doi:10.1007/978-94-017-0460-1_1.
- [27] J. Elgaard, N. Klarlund, and A. Møller. MONA 1.x: new techniques for WS1S and WS2S. In CAV '98, volume 1427 of Lect. Notes in Comput. Sci., pages 516–520. Springer, 1998. doi:10.1007/BFb0028773.
- [28] M. V. H. Fairtlough and S. S. Wainer. Ordinal complexity of recursive definitions. Inform. and Comput., 99(2):123–153, 1992. doi:10.1016/0890-5401(92)90027-D.
- [29] M. V. H. Fairtlough and S. S. Wainer. Hierarchies of provably recursive functions. In *Handbook of Proof Theory*, volume 137 of *Studies in Logic and the Foundations of Mathematics*, chapter III, pages 149–207. Elsevier, 1998. doi:10.1016/S0049-237X(98)80018-9.
- [30] S. Feferman. Classification of recursive functions by means of hierarchies. Trans. Amer. Math. Soc., 104:101–122, 1962. doi:10.1090/S0002-9947-1962-0142453-3.
- [31] D. Figueira. Alternating register automata on finite words and trees. Logic. Meth. in Comput. Sci., 8(1:22), 2012. doi:10.2168/LMCS-8(1:22)2012.
- [32] D. Figueira and L. Segoufin. Future-looking logics on data words and trees. In MFCS 2009, volume 5734 of Lect. Notes in Comput. Sci., pages 331–343. Springer, 2009. doi:10.1007/978-3-642-03816-7_29.
- [33] D. Figueira, S. Figueira, S. Schmitz, and Ph. Schnoebelen. Ackermannian and primitive-recursive bounds with Dickson's Lemma. In *LICS 2011*, pages 269–278. IEEE, 2011. doi:10.1109/LICS.2011.39.
- [34] D. Figueira, P. Hofman, and S. Lasota. Relating timed and register automata. *Math. Struct. Comput. Sci.*, 2015. doi:10.1017/S0960129514000322. To appear.
- [35] A. Finkel. A generalization of the procedure of Karp and Miller to well structured transition systems. In *ICALP '87*, volume 267 of *Lect. Notes in Comput. Sci.*, pages 499–508. Springer, 1987. doi:10.1007/3-540-18088-5_43.
- [36] A. Finkel and Ph. Schnoebelen. Well-structured transition systems everywhere! Theor. Comput. Sci., 256(1-2):63-92, 2001. doi:10.1016/S0304-3975(00)00102-X.
- [37] P. C. Fischer, A. R. Meyer, and A. L. Rosenberg. Counter machines and counter languages. *Math. Sys. Theory*, 2(3):265–283, 1968. doi:10.1007/BF01694011.
- [38] H. M. Friedman. Some decision problems of enormous complexity. In *LICS '99*, pages 2–13. IEEE, 1999. doi:10.1109/LICS.1999.782577.
- [39] A. Grzegorczyk. Some classes of recursive functions. *Rozprawy Matematyczne*, 4, 1953. URL http://matwbn.icm.edu.pl/ksiazki/rm/rm04/rm0401.pdf.
- [40] C. Haase, S. Schmitz, and Ph. Schnoebelen. The power of priority channel systems. Logic. Meth. in Comput. Sci., 10(4:4), 2014. doi:10.2168/LMCS-10(4:4)2014.

- [41] M. Hack. The equality problem for vector addition systems is undecidable. *Theor. Comput. Sci.*, 2(1):77–95, 1976. doi:10.1016/0304-3975(76)90008-6.
- [42] S. Haddad, S. Schmitz, and Ph. Schnoebelen. The ordinal-recursive complexity of timed-arc Petri nets, data nets, and other enriched nets. In *LICS 2012*, pages 355– 364. IEEE, 2012. doi:10.1109/LICS.2012.46.
- [43] M. Hague. Senescent ground tree rewriting systems. In CSL-LICS 2014, pages 48:1–48:10. ACM, 2014. doi:10.1145/2603088.2603112.
- [44] J. Y. Halpern and Y. Shoham. A propositional modal logic of time intervals. J. ACM, 38(4):935–962, 1991. doi:10.1145/115234.115351.
- [45] P. Hofman and P. Totzke. Trace inclusion for one-counter nets revisited. In RP 2014, volume 8762 of Lect. Notes in Comput. Sci., pages 151–162. Springer, 2014. doi:10.1007/978-3-319-11439-2_12.
- [46] P. Jančar. Undecidability of bisimilarity for Petri nets and some related problems. Theor. Comput. Sci., 148(2):281–301, 1995. doi:10.1016/0304-3975(95)00037-W.
- [47] P. Jančar. Nonprimitive recursive complexity and undecidability for Petri net equivalences. *Theor. Comput. Sci.*, 256(1–2):23–30, 2001. doi:10.1016/S0304-3975(00)00100-6.
- [48] M. Jurdziński and R. Lazić. Alternating automata on data trees and XPath satisfiability. *ACM Trans. Comput. Logic*, 12(3):19:1–19:21, 2011. doi:10.1145/1929954.1929956.
- [49] P. Karandikar and S. Schmitz. The parametric ordinal-recursive complexity of Post embedding problems. In FoSSaCS 2013, volume 7794 of Lect. Notes in Comput. Sci., pages 273–288. Springer, 2013. doi:10.1007/978-3-642-37075-5_18.
- [50] P. Karandikar and Ph. Schnoebelen. Cutting through regular Post embedding problems. In CSR 2012, volume 7353 of Lect. Notes in Comput. Sci., pages 229–240. Springer, 2012. doi:10.1007/978-3-642-30642-6_22.
- [51] S. R. Kosaraju. Decidability of reachability in vector addition systems. In STOC '82, pages 267–281. ACM, 1982. doi:10.1145/800070.802201.
- [52] R. Koymans. Specifying real-time properties with metric temporal logic. Real-Time Systems, 2(4):255–299, 1990. doi:10.1007/BF01995674.
- [53] J. B. Kruskal. The theory of well-quasi-ordering: A frequently discovered concept. J. Comb. Theory A, 13(3):297–305, 1972. doi:10.1016/0097-3165(72)90063-5.
- [54] J.-L. Lambert. A structure to decide reachability in Petri nets. Theor. Comput. Sci., 99(1):79-104, 1992. ISSN 0304-3975. doi:10.1016/0304-3975(92)90173-D.
- [55] S. Lasota and I. Walukiewicz. Alternating timed automata. ACM Trans. Comput. Logic, 9(2):10:1–10:27, 2008. doi:10.1145/1342991.1342994.
- [56] R. Lazić and S. Schmitz. Non-elementary complexities for branching VASS, MELL, and extensions. ACM Trans. Comput. Logic, 16(3:20):1–30, 2015. doi:10.1145/ 2733375.
- [57] R. Lazić, T. Newcomb, J. O. Ouaknine, A. W. Roscoe, and J. B. Worrell. Nets with tokens which carry data. Fund. Inform., 88(3):251–274, 2008.
- [58] R. Lazić, J. O. Ouaknine, and J. B. Worrell. Zeno, Hercules and the Hydra: Downward rational termination is Ackermannian. In MFCS 2013, volume 8087 of Lect. Notes in Comput. Sci., pages 643–654. Springer, 2013. doi:10.1007/978-3-642-40313-2_57.
- [59] J. Leroux. Vector addition system reachability problem: a short self-contained proof. In POPL 2011, pages 307–316. ACM, 2011. doi:10.1145/1926385.1926421.
- [60] J. Leroux and S. Schmitz. Demystifying reachability in vector addition systems. In LICS 2015, pages 56–67. IEEE, July 2015. doi:10.1109/LICS.2015.16.
- [61] R. J. Lipton. The reachability problem requires exponential space. Technical Report 62, Department of Computer Science, Yale University, Jan. 1976. URL http://www.cs.yale.edu/publications/techreports/tr63.pdf.

- [62] M. H. Löb and S. S. Wainer. Hierarchies of number theoretic functions, I. Arch. Math. Log., 13:39–51, 1970. doi:10.1007/BF01967649.
- [63] E. W. Mayr. An algorithm for the general Petri net reachability problem. In STOC '81, pages 238–246. ACM, 1981. doi:10.1145/800076.802477.
- [64] E. W. Mayr and A. R. Meyer. The complexity of the finite containment problem for Petri nets. J. ACM, 28(3):561–576, 1981. doi:10.1145/322261.322271.
- [65] K. McAloon. Petri nets and large finite sets. Theor. Comput. Sci., 32(1-2):173-183, 1984. doi:10.1016/0304-3975(84)90029-X.
- [66] A. R. Meyer. Weak monadic second order theory of successor is not elementary-recursive. In *Logic Colloquium '72–73*, volume 453 of *Lect. Notes Math.*, pages 132–154. Springer, 1975. doi:10.1007/BFb0064872.
- [67] A. R. Meyer. The inherent computational complexity of theories of ordered sets. In ICM '74 Vol. 2, pages 477–482. Canadian Mathematical Congress, 1975. URL http://www.mathunion.org/ICM/ICM1974.2/Main/icm1974.2.0477.0482.ocr.pdf.
- [68] A. R. Meyer and D. M. Ritchie. The complexity of loop programs. In ACM '67, pages 465–469, 1967. doi:10.1145/800196.806014.
- [69] A. Montanari, G. Puppis, and P. Sala. Maximal decidable fragments of Halpern and Shohams modal logic of intervals. In ICALP 2010, volume 6199 of Lect. Notes in Comput. Sci., pages 345–356. Springer, 2010. doi:10.1007/978-3-642-14162-1_29.
- [70] P. Odifreddi. Classical Recursion Theory, vol. II, volume 143 of Studies in Logic and the Foundations of Mathematics. Elsevier, 1999. doi:10.1016/S0049-237X(99)80040-8.
- [71] E. Omri and A. Weiermann. Classifying the phase transition threshold for Ackermannian functions. Ann. Pure Appl. Log., 158(3):156–162, 2009. doi:10.1016/j.apal.2007.02.004.
- [72] J. O. Ouaknine and J. B. Worrell. On Metric Temporal Logic and faulty Turing machines. In FoSSaCS 2006, volume 3921 of Lect. Notes in Comput. Sci., pages 217–230. Springer, 2006. doi:10.1007/11690634_15.
- [73] J. O. Ouaknine and J. B. Worrell. On the decidability and complexity of Metric Temporal Logic over finite words. *Logic. Meth. in Comput. Sci.*, 3(1:8), 2007. doi: 10.2168/LMCS-3(1:8)2007.
- [74] C. Rackoff. The covering and boundedness problems for vector addition systems. Theor. Comput. Sci., 6(2):223–231, 1978. doi:10.1016/0304-3975(78)90036-1.
- [75] R. W. Ritchie. Classes of predictably computable functions. Trans. Amer. Math. Soc., 106(1):139–173, 1963. doi:10.1090/S0002-9947-1963-0158822-2.
- [76] R. W. Ritchie. Classes of recursive functions based on Ackermann's function. Pac. J. Math., 15(3):1027–1044, 1965. doi:10.2140/pjm.1965.15.1027.
- [77] F. Rosa-Velardo. Ordinal recursive complexity of unordered data nets. Technical Report TR-4-14, Departamento de Sistemas Informáticos y Computación, Universidad Complutense de Madrid, 2014. URL https://federwin.sip.ucm.es/sic/investigacion/publicaciones/pdfs/TR-04-14.pdf.
- [78] H. E. Rose. Subrecursion: Functions and Hierarchies, volume 9 of Oxford Logic Guides. Clarendon Press, 1984.
- [79] S. Schmitz and Ph. Schnoebelen. Multiply-recursive upper bounds with Higman's Lemma. In ICALP 2011, volume 6756 of Lect. Notes in Comput. Sci., pages 441–452. Springer, 2011. doi:10.1007/978-3-642-22012-8_35.
- [80] S. Schmitz and Ph. Schnoebelen. Algorithmic aspects of WQO theory. Lecture notes, 2012. URL http://cel.archives-ouvertes.fr/cel-00727025.
- [81] S. Schmitz and Ph. Schnoebelen. The power of well-structured systems. In Concur 2013, volume 8052 of Lect. Notes in Comput. Sci., pages 5–24. Springer, 2013. doi: 10.1007/978-3-642-40184-8_2.
- [82] Ph. Schnoebelen. Verifying lossy channel systems has nonprimitive recursive complexity. *Inf. Process. Lett.*, 83(5):251–261, 2002. doi:10.1016/S0020-0190(01)00337-4.

- [83] Ph. Schnoebelen. Revisiting Ackermann-hardness for lossy counter machines and reset Petri nets. In *MFCS 2010*, volume 6281 of *Lect. Notes in Comput. Sci.*, pages 616–628. Springer, 2010. doi:10.1007/978-3-642-15155-2_54.
- [84] H. Schwichtenberg. Complexity of normalization in the pure typed lambda-calculus. In L.E.J. Brouwer Centenary Symposium, volume 110 of Studies in Logic and the Foundations of Mathematics, pages 453–457. Elsevier, 1982. doi:10.1016/ S0049-237X(09)70143-0.
- [85] H. Schwichtenberg and S. S. Wainer. Proofs and Computation. Perspectives in Logic. Cambridge University Press, 2012.
- [86] R. Statman. The typed λ -calculus is not elementary recursive. Theor. Comput. Sci., 9(1):73–81, 1979. doi:10.1016/0304-3975(79)90007-0.
- [87] L. J. Stockmeyer and A. R. Meyer. Word problems requiring exponential time. In STOC '73, pages 1–9. ACM, 1973. doi:10.1145/800125.804029.
- [88] T. Tan. On pebble automata for data languages with decidable emptiness problem. J. Comput. Syst. Sci., 76(8):778–791, 2010. doi:10.1016/j.jcss.2010.03.004.
- [89] N. Tzevelekos and R. Grigore. History-register automata. In FoSSaCS 2013, volume 7794 of Lect. Notes in Comput. Sci., pages 273–288, 2013. doi:10.1007/ 978-3-642-37075-5_2.
- [90] A. Urquhart. The undecidability of entailment and relevant implication. J. Symb. Log., 49(4):1059–1073, 1984. doi:10.2307/2274261.
- [91] A. Urquhart. The complexity of decision procedures in relevance logic II. J. Symb. Log., 64(4):1774-1802, 1999. doi:10.2307/2586811.
- [92] S. Vorobyov. The most nonelementary theory. Inform. and Comput., 190(2):196–219, 2004. doi:10.1016/j.ic.2004.02.002.
- [93] S. S. Wainer. A classification of the ordinal recursive functions. Arch. Math. Log., 13 (3):136–153, 1970. doi:10.1007/BF01973619.
- [94] A. Weiermann. Complexity bounds for some finite forms of Kruskal's Theorem. J. Symb. Comput., 18(5):463–488, 1994. doi:10.1006/jsco.1994.1059.

LSV, ENS CACHAN & CNRS & INRIA, UNIVERSITÉ PARIS-SACLAY, FRANCE E-mail address: schmitz@lsv.ens-cachan.fr