

Christina Schneegass*, Max L. Wilson, Jwan Shaban, Jasmin Niess, Francesco Chiossi, Teodora Mitrevska and Paweł W. Woźniak

Broadening the mind: how emerging neurotechnology is reshaping HCI and interactive system design

<https://doi.org/10.1515/icom-2024-0007>

Received January 24, 2024; accepted April 29, 2024;

published online May 23, 2024

Abstract: People are increasingly eager to know more about themselves through technology. To date, technology has primarily provided information on our physiology. Yet, with advances in wearable technology and artificial intelligence, the current advent of consumer neurotechnology will enable users to measure their cognitive activity. We see an opportunity for research in Human-Computer Interaction (HCI) in the development of these devices. Neurotechnology offers new insights into user experiences and facilitates the development of novel methods in HCI. Researchers will be able to create innovative interactive systems based on the ability to measure cognitive activity at scale in real-world settings. In this paper, we contribute a vision of how neurotechnology will transform HCI research and practice. We discuss how neurotechnology prompts a discussion about ethics, privacy, and trust. This trend highlights HCI's crucial role in ensuring that neurotechnology is developed and utilised in ways that truly benefit people.

Keywords: neurotechnology; cognitive activity tracking; cognitive personal informatics; neuroethics; adaptive user interfaces

1 Introduction

The human need to gain a deeper understanding of themselves aligns with the increasing availability of neurotechnology on the consumer market. For this article, we define neurotechnology as non-invasive tools that assess and interpret cognitive activity in users (e.g. Neurosity,¹ Emotiv MN8,² Muse³). With the continuous rapid progress in wearable devices, machine learning, and artificial intelligence (AI), we anticipate a substantial expansion in the range, accuracy, and reliability of cognitive facets measurable in the next decade at decreasing costs for such devices. These technologies, if effective, hold immense potential to revolutionise our self-perception and how we interact with each other, but also for how such insights are involved in research as they become more widely accessible.

For end users, integrating these tools into their lives offers exciting possibilities as they could allow quantifying cognitive performance in a manner similar to how we currently assess physical activity with wearables. This perspective of Cognitive Personal Informatics (CPI), the quantification of cognitive activity through neurotechnology, offers new possibilities for self-monitoring, self-reflection, and self-regulation.⁴ CPI can help users gain insights into internal functions like workload and stress. In the future, more complex processes such as reasoning, learning, creativity, problem-solving, and decision-making. In other words, these developments might not only offer improved self-awareness but also the possibility of changing existing practices and developing new ones in personal health and lifestyle.

This emerging landscape calls for a detailed understanding from a Human-Computer Interaction (HCI) perspective to effectively utilise these novel experiences. It is crucial to thoroughly explore user interactions with and perceptions of neurotechnology to design meaningful experiences. This involves addressing not just the technological aspects but also the human elements – emotional, cognitive, and social – to ensure that these advancements effectively enhance lives and align with user needs and preferences.

*Corresponding author: **Christina Schneegass**, TU Delft, Human-Centered Design, Delft, Netherlands, E-mail: c.schneegass@tudelft.nl. <https://orcid.org/0000-0003-3768-5894>

Max L. Wilson and Jwan Shaban, School of Computer Science, University of Nottingham, Nottingham, UK, E-mail: max.wilson@nottingham.ac.uk (M.L. Wilson), jwan.shaban@nottingham.ac.uk (J. Shaban)

Jasmin Niess, Department of Informatics, University of Oslo, Oslo, Norway, E-mail: jasminni@ifi.uio.no

Francesco Chiossi and Teodora Mitrevska, LMU Munich, Munich, Germany, E-mail: francesco.chiossi@um.ifi.lmu.de (F. Chiossi), teodora.mitrevska@ifi.lmu.de (T. Mitrevska)

Paweł W. Woźniak, Chalmers University of Technology, Gothenburg, Sweden, E-mail: pawelw@chalmers.se

Thus, the advancement in neurotechnology also has significant implications for HCI as a field. The currently available research and medical-grade neurotechnology, utilising techniques such as Electroencephalography (EEG) and functional Near Infrared Spectroscopy (fNIRS), are already capable of estimating cognitive aspects like mental workload,^{5,6} stress levels,⁷ and emotions,⁸ if in controlled conditions. Here, more reliable, affordable, and unobtrusive neurotechnology could bring the necessary advancement to change how research is done and how it can utilise cognitive data beyond laboratory settings. Indeed, researchers can begin to imagine that cognitive activity is a form of data that can be used to design and build new interactive systems.

In this work, we unpack the implications that maturing consumer neurotechnology will have for the future of human-computer interaction. We specifically look into the period of the next 20 years, a time frame we chose aiming to balance between the rapid pace of technological advancement and the slower processes of market penetration, societal change, and academic research cycles. 20 years is also a comparable timeframe to the research developments in personal informatics as relating to wearables for physical activity tracking, between approximately 2000 and 2020. In line with van Berkel and Hornbæk,⁹ who discuss implications for *methodology, theory, design, practice, policy* and *society*. Discussing these aspects, we identify challenges and opportunities for *the HCI community*.

2 Looking back: what we've had to do until now

This section aims to highlight how we have reached our current transition to maturing neurotechnology: that prior research comes from a range of fields, that HCI has long relied on alternative means to evaluate cognitive experiences with technology, and that recent research continues to demonstrate that changes in cognitive state can be detected using psychophysiological sensors with increasing accuracy.

2.1 The central role of cognition research in HCI's past (and future)

Human cognition has always been at the core of HCI research. Long before computers and trying to understand human information processing,¹⁰ the origins of cognitive psychology, looking at memory and attention, are typically attributed to the late 1800s.¹¹ It is important to note that

many assumptions in HCI are grounded in the findings of cognitive psychology, including e.g. divided attention, spatial and episodic memory, and dual processing. Indeed, many HCI researchers, and much of an HCI curriculum, come from cognitive psychology backgrounds. A key challenge for research now, as discussed later, is to properly understand different types of cognitive activity (e.g.¹²) and how to identify, track, and measure them. Due to this very close relationship between HCI and human cognition, we expect this history to have renewed importance in the developments of cognitively focused wearables.

With a key focus on health and safety, many findings from cognitive psychology were adopted in Human Factors and Cognitive Ergonomics.^{13,14} Traditionally, major concerns have been, for example in understanding the capacity of people in safety-critical job roles like air traffic control^{15,16} and designing shift work based on people's ability to maintain focus and to recover effectively from fatigue.¹⁷ It is perhaps not surprising that these use cases have inspired early research into studying air traffic controllers with neurotechnology^{18,19} and that industry has seen initial examples of applying neurotechnology in safety helmets,¹ to increase profits. The basis for many subjective and behavioural measures of cognitive activity in HCI research comes from human factors and cognitive psychology research. Similarly, HCI is not alone in its drive to build on top of cognitive psychology. Educational psychology, for example, has seen similar models develop for attention and cognitive load²⁰ to inform the design of instructional material and understand how people best study and learn.

2.2 Inferring cognition from observational and self-reported data

As it emerged as a distinct research field in the 1980s, HCI research has long sought to understand the cognitive aspects of people's experiences with technology. Early analytical inspection methods in HCI were based on cognitive psychology models, including GOMS²¹ and the Cognitive Walkthrough.²² Those methods allowed researchers to evaluate interaction with an interface in reference to a cognitive model. When working with users, research relied on four main techniques: (1) performance measures (e.g. task completion time, correctness, errors), (2) behavioural measures (linguistic features such as sentence length or word complexity), (3) subjective self-reports (e.g. questionnaires),

¹ Vice.com commentary on the profits reported from tracking employee EEG data, titled "China Claims It's Scanning Workers' Brains to Increase Efficiency and Profits" by Samantha Cole, May 1st, 2018.

and (4) psychophysiological measures (e.g. heart rate, pupil dilation, blink rate, electrodermal activity, EEG).^{23,24}

Performance and behavioural measures are a valuable way of assessing people's capacity to complete tasks, often analysed through observing performance drops or mistakes. Where performance might be measured in time to complete tasks, it is typically measured in terms of negative outcomes, such as reduced performance and error rate. Consequently, much research turned to inferring aspects of cognition from people's ability to complete secondary tasks parallel to their work. Open protocols such as the think-aloud method²⁵ encourage participants to express their experiences and perceptions in the interaction with a system or technology. These insights, in turn, can be applied to gain insights into cognitive processes. Speech analysis can help estimate, e.g. mental workload through sentence length or complexity, tempo,²⁶ or pauses.²⁷ Other behavioural approaches rely on, e.g. body posture analysis for fatigue^{28,29} or on analysis of people's mouse usage patterns.³⁰

Performance and behavioural measures largely rely on experimenters to interpret observations. Complementary **subjective self-reports** can help researchers assess cognition from the user's individual perspective, focusing on subjective perception and experiences. There are many subjective scales available to estimate different forms of cognitive activity and suit different purposes. These measures can be of various levels of complexity and generality, from one-item scales designed for participants to state at intervals during tasks (e.g. ISA³¹) to multi-dimensional questionnaires. One of the most commonly used multi-dimensional scales in HCI comes, again, from safety-critical human factors research that was concerned with astronauts breaching their ability to handle workload.³² The NASA Task Load Index (TLX) was produced as a detailed and retrospectively applied multi-dimensional subjective rating scale.^{32,33} By being multi-dimensional, NASA TLX recognised that there were facets of both physical and cognitive activity that were important to try and measure, including frustration, mental workload, and temporal workload on the cognitive side.

2.3 Neurotechnology and psychophysiological measures

However, prior work shows that it can be challenging for people to correctly assess their cognitive functioning, especially concerning neurological deficits (e.g.^{34,35}). Consequently, much attention has been given to **psychophysiological measures** of cognitive activity, such as EEG, fNIRS, gaze features (specifically for attention), heart rate, and

temperature. Such research started in the early 70s with EEG,³⁶ primarily in medical contexts. Similarly, eye tracking was used in medical circumstances as an input mechanism for disabled users, e.g. for text entry and device control. Many research fields now seek to classify cognitive activity with psychophysiological data, including HCI. Alsurakh et al. highlight that for every physiological signal used to estimate mental workload, the same signals have been used to estimate stress levels.³⁷ Where research has demonstrated that advanced neurotechnology *can* be used to identify changes in cognitive activity, it is now largely established that, e.g. heart rate variability reflects stress levels and current smartwatches are beginning to track stress levels in the wild.

Wilson et al. argue that cognitive activity tracking is at a turning point, similar to the move from scientific stages of activity tracking in lab conditions to its widespread proliferation within wearable technology.⁴ Wearable neurotechnology devices have become increasingly small and powerful and have even been released as consumer devices. Similarly, where machine learning research has made significant advances in improving the accuracy of classifying electro- and neurophysiological signals, recent advancements in AI mean we are likely to see reliable classification of cognitive activity, in consumer devices, in the near future. Notably, we increasingly see the application of consumer-grade EEG technologies in HCI research, such as the Emotiv EPOC^{38–41} or the Muse EEG.^{42,43} These research settings include improving focus at work, use in the creative arts, and integration into environments like virtual or augmented reality.^{44,45} However, the study of how people track their activity over time (Personal Informatics, PI⁴⁶) will need to study how people manage their *Cognitive Personal Informatics*. This implies that HCI will need to study how PI processes⁴⁷ are altered by the inclusion of cognition data, particularly in key PI aspects such as goal setting⁴⁸ and lapsing.⁴⁹

In many respects, the development of reliable neurotechnology suddenly makes cognitive activity tracking more an HCI research problem, rather than a psychology, human factors, medical engineering, or machine learning problem. Consequently, more researchers will soon have access to devices that can take such measures about people, and people will have unprecedented access to new forms of cognitive data about themselves. Furthermore, society will have to navigate social, privacy, ethics, and trust issues as consumer neurotechnology becomes involved in domains such as medicine and care, driving and insurance, and indeed its use in the workplace. Below, we discuss how maturing neurotechnology will change HCI.

3 Looking forward: implications for HCI

This section unpacks the implications of maturing consumer neurotechnology for the field of human-computer interaction over the next 20 years. To structure this exploration, we draw upon the seven types of HCI implications as derived by van Berkel and Hornbæk⁹ from HCI literature, encompassing implications for *methodology*, *theory*, *design*, *practice*, *policy*, and *society*, in the order they are presented in the original work. Implications for *the HCI community* are discussed throughout all subsections.

3.1 Implications for methodology – an unstable period of method change

The rigour behind current research using advanced neurotechnology has developed standards over time that speak to the validity of research results. These standards were developed to build confidence and trust in research that is developing a technology and “proving” that it can accurately measure cognitive activity or detect changes. Once the accuracy of such devices is assumed, we expect there will be a period where **new community norms will develop for how such tools can be reliably integrated into user studies** alongside other methods. For example, Pike et al. studied whether fNIRS can be used alongside the think-aloud protocol as a popular qualitative approach to gaining insight into what people are thinking.⁵⁰ As with any new method, therefore, we expect that studies will be published that use cognitive measurements before we, as a community, have developed expectations for research quality.

Perhaps more importantly, in the case of measuring cognitive activity, we expect that a large amount of **research will begin to publish findings before we really understand what they mean**. We can ask questions now, for example, about whether cognitive activity should be “high” or “low” if people are good at doing their job? While many aspects of cognitive activity have been studied extensively in psychology in controlled conditions, we do not yet know what data will be captured from participants in less controlled scenarios and what we should expect to see in all forms of interaction.

We also expect to see a shift in what we learn as we move **from subjective measures that cause people to reflect on their experiences, to what might be considered unbiased objective data** from people during experiences. In many respects, maturing neurotechnology will allow us to evaluate the difference between what is observed about cognitive activity during experiences, and

what people say about them afterwards. For example, the think-aloud method has been discussed for whether it adds cognitive burden to users as a secondary task.⁵¹ Thus, it has been debated whether it accurately reflects the difficulty of doing a task, or instead reflects the difficulty of discussing what people are doing during a task. Another common concern for assessing cognitive overload is when participants are no longer able to think aloud or forget to provide mid-task subjective ratings (e.g. ISA³¹). In these cases, it is typically considered that at these moments, participants have a very high mental workload and thus are unable to carry out these secondary tasks.⁵² In this case, performance in a secondary task is often used to measure spare cognitive capacity.⁵³ Overall, we expect research to be in flux while it decides whether it can accurately detect the same moments, whether these subjective and qualitative methods are still needed, and whether important qualitative context is lost from no longer asking participants to reflect on experiences.

3.2 Implications for theory – learning from long-term real-world data

Given that devices and systems to measure cognitive activity will become widely available and affordable research tools, we expect these measures to become mainstream for HCI studies (alongside other methods). Through increased research, we will gain a more in-depth understanding of many theoretical concepts related to cognition, such as stress, attention, fatigue, or memory.

Unobtrusive consumer neurotechnology will also allow researchers to **gather long-term data and data from a huge variety of situations** with reduced need for supervising participants. Whether users are already wearing devices that will start to collect data about cognitive activity, such as smart watches, or whether researchers provide participants with devices to wear, we can expect more studies to ask people to collect cognitive data in different parts of our everyday lives in in-the-wild methodologies. **Data collected in natural situations will enrich our understanding of theoretical concepts** often biased by laboratory conditions, such as attention and interruption management, productivity research, or stress management.

With users becoming more aware of their cognition and systems that can react to cognition, there is a growing need to rethink assumptions about theory in HCI. This evolution may redefine how people perceive and interact with everyday technology. As our understanding of cognitive processes deepens and integrates with technological systems, the traditional frameworks and theories in HCI are likely to undergo significant transformations. This change is not just a matter of technological advancement, but also a shift in

the user's self-awareness and the system's responsiveness to cognitive states. Thus, it will potentially lead to questioning of how we design, use, and think about technology in our daily lives.

3.3 Implications for design – towards real-world cognition-aware systems

With an increased understanding of cognitive processes during the interaction with intelligent systems, we expect to see a rise in designing adaptive technologies based on cognitive performance or states. As discussed in Section 3.1, having real-time insights into users' cognition during their interaction with technology can offer new insights into user-centred design processes. Neurotechnology will enable more evidence-based design decision through effectively informing design processes.⁵⁴

Cognition-aware systems represent a sophisticated evolution in context-aware computing,⁵⁵ extending beyond traditional input dimensions like location and physical activity to encompass the cognitive context of the user. This cognitive context includes mental information processing aspects such as attention allocation,⁵⁶ perception,⁵⁷ memory encoding, storage and retrieval,^{58,59} and learning.⁶⁰

Today, knowledge workers process a wealth of information while engaging in continuous learning. Here, the first challenge involves technologies that rarely consider users' fluctuating attention levels, receptiveness, or cognitive capacities throughout the day. Recent years have brought significant advancements in context-aware systems like Cybre-Minder,⁶¹ which supports users in managing reminders by utilising rich contexts such as time and location. Nonetheless, there remains **a gap in technology's ability to adapt to users' cognitive states and physiological correlates**, e.g. circadian rhythms.

Secondly, the prevalent issue in mobile computing is the distracting nature of reminders and alerts, which often ignore the user's current context. Despite research on delaying notifications, little has been implemented in consumer products. Context-aware reminding systems like the Jogger prototype⁶² and smart home applications⁶³ show promise in utilizing probabilistic models and context information to predict opportune moments for reminder delivery, thereby reducing disruptions and improving task flow.

Third, another opportunity for design with neurotechnologies lies in **adjusting information complexity to align with users' cognitive capacities**. Current user interfaces seldom adapt to varying states of sustained attention. Research on adaptive UIs that respond to attentional states is essential for improving task efficiency. The need

for UIs that can dynamically adjust to attention fluctuations is echoed in studies exploring sensor-driven adaptive reminder systems,⁶⁴ context-aware approaches for behaviour analysis⁶⁵ and adjustments of surrounding task-irrelevant information across the Mixed Reality continuum.^{56,66,67}

Lastly, the availability of cognition-aware systems further provides **opportunities for enhanced inclusivity**. With easier access to data on users' current cognitive capacities and concurrent visualisation, information, or interaction adaptations⁶⁸ it will be easier to include and design for individuals with diverse abilities and needs. Prior research emphasised the need to include the neurodivergent population in the research discussions.^{69,70} Yet, to date, there is little research on the potential of consumer neurotechnology for these groups and the associated expectations, needs, and design requirements.

Yet, all opportunities also present significant challenges as the intersection of various fields introduces a complex learning curve for researchers and designers aiming to integrate physiological signals into their studies and interactive systems. This multidisciplinary challenge necessitates a broad understanding and mastery of concepts spanning from biology to computer science, complicating the development process of cognition-aware systems.⁷¹

Firstly, seamlessly incorporating basic psychophysiological theory into system design is essential for creating meaningful user interactions that accurately reflect psychological states. This requires a large interdisciplinary effort as mapping a physiological signal to a specific user state requires an understanding of psychophysiological inference and how physiological signals might differently react over time and show different responsivity to various stimuli.⁷²

Secondly, the identification of signal processing requirements is critical for the accuracy and reliability of cognitive state assessments, demanding the design and implementation of device-independent software tools. These challenges highlight the need for sophisticated methodologies to accurately interpret and respond to the complex spectrum of human cognition. Here, data protection rights should be considered, allowing users to retain formal and legal control over their psychophysiological data. This stipulates that any third party should receive access to such information solely with the user's explicit approval.⁷³ Here, privacy-by-design approaches should be considered⁷⁴ and privacy-preserving mechanisms should be ensured. Here, federated learning presents an innovative solution by allowing for the training of models without the need to centralize sensitive

physiological data, thus ensuring privacy and regulatory compliance.⁷⁵

Third, we need to consider challenges from a user interaction level, such as user acceptance and trust. Users may have concerns about the implications of systems that monitor and respond to their cognitive states if the data presented is incorrect or inaccurate. Moreover, the integration of neurotechnology at such a scale into people's everyday lives could lead to an overreliance on technology. As an effect, overreliance could potentially diminish users' perceived agency and subjective intuition. Designers must be cautious not to let technology override human-centred design principles. Balancing the assessments of neurotechnologies with human introspection, self-awareness, and decision-making is crucial to prevent over-dependence and ensure that technology serves as a tool to enhance, rather than dictate, user experience.

3.4 *Implications for practice – responsible integration into application contexts*

The increasing use of neurotechnology has the potential to influence various fields of practice in significant ways (e.g. in the workplace). Here, HCI researchers play a crucial role in navigating the introduction of neurotechnology into daily practices, ensuring that these developments are approached thoughtfully. It is important that the potential repercussions of **introducing neurotechnology in new contexts are studied in-depth** and that the findings are communicated effectively, reaching beyond the academic realm to inform real-world applications. HCI practitioners must actively translate insights from other disciplines, such as neuroscience and psychology, into usable and ethical designs that leverage neurotechnology. This **interdisciplinary approach** is essential for creating neurotechnology applications that are not only technically sound but also socially responsible and beneficial. Moreover, it is crucial for HCI experts to **bridge the gap between theoretical research and practical implementation**. Researchers have to ensure that the integration of neurotechnology across application domains is seamless, user-friendly, and enhances rather than detracts from human experience and productivity.

For instance, we hypothesise that for knowledge workers, the introduction of neurotechnology may bring changes in monitoring cognitive processes and emotional states of employees. In the educational sector, neurotechnology can support the learning process, as research has already shown

the application of cognitive data in teaching and learning analytics.^{76,77} Pedagogical experts, teachers, and HCI scholars need to work together to understand the experiential aspects of these technologies. They should **identify practical applications while carefully considering any negative aspects, especially for vulnerable groups** like children and neurodivergent individuals. Similarly, in the healthcare sector, neurotechnology offers promising avenues for enhancing patient care and treatment methods. This advancement could potentially provide a more nuanced understanding of neurological and psychological conditions, leading to more tailored treatment approaches. However, healthcare professionals, along with HCI researchers, must thoughtfully assess how to implement such technologies in clinical settings, taking into account patient care, privacy, and treatment efficacy. **The implications for practice are considerable, requiring professionals to stay updated** and adapt to the changing intersection of technology and human health.

The introduction of neurotechnology into various sectors is a complex scenario marked by both potential benefits and challenges. While these technologies can bring about substantial advancements in new application contexts, they also present opportunities for researchers to gain a deeper understanding of the technologies themselves. Utilising neurotechnology as a research tool, HCI researchers can explore their full spectrum of capabilities and limitations. However, this exploration should encompass more than the perspectives of HCI researchers alone. A comprehensive contextual understanding is crucial, highlighting the need for involvement from the target population in the research process. **Involving end-users ensures that the research is grounded in practical realities** and addresses the actual needs and concerns of those interacting with these technologies. This inclusive approach is essential. It ensures a balanced evaluation of the potential benefits and risks of neurotechnology, guiding them towards their responsible and ethical application. We note that the risk of exploitation, particularly through constant performance monitoring, is a significant concern as neurotechnology becomes more integrated into everyday life. These tools may infringe on personal privacy or exert undue pressure on individuals, especially in workplace settings where performance is closely scrutinized. Thus, it is imperative to establish strong ethical guidelines and regulatory frameworks for interaction design practice to protect individual rights. It is crucial that we ensure that the advancement of neurotechnology aligns with societal values and respects the dignity of all users.

3.5 Implications for policy – ethics and mental privacy

Unlike our body, face, fingerprints, and speech, which have been subject to tracking for a certain time by now, our mental processes have remained private. At the current stage of research, **it is unclear what information could be derived from large real-world data sets of cognitive data**. The discussion of *NeuroEthics* is slowly finding its way into HCI (cf.^{78–80}) to prepare us for the same future we predict here. In lieu of wide-scale access to neurotechnology, discussions of *NeuroEthics* have had to remain largely speculative about how cognitive personal informatics data might be used and misused.^{79,81} The news has reported a small number of specific cases where e.g. employers have incorporated neurotechnology into work-wear and profited from managing their workforce using this data. This ethical discussion has already been taken up by researchers (cf.⁸²). We expect that we will rapidly encounter many ethical, privacy, and trust issues as such examples become more widespread, and employers choose to try and increase business profits in this way. Other potentially critical cases include the detection of medical conditions in large data sets that have been found in laboratory conditions using medical grade EEG, such as epilepsy,⁸³ cognitive impairment,⁸⁴ developmental disorders in children,⁸⁵ and substance abuse disorders.⁸⁶ It is unclear if these signal differences could be reliably identified using consumer devices in real-world settings.

One challenge research we will face also relates to **how such data is treated in frameworks such as the General Data Protection Regulation (GDPR):² whether data from neurotechnology is medical data, personal data, or protected data. Furthermore, certain types of cognitive data, such as brainwaves collected by EEG devices, can be used to uniquely identify individuals⁸⁷ and have been shown to function as an authentication method with an accuracy of more than 99 %.⁸⁸ We consider it an important starting point for HCI to help users understand what cognitive data is being collected, what information could be drawn from it, and for what purpose it is used.** In that regard, it is critical to also discuss the conflict between the commercial application of neurotechnologies and its use in research. The objectives of neurotechnology companies can conflict with the ethical standards of academic research, particularly in terms of user consent, data usage, privacy, and transparency. Policies should enforce transparency requirements for neurotechnology of both academic and

commercial origin. We need to ensure that consent is informed and freely given as well as clear communication about data practices and privacy.

Regulatory bodies have already become active in the topic (e.g. by the UNESCO³). Yet, the **integration of ethical concerns surrounding neurotechnology into existing digital ethics frameworks** (e.g. data ethics, AI ethics) remains an open issue. Parallels can be drawn to considerations from other emerging technologies, such as AI (cf.⁷⁸). Similarly to how challenges are addressed in this complex field, the governance of neurotechnology should involve multidisciplinary collaboration, including experts from technology, ethics, law, and social sciences. This collaborative approach can ensure that technological advancements are aligned with societal values and ethical principles.

3.6 Implications for society – balancing performance quantification and mental health

The advent of emerging neurotechnology, particularly in the realm of cognitive personal informatics, poses profound societal implications that extend well beyond the field of HCI. Currently, it is already common to track and share physical activity data (e.g. from running, cycling, or hiking) as a form of motivation or social sharing, even if not for the explicit purpose of showcasing achievements. However, **the landscape of cognitive personal informatics is filled with uncertainties, especially regarding the social and privacy norms that might develop** once tracking and sharing cognitive activity becomes as accessible as physical activity tracking.

Key questions arise: Will the norms established for sharing physical activity data translate seamlessly to cognitive activity data? How comfortable will individuals be in sharing information about such intimate and internal activities? The potential for shared accountability in cognitive data could offer benefits, but it also raises questions about what kind of cognitive ‘achievements’ people might share or broadcast.

As research in this field progresses, we anticipate a shift from hypothetical inquiries about how people might feel sharing hypothetical cognitive data, to empirical studies examining the actual behaviours and attitudes surrounding the sharing of real neurotechnology data. This

³ UNESCO draft report on the ethical issues of neurotechnology, last updated June 30th, 2023 – <https://www.unesco.org/en/articles/risks-and-challenges-neurotechnologies-human-rights>.

² GDPR: <https://gdpr.eu/>.

shift will undoubtedly include exploring individuals' reactions to requests for sharing their cognitive data with others. The outcomes of such research will not only inform the development of the technologies themselves. They will also shape our understanding of their broader societal impact, particularly in terms of privacy, social interaction, and our conceptualisation of cognitive health and achievement.

In light of these technological advancements, another critical concern is **how society might re-conceptualise the notion of 'achievement'**. The prospect of tracking cognition on a larger scale prompts us to rethink what achievement means beyond the physical realm. In return, we expect it to lead to a more nuanced understanding that recognizes the concept's complexities and subjective meaning. Such measurements might illuminate traditionally overlooked aspects of cognitive prowess and mental well-being. However, alongside these potential insights, there are significant risks of negative repercussions. For instance, the ability to quantify 'achievement' in cognitive terms could lead to misuse, especially in contexts like the workplace, where cognitive metrics might be inappropriately used to assess performance. This raises concerns about a **societal shift towards valuing only what can be numerically measured**, sidelining important qualitative aspects of human experience. These considerations underscore the need for a careful, ethical approach to developing and applying neurotechnology to ensure they enhance understanding and well-being without becoming tools for narrow, potentially harmful quantification of human capabilities.

Looking ahead, it is crucial to understand the impact of emerging neurotechnologies on the daily routines of everyday users becomes a key concern. While topics such as tracking obsession or digital addiction have already been researched in HCI and related fields (cf.^{89,90}), this topic could also become relevant in the field of neurotechnologies. This is particularly the case when these technologies are integrated with gamified mobile applications that **promote the gaining of points, streaks, and awards**. While potentially beneficial in specific contexts, such **engaging features could lead to overuse and an unhealthy preoccupation with tracking** and quantifying mental states.⁹¹ Designing these technologies with a balanced approach is essential to positively contribute to users' mental health and well-being without encouraging detrimental usage habits.

Another relevant aspect concerning users' well-being focuses on specific well-being support such technologies could provide. Currently, commercial neurotechnologies provide features such as tracking brain activity, facilitating meditation training, managing stress, providing feedback

through visualisations, and offering descriptive metrics like "calm," "neutral," and "active" (see Muse³). However, the societal impact (and the direction of such an impact) of these technologies is partly dependent on the clarity and significance of these metrics, which often remain ambiguous. For instance, while a "calm" state might positively correlate with a normal heart rate in physiological terms, its implications when associated with brain activity are not as straightforward. This lack of clarity in interpreting cognitive states could potentially lead to widespread unhealthy usage patterns or negative thought cycles across society. Therefore, these technologies need to provide clear, contextually relevant information to support informed decisions about mental wellness, ensuring they enhance rather than compromise the well-being of users on a societal scale. To summarise, **how these technologies address and communicate complex cognitive states will significantly influence societal perceptions of mental health and well-being**, potentially reshaping our collective understanding of what it means to be mentally healthy or stressed.

4 Conclusions

The advent of consumer neurotechnology marks a significant shift in the landscape of human-computer interaction research. Previously confined to the realms of expensive neuroscience laboratories and specialised human factors research, these tools are now transitioning into more affordable and accessible formats. In this paper, we unpacked the implication of these maturing neurotechnologies for the field of human-computer interaction, providing starting points for discussions on HCI methods, theory, design, practice, policy, society, and the HCI community at large. The opportunities and challenges for each of these implications in Table 1. Over the next 20 years, we expect that researchers can, and likely will, involve cognitive measures in more forms of research. HCI researchers increasingly recognise the need to explore the rich body of knowledge accumulated in disciplines experienced with neurotechnology.⁴ However, as with the onset of consumer VR/AR headsets, new consumer neurotechnology may emerge in the market without fully appreciating the full extent of prior knowledge. We consider it critical for HCI to harness this expertise to conceptualise interactive systems that effectively translate complex neurotechnological insights into formats usable by everyday individuals. As these technologies become more prevalent in non-laboratory settings, they not only serve as tools for advanced research but also emerge as subjects of study within HCI. HCI should provide the means to shift focus towards designing systems that democratise

Table 1: Summary of opportunities and challenges of neurotechnology in HCI and for the HCI community for the seven implication types.

| Type | Opportunities | Challenges |
|-------------|---|---|
| Methodology | Development of new community norms for integrating neurotechnology in user studies; move from reliance on subjective data to objective measurements of high temporal and spatial resolution. | Understanding and interpreting new types of data; maintaining research quality amidst methodological shifts. |
| Theory | Enriched understanding of cognitive processes through long-term and varied situational data; reduced bias through data collection in natural situations. | Users' awareness of cognitive processes will impact interaction with technology and might require transformations of existing HCI frameworks and theories. |
| Design | Creation of cognition-aware systems; enhanced user-centric design informed by real-time cognitive data; increased application of evidence-based design processes; inclusivity through cognition-aware design. | Physiological inference, signal processing, modelling & privacy, user acceptance, trust overreliance & in neurotechnologies |
| Practice | Introduction of neurotech into daily practice, leading to an improved understanding of the technology itself. | Translation of interdisciplinary insights into usable designs; responsible integration in various fields; navigating ethical and privacy concerns; user-centred and inclusive design process needed; balancing technology benefits with human well-being. |
| Policy | Increased awareness and understanding of cognitive data; development of ethical frameworks. | Uncertainty on what can be derived from large real-world data sets; privacy concerns; ethical use of neuro data; integrating neurotechnology with existing regulations like GDPR; trust and transparency requirements for safe use. |
| Society | Potential for enhanced understanding and tracking of cognitive health and achievements; facilitation of users' mental health if designed and deployed properly. | Risk of quantifying human abilities narrowly; need for careful design of meaningful metrics for cognitive data; uncertainty around societal shifts in perception of achievement and mental well-being. |

the sophisticated data generated by neurotechnology, making them comprehensible and applicable for daily use by a broader audience.

Research ethics: Not applicable.

Author contributions: The authors have accepted responsibility for the entire content of this manuscript and approved its submission.

Competing interests: The authors state no conflict of interest.

Research funding: Francesco Chiossi was supported by the Deutsche Forschungsgemeinschaft (DFG, German Research Foundation), Project-ID 251654672-TRR 161. Paweł W. Woźniak thanks the Swedish Research Council, 2022-03196.

Data availability: Not applicable.

References

1. Neurosity *Neurosity- Neuroadaptive Meditation*. <https://neurosity.co/> (accessed 2024-01-15).
2. EmotivMN8. Emotiv. <https://www.emotiv.com/setup/mn8/> (accessed 2024-01-15).
3. ChooseMuse Muse™ — Eeg Meditation Headband. <https://choosemuse.com/> (accessed 2024-01-15).
4. Wilson, M. L.; Midha, S.; Maior, H. A.; Cox, A. L.; Chuang, L. L.; Urquhart, L. D. Sig: Moving from Brain-Computer Interfaces to Personal Cognitive Informatics. In *CHI EA '22: Extended Abstracts of the 2022 CHI Conference on Human Factors in Computing Systems, CHI EA '22*; Association for Computing Machinery: New York, NY, USA, 2022.
5. Afegan, D.; Peck, E. M.; Solovey, E. T.; Jenkins, A.; Hincks, S. W.; Brown, E. T.; Chang, R.; Jacob, R. J. K. Dynamic Difficulty Using Brain Metrics of Workload. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, CHI '14*; Association for Computing Machinery: New York, NY, USA, 2014; pp. 3797–3806.
6. Roy, R. N.; Charbonnier, S.; Campagne, A.; Bonnet, S. Efficient Mental Workload Estimation Using Task-independent Eeg Features. *J. Neural Eng.* **2016**, *13* (2), 026019. <https://doi.org/10.1088/1741-2560/13/2/026019>.
7. Hou, X.; Liu, Y.; Sourina, O.; Tan, Y. R. E.; Wang, L.; Mueller-Wittig, W. Eeg Based Stress Monitoring. In *2015 IEEE International Conference on Systems, Man, and Cybernetics*, 2015; pp. 3110–3115.
8. Mühl, C.; Jeunet, C.; Lotte, F. Eeg-based Workload Estimation across Affective Contexts. *Front. Neurosci.* **2014**, *8*, 114.
9. van Berkel, N.; Hornbæk, K. Implications of Human-Computer Interaction Research. *Interactions* **2023**, *30* (4), 50–55.

10. Wickens, C. D. The Effects of Divided Attention on Information Processing in Manual Tracking. *J. Exp. Psychol. Hum. Percept. Perform.* **1976**, 2 (1), 1–13.
11. Roediger, H.; Yamashiro, J. K. History of Cognitive Psychological Memory Research. In *The Cambridge Handbook of the Intellectual History of Psychology*, 2019; pp. 1–76.
12. Alsuraykh, N. H.; Wilson, M. L.; Tennent, P.; Sharples, S. How Stress and Mental Workload Are Connected. In *Proceedings of the 13th EAI International Conference on Pervasive Computing Technologies for Healthcare*, 2019; pp. 371–376.
13. Grudin, J. *From Tool to Partner: The Evolution of Human-Computer Interaction*; Springer Nature: Cham, 2022.
14. Hancock, P. A. *Human Performance and Ergonomics: Perceptual and Cognitive Principles*; Elsevier: Amsterdam, 1999.
15. Camp, G.; Paas, F.; Rikers, R.; van Merriënboer, J. Dynamic Problem Selection in Air Traffic Control Training: A Comparison between Performance, Mental Effort and Mental Efficiency. *Comput. Hum. Behav.* **2001**, 17 (5–6), 575–595.
16. Kistan, T.; Gardi, A.; Sabatini, R. Machine Learning and Cognitive Ergonomics in Air Traffic Management: Recent Developments and Considerations for Certification. *Aerospace* **2018**, 5 (4), 103.
17. Kazemi, R.; Haidarimoghadam, R.; Motamedzadeh, M.; Golmohamadi, R.; Soltanian, A.; Zoghbiydar, M. R. Effects of Shift Work on Cognitive Performance, Sleep Quality, and Sleepiness Among Petrochemical Control Room Operators. *J. Circadian Rhythms* **2016**, 14, 1. <https://doi.org/10.5334/jcr.134>.
18. Hussein, A. A.; Tang, J.; Amin, R.; Mohamed, E.; Kirby, S. Augmented Cognition Using Real-Time Eeg-Based Adaptive Strategies for Air Traffic Control. In *Proceedings of the Human Factors and Ergonomics Society Annual Meeting*, Vol. 58; SAGE Publications Sage CA: Los Angeles, CA, 2014; pp. 230–234.
19. Brookings, J. B.; Wilson, G. F.; Swain, C. R. Psychophysiological Responses to Changes in Workload during Simulated Air Traffic Control. *Biol. Psychol.* **1996**, 42 (3), 361–377.
20. Schnotz, W.; Kürschner, C. A Reconsideration of Cognitive Load Theory. *Educ. Psychol. Rev.* **2007**, 19, 469–508.
21. John, B. E.; Kieras, D. E. The GOMS Family of User Interface Analysis Techniques: Comparison and Contrast. *ACM Trans. Comput.-Hum. Interact.* **1996**, 3 (4), 320–351.
22. Rieman, J.; Franzke, M.; Redmiles, D. Usability Evaluation with the Cognitive Walkthrough. In *Conference Companion on Human Factors in Computing Systems*, 1995; pp. 387–388.
23. Chen, F.; Zhou, J.; Wang, Y.; Yu, K.; Arshad, S. Z.; Khawaji, A.; Conway, D. *Robust Multimodal Cognitive Load Measurement*; Springer: Berlin, 2016.
24. Kosch, T.; Karolus, J.; Zagermann, J.; Reiterer, H.; Schmidt, A.; Woźniak, P. W. A Survey on Measuring Cognitive Workload in Human-Computer Interaction. *ACM Comput. Surv.* **2023**, 55, 1–39.
25. Van Someren, M.; Barnard, Y. F.; Sandberg, J. *The Think Aloud Method: A Practical Approach to Modelling Cognitive*, Vol. 11; Academic Press: London, 1994; pp. 29–41.
26. Chen, R.; Xie, T.; Xie, Y.; Lin, T.; Tang, N. Do Speech Features for Detecting Cognitive Load Depend on Specific Languages? In *Proceedings of the 18th ACM International Conference on Multimodal Interaction*, 2016; pp. 76–83.
27. Asif Khawaja, M.; Ruiz, N.; Chen, F. Think before You Talk: An Empirical Study of Relationship between Speech Pauses and Cognitive Load. In *Proceedings of the 20th Australasian Conference on Computer-Human Interaction: Designing for HABITUS and Habitat*, 2008; pp. 335–338.
28. Ansari, S.; Du, H.; Naghdy, F.; Stirling, D. Automatic Driver Cognitive Fatigue Detection Based on Upper Body Posture Variations. *Expert Syst. Appl.* **2022**, 203, 117568. <https://doi.org/10.1016/j.eswa.2022.117568>.
29. Hihn, H.; Meudt, S.; Schwenker, F. Inferring Mental Overload Based on Postural Behavior and Gestures. In *Proceedings of the 2nd Workshop on Emotion Representations and Modelling for Companion Systems*, 2016; pp. 1–4.
30. Arshad, S.; Wang, Y.; Chen, F. Analysing Mouse Activity for Cognitive Load Detection. In *Proceedings of the 25th Australian Computer-Human Interaction Conference: Augmentation, Application, Innovation, Collaboration*, 2013; pp. 115–118.
31. Tattersall, A. J.; Foord, P. S. An Experimental Evaluation of Instantaneous Self-Assessment as a Measure of Workload. *Ergonomics* **1996**, 39 (5), 740–748.
32. Hart, S. G.; Staveland, L. E. Development of Nasa-Tlx (Task Load Index): Results of Empirical and Theoretical Research. *Adv. Psychol.* **1988**, 52, 139–183.
33. Hart, S. G. Nasa-task Load Index (Nasa-tlx); 20 Years Later. In *Proceedings of the Human Factors and Ergonomics Society Annual Meeting*; Sage publications Sage CA: Los Angeles, CA, Vol. 50, 2006; pp. 904–908.
34. Edmonds, E. C.; Delano-Wood, L.; Galasko, D. R.; Salmon, D. P.; Bondi, M. W. Subjective Cognitive Complaints Contribute to Misdiagnosis of Mild Cognitive Impairment. *J. Int. Neuropsychol. Soc.* **2014**, 20 (8), 836–847.
35. Tomaszewski Farias, S.; Mungas, D.; Jagust, W. Degree of Discrepancy between Self and Other-Reported Everyday Functioning by Cognitive Status: Dementia, Mild Cognitive Impairment, and Healthy Elders. *Int. J. Geriatr. Psychiatry* **2005**, 20 (9), 827–834.
36. Vidal, J. J. Toward Direct Brain-Computer Communication. *Annu. Rev. Biophys. Bioeng.* **1973**, 2 (1), 157–180.
37. Alsuraykh, N. H.; Maior, H. A.; Wilson, M. L.; Tennent, P.; Sharples, S. How Stress Affects Functional Near-Infrared Spectroscopy (Fnrirs) Measurements of Mental Workload. In *Extended Abstracts of the 2018 CHI Conference on Human Factors in Computing Systems*, 2018; pp. 1–6.
38. Hassib, M.; Khamis, M.; Friedl, S.; Schneegass, S.; Alt, F. Brainatwork: Logging Cognitive Engagement and Tasks in the Workplace Using Electroencephalography. In *Proceedings of the 16th International Conference on Mobile and Ubiquitous Multimedia, MUM '17*; Association for Computing Machinery: New York, NY, USA, 2017; pp. 305–310.
39. Kosmyna, N.; Scheirer, C.; Maes, P. The Thinking Cap: Fostering Growth Mindset of Children by Means of Electroencephalography and Perceived Magic of Harry Potter Universe. In *Extended Abstracts of the 2021 CHI Conference on Human Factors in Computing Systems*, 2021; pp. 1–6.
40. Sharmin Rahman, J.; Gedeon, T.; Caldwell, S.; Jones, R. L. Can Binaural Beats Increase Your Focus? Exploring the Effects of Music in Participants' Conscious and Brain Activity Responses. In *Extended Abstracts of the 2021 CHI Conference on Human Factors in Computing Systems*, 2021; pp. 1–6.
41. Sharma, N.; Gedeon, T. Modeling Stress Recognition in Typical Virtual Environments. In *2013 7th International Conference on*

- Pervasive Computing Technologies for Healthcare and Workshops*; IEEE, 2013; pp. 17–24.
42. Hieda, N. Mobile Brain-Computer Interface for Dance and Somatic Practice. In *Adjunct Proceedings of the 30th Annual ACM Symposium on User Interface Software and Technology*, 2017; pp. 25–26.
 43. Kanth Kosuru, R.; Lingelbach, K.; Bui, M.; Vukelić, M. Mindtrain: How to Train Your Mind with Interactive Technologies. In *Proceedings of Mensch und Computer 2019*; ACM, 2019; pp. 643–647.
 44. Bablani, A.; Reddy Edla, D.; Tripathi, D.; Cheruku, R. Survey on Brain-Computer Interface: An Emerging Computational Intelligence Paradigm. *ACM Comput. Surv.* **2019**, *52* (1), 1–32.
 45. Lécuyer, A.; Lotte, F.; Reilly, R. B.; Leeb, R.; Hirose, M.; Slater, M. Brain-computer Interfaces, Virtual Reality, and Videogames. *Computer* **2008**, *41* (10), 66–72.
 46. Epstein, D. A.; Caldeira, C.; Costa Figueiredo, M.; Lu, X.; Silva, L. M.; Williams, L.; Lee, J. H.; Li, Q.; Ahuja, S.; Chen, Q.; Dowlatyari, P.; Hilby, C.; Sultana, S.; Eikley, E. V.; Chen, Y. Mapping and Taking Stock of the Personal Informatics Literature. *Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.* **2020**, *4* (4), 1–38.
 47. Li, I.; Dey, A.; Forlizzi, J. A Stage-Based Model of Personal Informatics Systems. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, 2010; pp. 557–566.
 48. Niess, J.; Woźniak, P. W. Supporting Meaningful Personal Fitness: The Tracker Goal Evolution Model. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems*, 2018; pp. 1–12.
 49. Tang, L. M.; Meyer, J.; Epstein, D. A.; Bragg, K.; Engelen, L.; Bauman, A.; Kay, J. Defining Adherence: Making Sense of Physical Activity Tracker Data. In *Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies*, Vol. 2, 2018; pp. 1–22.
 50. Pike, M. F.; Maior, H. A.; Porcheron, M.; Sharples, S. C.; Wilson, M. L. Measuring the Effect of Think Aloud Protocols on Workload Using Fnrirs. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, CHI '14*; Association for Computing Machinery: New York, NY, USA, 2014; pp. 3807–3816.
 51. Hertzum, M.; Hansen, K. D.; Andersen, H. H. K. Scrutinising Usability Evaluation: Does Thinking Aloud Affect Behaviour and Mental Workload? *Behav. Inf. Technol.* **2009**, *28* (2), 165–181.
 52. Kerr, B. Processing Demands during Mental Operations. *Mem. Cogn.* **1973**, *1*, 401–412.
 53. Knowles, W. B. Operator Loading Tasks. *Hum. Factors* **1963**, *5* (2), 155–161.
 54. Simon, L.; Donaldson, D. I.; Dudchenko, P. A.; Ietswaart, M. Understanding Minds in Real-World Environments: toward a Mobile Cognition Approach. *Front. Hum. Neurosci.* **2017**, *10*, 694.
 55. Bulling, A.; Zander, T. O. Cognition-aware Computing. *IEEE Pervasive Comput.* **2014**, *13* (3), 80–83.
 56. Vortmann, L.-M.; Kroll, F.; Putze, F. Eeg-based Classification of Internally-And Externally-Directed Attention in an Augmented Reality Paradigm. *Front. Hum. Neurosci.* **2019**, *13*, 348.
 57. Maksimenko, V. A.; Runnova, A. E.; Zhuravlev, M. O.; Makarov, V. V.; Nedayozov, V.; Grubov, V. V.; Pchelintceva, S. V.; Hramov, A. E.; Pisarchik, A. N. Visual Perception Affected by Motivation and Alertness Controlled by a Noninvasive Brain-Computer Interface. *PLoS One* **2017**, *12* (12), e0188700. <https://doi.org/10.1371/journal.pone.0188700>.
 58. Burke, J. F.; Merkow, M. B.; Jacobs, J.; Kahana, M. J.; Zaghoul, K. A. Brain Computer Interface to Enhance Episodic Memory in Human Participants. *Front. Hum. Neurosci.* **2015**, *8*, 1055.
 59. Chiossi, F.; Turgut, Y.; Welsch, R.; Mayer, S. Adapting Visual Complexity Based on Electrodermal Activity Improves Working Memory Performance in Virtual Reality. *Proc. ACM Hum.-Comput. Interact.* **2023**, *7* (MHCI), 1–26.
 60. Lotte, F.; Jeunet, C. Towards Improved Bci Based on Human Learning Principles. In *The 3rd International Winter Conference on Brain-Computer Interface*; IEEE, 2015; pp. 1–4.
 61. Dey, A. K.; Abowd, G. D. Cybreminder: A Context-Aware System for Supporting Reminders. In *HUC 2000: Second International Symposium on Handheld and Ubiquitous Computing*, 2000; pp. 172–186.
 62. Kamar, E.; Horvitz, E. Jogger: Models for Context-Sensitive Reminding. In *Proc. of 10th Int. Conf. on Autonomous Agents and Multiagent Systems – Innovative Applications Track (AAMAS 2011), May 2–6, 2011, Taipei, Taiwan*, pp. 1089–1090.
 63. George, D.; Hensel, B. K. Technologies for an Aging Society: a Systematic Review of “Smart Home” Applications. *Yearb. Med. Inform.* **2008**, *17* (01), 33–40.
 64. Kaushik, P.; Intille, S. S.; Larson, K. User-adaptive Reminders for Home-Based Medical Tasks. *Methods Inf. Med.* **2008**, *47*, 203–207.
 65. Zhang, S.; Mccullagh, P.; Nugent, C.; Zheng, H. An Ontology-Based Context-Aware Approach for Behaviour Analysis. In *Activity Recognition in Pervasive Intelligent Environments*; Atlantis Press: Paris, 2011; pp. 127–148.
 66. Cheng, Y.; Yan, Y.; Yi, X.; Shi, Y.; Lindlbauer, D. Semanticadapt: Optimization-Based Adaptation of Mixed Reality Layouts Leveraging Virtual-Physical Semantic Connections. In *The 34th Annual ACM Symposium on User Interface Software and Technology, UIST '21*; Association for Computing Machinery: New York, NY, USA, 2021; pp. 282–297.
 67. Chiossi, F.; Ou, C.; Gerhardt, C.; Putze, F.; Mayer, S. Designing and Evaluating an Adaptive Virtual Reality System Using Eeg Frequencies to Balance Internal and External Attention States. arXiv preprint arXiv:2311.10447, **2023**.
 68. Chiossi, F.; Zagermann, J.; Karolus, J.; Rodrigues, N.; Balestrucci, P.; Weiskopf, D.; Ehinger, B.; Feuchtner, T.; Reiterer, H.; Chuang, L. L.; Ernst, M.; Bulling, A.; Mayer, S.; Schmidt, A. Adapting Visualizations and Interfaces to the User. *Inf. Technol.* **2022**, *64* (4–5), 133–143.
 69. Mankoff, J.; Hayes, G. R.; Kasnitz, D. Disability Studies as a Source of Critical Inquiry for the Field of Assistive Technology. In *Proceedings of the 12th International ACM SIGACCESS Conference on Computers and Accessibility*, 2010; pp. 3–10.
 70. Spiel, K.; Gerling, K.; Bennett, C. L.; Brulé, E.; Williams, R. M.; Rode, J.; Mankoff, J. Nothing about Us without Us: Investigating the Role of Critical Disability Studies in Hci. In *Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems*, 2020; pp. 1–8.
 71. Chiossi, F.; Stepanova, E. R.; Tag, B.; Perusquia-Hernandez, M.; Kitson, A.; Dey, A.; Mayer, S.; Ali, A. E. Physiochi: Towards Best Practices for Integrating Physiological Signals in Hci; arXiv e-prints, 2023; pp. arXiv–2312.
 72. Allanson, J.; Fairclough, S. H. A Research Agenda for Physiological Computing. *Interact. Comput.* **2004**, *16* (5), 857–878.
 73. Hancock, P. A.; Szalma, J. L. The Future of Neuroergonomics. *Theor. Issues Ergonomics Sci.* **2003**, *4* (1–2), 238–249.
 74. Chiossi, F.; Mayer, S. How Can Mixed Reality Benefit from Physiologically-Adaptive Systems? Challenges and Opportunities for Human Factors Applications. arXiv preprint arXiv:2303.17978, **2023**.

75. Ju, C.; Gao, D.; Mane, R.; Tan, B.; Liu, Y.; Guan, C. Federated Transfer Learning for Eeg Signal Classification. In *2020 42nd Annual International Conference of the IEEE Engineering in Medicine & Biology Society (EMBC)*; IEEE, 2020; pp. 3040–3045.
76. Giannakos, M. N.; Sharma, K.; Pappas, I. O.; Kostakos, V.; Velloso, E. Multimodal Data as a Means to Understand the Learning Experience. *Int. J. Inf. Manag.* **2019**, *48*, 108–119.
77. Prieto, L. P.; Sharma, K.; Dillenbourg, P.; Jesús, M. Teaching Analytics: towards Automatic Extraction of Orchestration Graphs Using Wearable Sensors. In *Proceedings of the Sixth International Conference on Learning Analytics & Knowledge*, 2016; pp. 148–157.
78. Berger, S.; Rossi, F. Ai and Neurotechnology: Learning from Ai Ethics to Address an Expanded Ethics Landscape. *Commun. ACM* **2023**, *66* (3), 58–68.
79. Martinez, W.; Benerradi, J.; Midha, S.; Maior, H. A.; Wilson, M. L. Understanding the Ethical Concerns for Neurotechnology in the Future of Work. In *Proceedings of the 1st Annual Meeting of the Symposium on Human-Computer Interaction for Work, CHIWORK '22*; Association for Computing Machinery: New York, NY, USA, 2022.
80. Shein, E. Neurotechnology and the Law. *Commun. ACM* **2022**, *65* (8), 16–18.
81. Midha, S.; Wilson, M. L.; Sharples, S. Ethical Concerns and Perceptions of Consumer Neurotechnology from Lived Experiences of Mental Workload Tracking. In *Proceedings of the 2022 ACM Conference on Fairness, Accountability, and Transparency*, 2022; pp. 564–573.
82. Muhl, E.; Andorno, R. Neurosurveillance in the Workplace: Do Employers Have the Right to Monitor Employees' Minds? *Front. Hum. Dyn.* **2023**, *5*, 1245619. <https://doi.org/10.3389/fhumd.2023.1245619>.
83. Sharmila, A. Epilepsy Detection from Eeg Signals: A Review. *J. Med. Eng. Technol.* **2018**, *42* (5), 368–380.
84. Alberdi, A.; Aztiria, A.; Basarab, A. On the Early Diagnosis of Alzheimer's Disease from Multimodal Signals: A Survey. *Artif. Intell. Med.* **2016**, *71*, 1–29.
85. Akshoomoff, N.; Farid, N.; Courchesne, E.; Haas, R. Abnormalities on the Neurological Examination and Eeg in Young Children with Pervasive Developmental Disorders. *J. Autism Dev. Disord.* **2007**, *37*, 887–893.
86. Liu, Y.; Chen, Y.; Fraga-González, G.; Szapak, V.; Laverman, J.; Wiers, R. W.; Ridderinkhof, K. R. Resting-state Eeg, Substance Use and Abstinence after Chronic Use: A Systematic Review. *Clin. EEG Neurosci.* **2022**, *53* (4), 344–366.
87. Marcel, S.; Millán, J. D. R. Person Authentication Using Brainwaves (Eeg) and Maximum A Posteriori model Adaptation. *IEEE Trans. Pattern Anal. Mach. Intell.* **2007**, *29* (4), 743–752.
88. TajDini, M.; Sokolov, V.; Kuzminykh, I.; Ghita, B. Brainwave-based Authentication Using Features Fusion. *Comput. Secur.* **2023**, *129*, 103198. <https://doi.org/10.1016/j.cose.2023.103198>.
89. Attig, C.; Franke, T. Abandonment of Personal Quantification: A Review and Empirical Study Investigating Reasons for Wearable Activity Tracking Attrition. *Comput. Hum. Behav.* **2020**, *102*, 223–237.
90. Harrison, D.; Marshall, P.; Bianchi-Berthouze, N.; Bird, J. Activity Tracking: Barriers, Workarounds and Customisation. In *Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing, UbiComp '15*; Association for Computing Machinery: New York, NY, USA, 2015; pp. 617–621.
91. Andrade, F. R. H.; Mizoguchi, R.; Isotani, S. The Bright and Dark Sides of Gamification. In *Intelligent Tutoring Systems*; Micarelli, A., Stamper, J., Panourgia, K., Eds.; Springer International Publishing, 2016; pp. 176–186.

Bionotes



Christina Schneegass

TU Delft, Human-Centered Design, Delft, Netherlands

c.schneegass@tudelft.nl

<https://orcid.org/0000-0003-3768-5894>

Christina Schneegass is an assistant professor at Delft University of Technology, Netherlands, in the Human-Centered Design department. She researches how cognitive states affect technology interaction and develops systems that seamlessly integrate data on users' cognition into daily use. Particularly, she focuses on neurotechnologies that enhance self-reflection and understanding of complex cognitive data, exploring how users perceive and interact with these innovative tools.



Max L. Wilson

School of Computer Science, University of Nottingham, Nottingham, UK

max.wilson@nottingham.ac.uk

Max L. Wilson is an Associate Professor of Human-Computer Interaction at the University of Nottingham, UK. Max leads the Brain Data Group, which both evaluates how people experience mental workload in the lab using fNIRS, and studies people's lived experiences of mental workload in the real world. Max's own primary focus is on our future living with personal brain scanners, called Personal Cognitive Informatics.



Jwan Shaban

School of Computer Science, University of Nottingham, Nottingham, UK

jwan.shaban@nottingham.ac.uk

Jwan Shaban is a PhD student in computer science at the University of Nottingham. Jwan focuses on tracking mental workload and how people understand their lives through managing mental workload as a limited resource. This unfolds how will people reflect on cognitive activity measures, and how should consumer neurotechnology devices convey personal informatics such that they provide meaningful insights for users.




Jasmin Niess
Department of Informatics, University of Oslo,
Oslo, Norway
jasminni@ifi.uio.no

Jasmin Niess is an Associate Professor in HCI at the University of Oslo, Norway. She is an expert in Personal Informatics within the realm of health and well-being, specifically focusing on wearables, Virtual Reality applications, and human augmentations. Her expertise lies in developing new methods, crafting innovative interaction techniques, and studying the psychological and social impacts of these technologies. She is a strong advocate for inclusive design principles, ensuring that digital health interventions are accessible and beneficial to all.



Francesco Chiossi
LMU Munich, Munich, Germany
francesco.chiossi@um.ifi.lmu.de

Francesco Chiossi is a PhD researcher at the LMU Munich with a background in applied cognitive science. He focuses on implicit measures of human behavior, such as electrodermal activity and EEG, as an implicit input to design physiologically-adaptive systems across the reality – virtuality continuum.



Teodora Mitrevska
LMU Munich, Munich, Germany
teodora.mitrevska@ifi.lmu.de

Teodora Mitrevska is a PhD researcher at the LMU Munich in Human-Computer Interaction. She holds a MSc in Media Informatics from LMU Munich. Her research interests lie in the usage of physiological signals as a form of implicit feedback in human-computer interactions.



Paweł W. Woźniak
Chalmers University of Technology,
Gothenburg, Sweden
pawelw@chalmers.se

Paweł W. Woźniak is a professor of Human-Computer Interaction and research unit head at TU Wien. He earned his PhD in Human-Computer Interaction from Chalmers in 2016. Paweł focuses on the intersection of technology, sports, and wellbeing, specifically on enhancing everyday physical activity experiences through technology. His research includes personal informatics, multi-surface interactions, and sensory augmentation. Paweł is chair of SIGCHI Poland.