# **PROCEEDINGS OF SPIE**

SPIEDigitalLibrary.org/conference-proceedings-of-spie

# Front Matter: Volume 8759

, "Front Matter: Volume 8759," Proc. SPIE 8759, Eighth International Symposium on Precision Engineering Measurement and Instrumentation, 875901 (31 January 2013); doi: 10.1117/12.2021213



Event: International Symposium on Precision Engineering Measurement and Instrumentation 2012, 2012, Chengdu, China

# PROCEEDINGS OF SPIE

# Eighth International Symposium on Precision Engineering Measurements and Instrumentation

**Jiubin Tan Xianfang Wen** Editors

8-11 August, 2012 Chengdu, China

Sponsored by International Committee on Measurements and Instrumentation National Natural Science Foundation of China (China) Chinese Society for Measurement (China) China Instrument and Control Society (China)

Organized by International Committee on Measurements and Instrumentation Instrumentation Committee of CSM (China) Harbin Institute of Technology (China)

Cooperating Organization SPIE Institute of Optics and Electronics (China) Hefei University of Technology (China) Beijing Information Science and Technology University (China)

Published by SPIE

Part One of Two Parts

Volume 8759

Proceedings of SPIE 0277-786-786X, V.8759

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Eighth International Symposium on Precision Engineering Measurement and Instrumentation, edited by Jiubin Tan, Xianfang Wen, Proc. of SPIE Vol. 8759, 875901 · © 2013 SPIE · CCC code: /13/\$18 · doi: 10.1117/12.2021213

#### Proc. of SPIE Vol. 8759 875901-1

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in Eighth International Symposium on Precision Engineering Measurement and Instrumentation, edited by Jiubin Tan, Xianfang Wen, Proceedings of SPIE Vol. 8759 (SPIE, Bellingham, WA, 2013) Article CID Number.

ISSN: 0277-786X ISBN: 9780819495501

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445 SPIE.org

Copyright © 2013, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/13/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04,
- 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

# Contents

#### Part One

- xxi Conference Committee
- xxvii Plenary Presentation Abstracts
- xxxi Introduction

#### SESSION 1 INSTRUMENTATION THEORY AND METHODOLOGY

- B759 02 Data processing of vertical scanning white-light interferometry based on particle swarm optimization [8759-33]
   J. Hu, C. Cui, H. Huang, R. Ye, Huagiao Univ. (China)
- 8759 03 Technology of time-interval measurement in Time and Frequency Remote Calibration System [8759-48]
   T. He, National Time Service Ctr. (China) and Key Lab. of Precision Navigation Positioning and Timing (China) and Graduate School of the Chinese Academy of Sciences (China); H. Zhang, Z. Zhao, X. Li, National Time Service Ctr. (China) and Key Lab. of Precision Navigation Positioning and Timing (China)
- 8759 04 Pneumatic hammer in aerostatic thrust bearings with single orifice compensation [8759-56]
   Z. Kong, J. Tao, China Academy of Engineering Physics (China)
- 8759 05 **Extracting crack signal of magnetic ring based on MAX262** [8759-88] H. Xu, D. Hou, J. Qiu, S. Ye, China Jiliang Univ. (China)
- 8759 06 Redundant manipulator based autonomous scanning for unknown variable cross-section pipe [8759-154]
   G. Wang, J. Tan, Harbin Institute of Technology (China); C. Zhang, Academy of Armored Force Engineering (China); H. Yin, Chengdu Aircraft Industrial Group Co., Ltd. (China)
- 8759 07 **Contact aiming system of 2m laser automatic interferometric comparator** [8759-161] S. Sun, X. Ye, L. Zou, H. Gao, X. Gan, X. Shen, National Institute of Metrology (China)
- An evaluation method of a micro-arrayed multispectral filter mosaic [8759-166]
   J. Zhang, S. Lin, C. Zhang, Y. Chen, Xiamen Univ. (China); L. Kong, Triplex International Biosciences (China); F. Chen, Xiamen Univ. (China)
- 8759 09 Low frequency time-code time service method based on frequency sharing (Invited Paper) [8759-172] P. Feng, 7. Zhang, G. Wu, Y. Bai, Y. Ding, National Time Service Ctr. (Ching)

P. Feng, Z. Zhang, G. Wu, Y. Bai, X. Ding, National Time Service Ctr. (China)

Proc. of SPIE Vol. 8759 875901-3

8759 0A **Error analysis of homodyne multi-pass interferometer with Jones matrix** [8759-174] W. Li, S. Gao, M. Lu, Y. Shi, National Institute of Metrology (China)

- Analysis and simulation of multipath error for satellite navigation signals [8759-180]
   Y. Bai, National Time Service Ctr. (China) and Graduate School of the Chinese Academy of Sciences (China) and Key Lab. for Precise Navigation Positioning and Timing (China);
   X. Lu, National Time Service Ctr. (China) and Key Lab. for Precise Navigation Positioning and Timing (China); H. Hong, National Time Service Ctr. (China) and Key Lab. for Precise Navigation Positioning and Timing (China); H. Hong, National Time Service Ctr. (China) and Key Lab. for Precise Navigation Positioning and Timing (China);
- 8759 0C A method to identify material based on spectrum analyses [8759-202] L. Zhang, J. M. Dai, Y. F. Zhang, W. D. Pan, Z. Yin, Harbin Institute of Technology (China)
- 8759 0D **A method to auto-estimate edge detection direction** [8759-204] Z. Yin, B. G. Liu, F. D. Chen, G. D. Liu, F. Wan, Harbin Institute of Technology (China)
- 8759 OE Use of polynomial approximation for reconstruction of periodic nonuniformly sampled signals [8759-211]
   W. Liu, Harbin Institute of Technology (China); J. Liu, Harbin Jiancheng Group Co., Ltd. (China); L. Qiao, Harbin Institute of Technology (China)
- Bispersion compensation for absolute distance measurement based on the femtosecond optical frequency comb [8759-219]
   T. Wu, Z. Liang, Changcheng Institute of Metrology & Measurement (China); P. Ye, Institute of Physics (China)
- 8759 0G Study on measuring the pose of the moving object based on binocular vision [8759-228]
   Z. Sun, Y. Liang, J. Song, L. Guo, Beijing Aerospace Institute for Metrology and Measurement Technology (China)
- 8759 0H A feasibility study on the improvement of CT image with the back propagation neural network [8759-238] S.-C. Lin, T.-L. Wang, National Tsing Hua Univ. (Taiwan, China)
- 8759 01 **Dynamic measurement technology in object separate experiment** [8759-241] J. Song, Y. Liang, L. Guo, Z. Sun, Beijing Aerospace Institute for Metrology & Measurement Technology (China)
- 8759 0.J Method of projectile spinning rate processing based on acceleration compensation

   [8759-260]
   R. Zhang, Beijing Institute of Tracking and Telecommunications Technology (China) and
   Academy of Equipment (China); Y. Wang, Academy of Equipment (China); J. Sun, Beijing
   Aerospace Control Ctr. (China)
- 8759 0K Cloud-based evolutionary algorithm for Network on Chip (NoC) test scheduling using NoC as TAMs [8759-270] C. Yu. Guilin Univ. of Electronic Technology (Ching): M. Chrzanowska, leske, Portland State

C. Xu, Guilin Univ. of Electronic Technology (China); M. Chrzanowska-Jeske, Portland State Univ. (United States); P. Zhang, Military Representative Office of Wuhan Bureau Stationed in Changsha (China); C. Hu, Guilin Univ. of Electronic Technology (China)

#### SESSION 2 MEASUREMENT FOR PRECISION AND ULTRA-PRECISION MACHINING

8759 OL	A comparison of cylindricity and parallelism measurement procedures between HIT UOI and PTB (Invited Paper) [8759-9] O. Jusko, Physikalisch-Technische Bundesanstalt (Germany); J. Huang, W. Gu, Harbin Institute of Technology (China); H. Reimann, Physikalisch-Technische Bundesanstalt (Germany)
8759 OM	Analysis of the elastic mechanism for contact scanning probe (Invited Paper) [8759-13] RJ. Li, Hefei Univ. of Technology (China) and Anhui Electrical Engineering Professional Technique College (China); S. Tao, Hefei Univ. of Technology (China); KC. Fan, Hefei Univ. of Technology (China) and National Taiwan Univ. (Taiwan, China)
8759 ON	Robustness of thermal error compensation model of CNC machine tool [8759-24] X. Lang, E. Miao, Y. Gong, P. Niu, Z. Xu, Hefei Univ. of Technology (China)
8759 00	Mechanism analysis of instantaneous angular-rate measurement of gyro-test turntable with inertial devices [8759-55] Y. Yang, X. Zhang, Harbin Institute of Technology (China); J. Li, The Chinese People's Liberation Army (China)
8759 OP	Two improved methods for determining complex permittivity in coaxial line of powder materials [8759-168] H. Zha, L. Tong, Y. Tian, B. Gao, Univ. of Electronic Science and Technology of China (China)
8759 OQ	Three-dimensional measurement and characterization of grinding tool topography (Invited Paper) [8759-183] C. Cui, Univ. of Huddersfield (United Kingdom) and Huaqiao Univ. (China); L. Blunt, X. Jiang, Univ. of Huddersfield (United Kingdom); X. Xu, H. Huang, R. Ye, Huaqiao Univ. (China)
8759 OR	Wheel rim stress detecting using ultrasonic testing technology [8759-187] J. Guo, P. Wang, X. Gao, L. Wang, Z. Wang, Q. Zhao, Southwest Jiaotong Univ. (China)
8759 OS	High precision position control of voice coil motor based on single neuron PID [8759-188] L. Li, Q. Chen, G. Tan, H. Zhu, Harbin Institute of Technology (China)
8759 OT	<b>CMM probe compensation methods for measuring complex screw surface</b> [8759-195] Q. Zhao, T. Yang, X. Yin, Hunan Univ. of Science and Technology (China)
8759 OU	<b>Sub-pixel location with phase transfer function for star tracker</b> [8759-206] J. Xi, Xi'an Institute of Optics and Precision Mechanics (China) and Graduate School of the Chinese Academy of Sciences (China); Z. Song, W. Gao, Xi'an Institute of Optics and Precision Mechanics (China)
8759 OV	<b>The development of micro-vibration for satellite</b> [8759-227] S. Fan, L. Cao, Beihang Univ. (China) and Key Lab. of Inertial Science and Technology for National Defence (China)

Proc. of SPIE Vol. 8759 875901-5

8759 0W New principle of processing optical aspherical components with locus compensation method [8759-230]

H. Wang, Z. Xue, National Institute of Metrology (China); C. Piao, Changchun Univ. of Science and Technology (China); G. Yang, National Institute of Metrology (China)

- 8759 0X Wide spectrum, a large field of view telescope system design small distortion [8759-239] J. Hui, Changchun Univ. of Science and Technology (China) and Changchun Institute of Optics, Fine Mechanics and Physics (China); H. Ma, C. Yan, Y. Zheng, Changchun Institute of Optics, Fine Mechanics and Physics (China); H. Jiang, Changchun Univ. of Science and Technology (China)
- 8759 0Y
   Influence of atmospheric pressure supplied on permittivity of air-film of aerostatic bearing [8759-263]
   M. Li, Y. Zhang, D. Li, China Jiliang Univ. (China)
- 8759 0Z Measuring method for contour of object in complex high temperature variation environment [8759-273]
   Y. Liang, Y. Miao, X. Chen, Z. Sun, Beijing Aerospace Institute for Metrology & Measurement Technology (China)
- 8759 11 **Two-step method for measuring gear pitch deviation** [8759-268] Z. Lou, H. He, B. Guo, S. Ling, Dalian Univ. of Technology (China)

#### SESSION 3 NOVEL INSTRUMENT AND MEASUREMENT SYSTEM

- 8759 12 Gun bore flaw image matching based on improved SIFT descriptor [8759-19] L. Zeng, W. Xiong, Y. Zhai, Academy of Equipment (China)
- 8759 13 Porcelain three-dimensional shape reconstruction and its color reconstruction [8759-35]
   X. Yu, H. Wu, X. Yang, S. Yu, B. Wang, D. Chen, Harbin Univ. of Science and Technology (China)
- 8759 14 Modeling and analysis of a scanning electrostatic force microscope for surface profile measurement [8759-38]
   Z. Jia, S. Goto, K. Hosobuchi, S. Ito, Y. Shimizu, W. Gao, Tohoku Univ. (Japan)
- 8759 15 System for contactless gauge blocks measurement [8759-43]
   Z. Buchta, Š. Řeřucha, B. Mikel, M. Čížek, J. Lazar, O. Číp, Institute of Scientific Instruments of the ASCR, v.v.i. (Czech Republic)
- 8759 16 **Circular trajectory motion control of an inspection spherical robot** [8759-58] B. Zhao, L. Wang, Harbin Institute of Technology (China)
- Passive ultrasonic apparatus for three-dimensional position [8759-59]
   L. Yu, F. Lin, D. Ma, Harbin Institute of Technology (China); M. Yang, H. Wu, Harbin Univ. of Science and Technology (China)

#### 8759 18 **Design and resting of alterable preload running-in system of solid lubricated bearings** [8759-60]

J. Wu, Ultra-precision Optoelectronic Instrumentation Engineering Ctr. (China); H. Zhao, Harbin Univ. of Science and Technology (China); J. Cui, Ultra-precision Optoelectronic Instrumentation Engineering Ctr. (China)

- 8759 19 Electromagnetic methods for corrosion under paint coating measurement (Invited Paper) [8759-66]
  H. Zhang, Newcastle Univ. (China); G. Y. Tian, Newcastle Univ. (China) and Univ. of Electronic Science and Technology of China (China); A. Simm, M. Alamin, Newcastle Univ. (China)
- 8759 1 A 3D measurement based on phase-shift and self-calibration [8759-71]
   L. Chen, Y. Xu, D. Xiao, Huazhong Univ. of Science and Technology (China)
- 8759 1B Stitching for a large area of surface topography analysis of diamond grinding wheel [8759-102]
  S. Wang, C. Cui, C. Huang, H. Huang, R. Ye, S. Fu, Huagiao Univ. (China)
- 8759 1C Automatic positioning method based on feature points matching for ICF target [8759-103] B. Liu, G. Liu, N. Gong, F. Chen, Z. Zhuang, Harbin Institute of Technology (China)
- 8759 1D Long working distance autocollimating and microscope monitoring instrument [8759-104]
   B. Liu, G. Liu, N. Gong, F. Chen, Z. Zhuang, Harbin Institute of Technology (China)
- 8759 1E Standard equipment for pattern approval field test of vehicle speed-measuring devices for traffic law enforcement in China [8759-109]
   L. Du, Q. Sun, C. Cai, Y. Zhang, H. Hu, National Institute of Metrology (China)
- 8759 1F Rapid test apparatus of solid-state lithium-ion batteries [8759-127]
   Z. Wang, Z. Zhu, Y. Ma, F. Yang, Univ. of Electronic Science and Technology of China (China)
- 8759 1G Design of a silicon carbide neutron sensor [8759-132]
   Q. Hu, J. Yang, G. Liu, X. Luo, National Univ. of Defense Technology (China)
- 8759 1H Measurement system and precision analysis for thermal regulating properties evaluation of textile materials [8759-136]
   B. Yao, L. Yan, China Jiliang Univ. (China); Y. Li, The Hong Kong Polytechnic Univ. (Hong Kong, China)
- 8759 11 Measurement and correction method of the system time offset of multi-mode satellite navigation [8759-145]
  L. Zhu, National Time Service Ctr. (China) and Key Lab. of Precision Navigation Positioning and Timing (China) and Graduate School of the Chinese Academy of Sciences (China);
  H. Zhang, X. Li, National Time Service Ctr. (China) and Key Lab. of Precision Navigation Positioning and Timing (China); L. Xu, National Time Service Ctr. (China) and Key Lab. of Precision Navigation Positioning and Timing (China); L. Xu, National Time Service Ctr. (China) and Key Lab. of Precision Navigation Positioning and Timing (China);
  M. Zhang, X. Li, National Time Service Ctr. (China) and Key Lab. of Precision Navigation Positioning and Timing (China);
  M. Zhang, X. Li, National Time Service Ctr. (China) and Key Lab. of Precision Navigation Positioning and Timing (China);
  M. Zhang, X. Li, National Time Service Ctr. (China) and Key Lab. of Precision Navigation Positioning and Timing (China) and Graduate School of the Chinese Academy of Sciences (China)
- 8759 1 J Grain edge detection of diamond grinding wheel [8759-149] L. Zhou, C. Cui, C. Huang, H. Huang, R. Ye, Huaqiao Univ. (China)

8759 1K Visual detection of subsurface defects using enhanced magneto-optic imaging system [8759-150] X H Cheng X Liu G X Tign L B Bai Univ of Electronic Science and Technology of Chin

Y. H. Cheng, X. Liu, G. Y. Tian, L. B. Bai, Univ. of Electronic Science and Technology of China (China)

- 8759 1L Intelligent transient transitions detection of LRE test bed [8759-167] F. Zhu, Z. Shen, Q. Wang, Harbin Institute of Technology (China)
- 8759 1M Analysis of measurement grid in quantitative assessment of micro damage [8759-170] H. He, D. Chen, M. Pan, Y. Tang, J. Zhao, National Univ. of Defense Technology (China)
- 8759 1N Uncertainty evaluation study on Chang'E-1 Laser Altimeter on-orbit detection error [8759-176]
   D.-X. Wang, Southeast Univ. (China) and Nanjing Institute of Technology (China);
   A.-G. Song, Southeast Univ. (China); X.-L. Wen, Nanjing Institute of Technology (China)
- Besign of RF source based on Direct Digital Synthesizer [8759-179]
   H. Liu, Xi'an Institute of Optics and Precision Mechanics (China) and Graduate Univ. of the Chinese Academy of Sciences (China); Y. Qiu, Xi'an Institute of Optics and Precision Mechanics (China)
- 8759 1P Novel measurement principle of profile deviations evaluated through double-flank rolling test with rack probe [8759-182]
   J. Tang, Z. Shi, Z. Fang, Beijing Univ. of Technology (China)
- 8759 1Q Analysis of non-idealities of low-pass filter in random demodulator [8759-185] J. Zhang, N. Fu, W. Yu, X. Peng, Harbin Institute of Technology (China)
- 8759 1R Wireless communication in the airflow verification system of biological safety cabinet [8759-196]
  Y. Zhang, D. Hou, J. Qiu, S. Ye, China Jiliang Univ. (China)
- 8759 15 Echo power analysis and simulation of low altitude radio fuze [8759-186] X. Chen, B. Chen, T. Xu, S. Xu, Navy Submarine Academy (China)
- 8759 11 A simple line sensing method by laser line scanning for line scale measurement [8759-200] H. Gao, X. Ye, J. Li, National Institute of Metrology (China)
- A new type apparatus for measuring inner diameter based on inductive transducer and its mathematical model [8759-217]
   J. Sun, L. Yu, T. Ye, Hefei Univ. of Technology (China)
- Bigital processing of RF signals from optical frequency combs [8759-259]
   M. Cizek, R. Smid, Z. Buchta, B. Mikel, J. Lazar, O. Cip, Institute of Scientific Instruments of the ASCR, v.v.i. (Czech Republic)
- 8759 1W The micro-thrust automatic measurement system of stationary plasma thruster [8759-262] J. Li, H. Mei, G. Wang, Beijing Aerospace Institute for Metrology and Measurement Technology (China)

#### SESSION 4 MODERN OPTICS AND INSTRUMENTS FOR PRECISION MEASUREMENT

8759 1X Radius measurement using two-windows common-path interferometry with phase grating [8759-4] B. Hao, M. Diao, Z. Zhong, M. Shan, Y. Zhang, Harbin Engineering Univ. (China); S. Lang, Harbin Normal Univ. (China) 8759 1Y Polarization-sensitive white light interferometer with an autofocus device [8759-7] R. Lu, J. Dong, L. Chen, Y. Shi, R. Xia, Hefei Univ. of Technology (China) 8759 1Z Focusing by an arbitrary opening paraboloid mirror and its application in confocal scanning microscopy (Invited Paper) [8759-8] T. Liu, J. Tan, Y. Wang, W. Chao, J. Liu, Harbin Institute of Technology (China) 8759 20 An approach to remove defocused aberration on array confocal microscope [8759-10] X. Huang, Harbin Institute of Technology (China); T. Zhou, Heilongjiang Institute of Metrology (China); J. Jia, Harbin Institute of Technology (China) 8759 21 Scattering near specular direction for horizontally oriented ice discs [8759-11] Z. Wang, Z. Yin, Y. Cao, M. Cong, W. Bao, Q. Hou, Harbin Institute of Technology (China) 8759 22 A high sensitive roll angle interferometer [8759-30] Y. Le, W. Hou, K. Hu, A. Ju, Univ. of Shanghai for Science and Technology (China) 8759 23 Constrained simultaneous stitching measurement for aspheric surface [8759-63] W. Wang, Z. Fan, Harbin Institute of Technology (China) 8759 24 The phase detection method in continuous monitoring of pH during the process of cell culture [8759-69] Z. Liu, W. Tao, H. Zhao, J. Cheng, Shanghai Jiaotong Univ. (China) 8759 25 Optimal configuration for the dual rotating-compensator Mueller matrix ellipsometer [8759-70] W. Du, S. Liu, C. Zhang, X. Chen, Huazhong Univ. of Science and Technology (China) 8759 26 Fabrication of optical elements using a rapid UV-curable and low-viscosity polymer material [8759-75] M. Zhang, Z. Li, X. Dong, L. Shi, Q. Deng, The Institute of Optics and Electronics (China); C. Du, Chongqing Institute of Green and Intelligent Technology (China) 8759 27 Alternate dual pulses technique for fiber Bragg grating ultra-multi-point strain measurement [8759-78] X. Gong, D. Hua, P. Zhang, L. Hu, Y. Wang, Xi'an Univ. of Technology (China) 8759 28 Three-dimensional surface measurement by amplified off-axis digital holography [8759-119] W. You, X. Liu, W. Lu, L. Zhou, Huazhong Univ. of Science and Technology (China) 8759 29 High-precision aspherical wavefront shaping with combined computer generated holograms (Invited Paper) [8759-120] A. G. Poleshchuk, R. K. Nasyrov, Institute of Automation and Electrometry (Russian Federation)

Proc. of SPIE Vol. 8759 875901-9

# 8759 2A Filtering method for phase fringe patterns in the digital speckle pattern interferometry [8759-121]

Y. Wang, W. Bu, J. Li, J. Sun, Hefei Univ. of Technology (China); L. Yang, Hefei Univ. of Technology (China) and Oakland Univ. (United States)

- 8759 2B Image degradation of large-aperture R-C optical system induced by micro-vibration [8759-129]
  H. Wang, Xi'an Institute of Optics and Precision Mechanics (China) and Graduate School of the Chinese Academy of Sciences (China); W. Wang, Xi'an Institute of Optics and Precision Mechanics (China); Q. Liu, G. Li, Xi'an Institute of Optics and Precision Mechanics (China) and Graduate School of the Chinese Academy of Sciences Academy of Sciences (China)
- 8759 2C Spectrally resolved chromatic confocal interferometry for one-shot nano-scale surface profilometry with several tens of micrometric depth range [8759-193] L.-C. Chen, National Taiwan Univ. (Taiwan, China) and National Taipei Univ. of Technology (Taiwan, China); Y.-S. Chen, Y.-W. Chang, S.-T. Lin, National Taipei Univ. of Technology (Taiwan, China); S.-L. Yeh, Lunghwa Univ. of Science and Technology (Taiwan, China)
- 8759 2D Automatic measurement method of two-dimensional complex geometric features [8759-256]

B. He, Y. He, F. Ren, R. Xue, Nanjing Univ. of Science and Technology (China)

- 8759 2E A contact probe using Michelson interferometers for CMMs (Invited Paper) [8759-266] C.-M. Huang, B.-H. Liao, K.-C. Fan, National Taiwan Univ. (Taiwan, China)
- 8759 2F The high-precision videometrics methods to determining absolute vertical benchmark [8759-271]

J. Liu, Z. Zhu, National Univ. of Defense Technology (China)

#### SESSION 5 SENSORS, CONVERTERS, AND CONTROL SYSTEM

- 8759 2G In situ chatter suppression in milling machines using microphones [8759-12] C.-C. Ho, J.-C. Hsu, C.-H. Lien, P.-Y. Hsieh, National Yunlin Univ. of Science and Technology (Taiwan, China)
- 8759 2H Measurement of flexible temperature-pressure distribution for robot sensing skin [8759-14] Q. Yang, Y. Huang, S. Wu, W. Miao, X. Liu, Hefei Univ. of Technology (China)
- 8759 21 Iterative learning control for dual stroke actuator systems [8759-25] X. Jiang, Y. Wang, X. Li, Y. Liu, X. Chen, Harbin Institute of Technology (China)
- 8759 2.J Design of readout IC for photoelectron detector of short-wave high frequency IRFPA [8759-28]
  P. Wang, Shanghai Institute of Technical Physics (China) and Graduate School of Chinese Academy of Sciences (China); R. Ding, Shanghai Institute of Technical Physics (China); G. Chen, Shanghai Institute of Technical Physics (China) and Graduate School of Chinese Academy of Sciences (China); H. Chen, Shanghai Institute of Technical Physics (China)

#### 8759 2K Nonlinear feedback control of dual-stage actuator system [8759-31] C. Liu, Y. Liu, X. Li, X. Chen, Harbin Institute of technology (China)

- Belay error and compensation in measurement of micro-scale using aiming and triggering method [8759-51]
   J. Cui, F. Yang, J. Tan, Harbin Institute of Technology (China)
- 8759 2M Characteristic evaluation and experimental analysis of the ultrahigh precision threedimensional scanning probe [8759-64]
   S. Liu, China Jiliang Univ. (China) and National Institute of Metrology (China); Z. Xue, National Institute of Metrology (China); S. Ye, D. Hou, China Jiliang Univ. (China); H. Wang, National Institute of Metrology (China)
- 8759 2N Ultrasonic array imaging in nondestructive evaluation: total focusing method with using circular coherence factor (Invited Paper) [8759-67]
   J. Zhang, B. W. Drinkwater, P. D. Wilcox, Univ. of Bristol (United Kingdom)
- An accelerometer sensor finite element analysis and design based on fiber Bragg grating [8759-77]
   M. Yang, Q. Jiang, Shandong Univ. (China)
- 8759 2P **Fiber optic accelerometer based on clamped beam** [8759-82] W. Zhang, F. Li, Institute of Semiconductors (China)
- Besigning a warning system of pipeline net based on detecting vibration [8759-94]
   J. Sun, Beihang Univ. (China) and North China Institute of Aerospace Engineering (China);
   S. Fan, Beihang Univ. (China); G. Li, North China Institute of Aerospace Engineering (China)

#### Part 2

- 8759 2R Influence of metal bonding layer on strain transfer performance of FBG [8759-117] H. Liu, W. Chen, P. Zhang, L. Liu, Y. Shu, J. Wu, Chongqing Univ. (China)
- 8759 2S Research of capacitor transimpedance amplifier for infrared readout integrated circuit design with variable integration time [8759-122]
   T.-P. Sun, Y.-C. Lu, H.-L. Shieh, M.-S. Yang, T.-H. Chen, National Chi Nan Univ. (Taiwan, China); S.-F. Tang, W.-J. Lin, Chung-Shan Institute of Science and Technology (Taiwan, China)
- 8759 2T Application of Kingview and PLC in friction durability test system [8759-141] Y. Gao, J. Cui, K. Yang, H. Ke, B. Song, Jilin Univ. (China)
- 8759 20 Vehicle switch detection system based on Visual C++ [8759-152] K. Yang, B. Song , Y. Gao, J. Gu, R. Zhou, Jilin Univ. (China)
- 8759 2V
   New Y-radiation screening procedures of infrared focal plane arrays (IR FPA) [8759-177]
   H. Chen, L. Hao, Shanghai Institute of Technical Physics (China) and Graduate School of the Chinese Academy of Sciences (China); A. Huang, J. Lin, J. Zhang, Q. Feng, R. Ding, Shanghai Institute of Technical Physics (China)
- 8759 2W Two non-contact photoelectric angular position sensors for motion control applications [8759-194]
   T. Xu, X. Chen, J. Bo, Navy Submarine Academy (China)

- 8759 2X Weak feature extraction of gear fault based on stochastic resonance denoising [8759-199] X. Lai, J. Zhao, M. Kong, T. Guo, China Jiliang Univ. (China)
- 8759 2Y Capacitive micromachined ultrasonic resonator for ultra-sensitive trace gas detection [8759-203]
   L.-F. Ge, Anhui Univ. (China)
- 8759 2Z Compensation for positioning error of industrial robot for flexible vision measuring system [8759-205]
   L. Guo, Beijing Aerospace Institute for Metrology & Measurement Technology (China) and Tianjin Univ. (China); Y. Liang, J. Song, Z. Sun, Beijing Aerospace Institute for Metrology & Measurement Technology (China); J. Zhu, Tianjin Univ. (China)
- 8759 30 The novel sliding mode speed control based on interior permanent magnet synchronous motor [8759-207]
   J. Liu, L. Li, P. Du, Harbin Institute of Technology (China)
- Research on state monitoring system using the RS485 bus for hazmat transportation [8759-225]
   X. Zhang, J. Fu, M. Yu, N. Zhang, W. Mei, Chongqing Univ. (China)
- 8759 32 Active vibration isolation by adaptive proportional control [8759-233]
   Y.-H. Liu, W.-H. Wu, C.-L. Chu, Southern Taiwan Univ. of Science & Technology (Taiwan, China)
- 8759 33 Pressure intelligent control strategy of Waste heat recovery system of converter vapors [8759-267]
   X. Feng, Z. Wu, J. Zhang, H. Qian, Anhui Univ. (China)

8759 34 Measurement of micro gears with a touch-trigger probe [8759-277]
 Y.-C. Liu, Metal Industries Research & Development Ctr. (Taiwan, China); K.-H. Chang, National Formosa Univ. (Taiwan, China); N.-C. An, S.-Z. Yan, H.-A. Tsai, Metal Industries Research & Development Ctr. (Taiwan, China)

- 8759 35 Design of a synchronization control system for lithography based on repetitive control method [8759-278]
  Z. Hao, Harbin Institute of Technology (China); G. Peng, North China Electric Power Univ. (China); X. Li, X. Chen, Harbin Institute of Technology (China)
- 8759 36 **2eVME VME64x slave module design** [8759-282] W. Du, C. Li, X. Chen, Y. Liu, Harbin Institute of Technology (China)

#### SESSION 6 OPTOELECTRONIC SYSTEM AND OPTICAL INSTRUMENTS DESIGN

8759 37 Effects of parameters of Bessel-Gaussian on the achievement of optical needle with longitudinal polarization [8759-1]
 J. Lin, J. Guan, L. Ma, P. Jin, Harbin Institute of Technology (China); J. Lin, ZTE Corp. (China); J. Tan, Harbin Institute of Technology (China)

8759 38 Annular flat-top laser beam generated by an adaptive weight FFT-based iterative algorithm [8759-6]
D. Wang, Harbin Institute of Technology (China); X. Liu, Shanghai Institute of Spaceflight Control Technology (China); H. Wang, National Lab. of Aerospace Intelligent Control (China); J. Zhang, L. Wu, Harbin Institute of Technology (China)

- 8759 39 Approximation of large radio telescope surface with measurement data of opticelectronic stereoscopic system [8759-26]
   K. G. Arakantsev, I. A. Konyakhin, St. Petersburg National Research Univ. of Information Technologies, Mechanics and Optics (Russian Federation)
- 8759 3A Radiation effect of aerodynamically heated optical dome on airborne infrared system [8759-32]
  Z. Wang, H. Xiao, Z. Fan, C. Qian, C. Liu, Harbin Institute of Technology (China)
- 8759 3B Frequency stability of the 760nm DFB laser diodes for laser metrology [8759-37]
   B. Mikel, Z. Buchta, J. Lazar, O. Číp, Institute of Scientific Instruments of the ASCR, v.v.i. (Czech Republic)
- Analysis and extraction of misalignment errors in a three-in-one composite wave-plate with an equivalent fast axis [8759-72]
   H. Gu, S. Liu, X. Chen, C. Zhang, Huazhong Univ. of Science and Technology (China)
- 8759 3D Terahertz resonant transmission based on annular aperture arrays [8759-74]
   Y. Zhang, Capital Normal Univ. (China) and Harbin Institute of Technology (China); D. Hu, Harbin Institute of Technology (China)
- 8759 3E Optic-electronic systems for measurement the three-dimension angular deformation of axles at the millimeter wave range radiotelescope (Invited Paper) [8759-84]
   I. A. Konyakhin, T. V. Kopylova, A. I. Konyakhin, A. A. Smekhov, St. Petersburg National Research Univ. of Information Technologies, Mechanics and Optics (Russian Federation)
- 8759 3F Survey of illuminance distribution of vignetted image at autocollimation systems by computer simulation [8759-85]
   A. Smekhov, I. A. Konyakhin, St. Petersburg National Research Univ. of Information Technologies, Mechanics and Optics (Russian Federation)
- 8759 3G A method of constructing motion-blurred image based on weighted accumulation of subimages [8759-116]

Y. Zhao, J. Liu, J. Tan, H. Zhang, Harbin Institute of Technology (China)

- Besign and adjustment of a near-IR camera system [8759-165]
   T. Liu, Changchun Institute of Optics, Fine Mechanics and Physics (China) and Graduate School of Chinese Academy of Sciences (China); J. Zhang, Changchun Institute of Optics, Fine Mechanics and Physics (China); Y. Li, Changchun Institute of Optics, Fine Mechanics and Physics (China) and Graduate School of Chinese Academy of Sciences (China)
- Brsign of infrared polarizer based on sub-wavelength metal wire grid [8759-169]
   W. Guo, Z. Li, H. Gao, L. Xia, L. Shi, Q. Deng, Institute of Optics and Electronics (China);
   C. Du, Chongqing Institute of Green and Intelligent Technology (China)

Proc. of SPIE Vol. 8759 875901-13

- 8759 3J Micro-hole fabrication based on focus-shaped radially polarized beams [8759-209] F. Du, Beijing Information Science and Technology Univ. (China); Z. Zhou, Beijing Information Science and Technology Univ. (China) and Science and Technology on Electro-Optical Information Security Control Lab. (China); X. Zhang, L. Zhu, Beijing Information Science and Technology Univ. (China)
- Bevelopment of a three dimensional scanning touch probe with high precision and low contact force [8759-244]
   C.-L. Chu, J.-S. Ke, H.-C. Chen, Southern Taiwan Univ. of Science and Technology (Taiwan, China)

#### SESSION 7 LASER MEASUREMENT TECHNIQUES AND INSTRUMENTS

- 8759 3L Heterodyne planar grating encoder with high alignment tolerance, especially insensitivity to grating tilts (Invited Paper) [8759-5]
   C. Feng, L. Zeng, S. Wang, Tsinghua Univ. (China)
- 8759 3M Recent developments in heterodyne laser interferometry at Harbin Institute of Technology (Invited Paper) [8759-50]
   P. C. Hu, J. B. Tan, H. X. Yang, H. J. Fu, Q. Wang, Harbin Institute of Technology (China)
- A method for long absolute distance measurement based on high stability and synchronous multi-frequency [8759-65]
   H. Yang, Z. Fan, Harbin Institute of Technology (China); Y.-W. Ma, Harbin Institute of Technology (China) and Beijing Institute of Space Long March Vehicle (China)
- 8759 30 Observations of the boundary layer structure, cloud and aerosol properties with portable Mie scattering lidar [8759-68]
   Q. Yan, D. Hua, S. Li, Y. Wang, Z. Zhou, Xi'an Univ. of Technology (China)
- B759 3P Dual-axes tri-differential confocal sensing technique with higher axial resolution and SNR [8759-79]
   C. Liu, L. Qiu, Bejing Institute of Technology (China); Q. Jiang, Changcheng Institute of Metrology & Measurement (China); W. Zhao, Bejing Institute of Technology (China)
- 8759 3Q High speed 3D surface inspection with digital holography (Invited Paper) [8759-81]
   A. Brunn, Interstaatliche Hochschule für Technik Buchs NTB (Switzerland); N. Aspert,
   E. Cuche, Y. Emery, A. Ettemeyer, Lyncée Tec SA (Switzerland)
- 8759 3R Near infrared tunable diode laser absorption spectroscopy for ethylene concentration analysis [8759-86]

W. D. Pan, J. M. Dai, Y. F. Zhang, L. Zhang, Harbin Institute of Technology (China)

- 8759 35 **Evaluation of spatial straightness error using LaserTRACER** [8759-90] M. He, X. Ye, J. Li, X. Gan, National Institute of Metrology (China)
- 8759 3T Reduce impact of the Talbot effect in laser parallel confocal measurement within LED [8759-95]
   Q. Yu, R. Ye, W. Fan, Huaqiao Univ. (China)

#### 8759 3U High-precision gasket thickness measuring and classifying system based on line-structured light [8759-124]

Q. Wu, Huazhong Univ. of Science and Technology (China) and Hubei Univ. of Technology (China) and Key Lab. of Advanced Manufacture and Quality Engineering (China); T. He, Hubei Univ. of Technology (China) and Key Lab. of Advanced Manufacture and Quality Engineering (China); T. Shi, Huazhong Univ. of Science and Technology (China)

- 8759 3V Comparison of fringe imaging techniques using Mach-Zehnder and Fabry-Perot interferometer for molecular Doppler wind lidar [8759-134] L. Tan, D. Hua, L. Wang, Y. Wang, Xi'an Univ. of Technology (China)
- 8759 3W Design of an optical ultrasonic signal testing system using LabVIEW [8759-137] Y. Luo, S. Luo, F. Luo, M. Pan, X. Tan, National Univ. of Defense Technology (China)
- 8759 3X Diode lasers for interferometric length measurements (Invited Paper) [8759-192] A. Abou-Zeid, Physikalisch-Technische Bundesanstalt (Germany)
- 8759 3Y Generation of cylindrical vector beams with a cat-eye cavity laser and a Mach-Zehnder interferometric arrangement [8759-213] B. Xiao, Beijing Information Science and Technology Univ. (China); Z. Hu, Beihang Univ. (China); Z. Zhou, Beijing Information Science and Technology Univ. (China) and Science and Technology on Electro-Optical Information Security Control Lab. (China); S. Zhang, Tsinghua Univ. (China); J. Yang, Beihang Univ. (China); X. Wang, L. Zhu, Beijing Information Science and Technology Univ. (China)
- 8759 3Z Research and development of the laser tracker measurement system (Invited Paper) [8759-231] Z. L. Zhang, W. H. Zhou, D. B. Lao, J. Yuan, D. F. Dong, R. Y. Ji, The Academy of Opto-Electronics (China)
- 8759 40 Experimental validation of non-sphericity effect on monochromatic rainbow measurement [8759-236] Q. Pan, Z. Zhang, Nanjing Univ. of Information Science and Technology (China)
- 8759 41 Design of digital Pound-Drever-Hall frequency stabilizing system for two-cavity dualfrequency Nd:YAG laser [8759-240] J. Xing, M. Jiao, Y. Zheng, L. Zheng, Xi'an Univ. of Technology (China)
- 8759 42 Frequency stabilization of internal-mirror He-Ne lasers by air cooling (Invited Paper) [8759-269] J. Qian, Z. Liu, C. Shi, X. Liu, J. Wang, C. Yin, S. Cai, National Institute of Metrology (China)
- 8759 43 Testing of the scale linearity of the corrected homodyne interferometer by the femtosecond comb and optical resonator [8759-300] O. Číp, M. Čížek, Z. Buchta, B. Mikel, J. Lazar, R. Šmid, Institute of Scientific Instruments of the ASCR, v.v.i. (Czech Republic)
- 8759 44 Transformation mechanism of nonlinearity harmonics caused by laser polarization in the heterodyne laser interferometer [8759-52]

H. Fu, J. Tan, P. Hu, Z. Fan, Harbin Institute of Technology (China)

#### SESSION 8 INSTRUMENT AND MEASUREMENT SYSTEM CALIBRATION

- 8759 45 Universal characterization method for 3D tactile probing systems (Invited Paper) [8759-2] N. Ferreira, Physikalisch-Technische Bundesanstalt (Germany) and Technische Univ. Braunschweig (Germany); T. Krah, K. Kniel, Physikalisch-Technische Bundesanstalt (Germany); S. Büttgenbach, Technische Univ. Braunschweig (Germany); F. Härtig, Physikalisch-Technische Bundesanstalt (Germany)
- 8759 46 Particle filtering for sensor-to-sensor self-calibration and motion estimation [8759-15]
   Y. Yang, Harbin Institute of Technology (China); J. Li, The Chinese People's Liberation Army (China)
- 8759 47 Calibration of magnetic gradient tensor measurement array in magnetic anomaly detection [8759-16]
  J. Chen, Q. Zhang, M. Pan, F. Weng, D. Chen, H. Pang, National Univ. of Defense Technology (China)
- 8759 48 Research on self-calibration method for tri-axial magnetic compass [8759-17]
   Z. Li, Guilin Univ. of Electronic Technology (China) and Xidian Univ. (China); X. Li, Xidian Univ. (China)
- 8759 49 Robust CMOS camera module lens calibration by support vector machine regression [8759-22]

C.-Y. Yang, G. E. Jan, Y.-Y. Chen, National Taipei Univ. (Taiwan, China)

- 8759 4A Error analysis and method of calibration for linear time grating displacement sensor [8759-23]
   Z. Gao, Chongqing Univ. of Technology (China) and Hefei Univ. of Technology (China); F. Zheng, X. Chen, Z. Chen, D. Peng, Chongqing Univ. of Technology (China)
- 8759 4B **Multi-wavelength emissivity measurement of stainless steel substrate** [8759-87] Y. F. Zhang, J. M. Dai, L. Zhang, W. D. Pan, Harbin Institute of Technology (China)
- 8759 4C Collaborated measurement of three-dimensional position and orientation errors of assembled miniature devices with two vision systems [8759-105]
   X. Wang, W. Zhang, Y. Luo, Dalian Univ. of Technology (China); W. Yang, L. Chen, Aviation Industry Corp. of China (China)
- 8759 4D **Portable calibration instrument of hemodialysis unit** [8759-112] L. Jin, D. Li, A. Chen, China Jiliang Univ. (China)
- 8759 4E Segmental calibration for commercial AFM in vertical direction [8759-151]
   Y. Shi, S. Gao, M. Lu, W. Li, National Institute of Metrology (China); X. Xu, Hefei Univ. of Technology (China)
- 8759 4F Liquefied Natural Gas (LNG) dispenser verification device [8759-175]
   M. Xiong, Xihua Univ. (China) and National Institute of Measurement and Testing Technology (China); J. Yang, P. Zhao, National Institute of Measurement and Testing Technology (China); B. Yu, W. Deng, Xihua Univ. (China)

- 8759 4G Evaluation method of indoor GPS measurement network [8759-198] Y. Li, Z. Zhou, L. Ma, Q. Li, Changcheng Institute of Metrology & Measurement (China)
- 8759 4H A method for calibrating micro-force of nanoindentation instrument using laser interferometer [8759-212] D. Ren, Y. Wan, Z. Zhu, Q. Li, Changcheng Institute of Metrology & Measurement (China)
- 8759 41 Chromatic confocal surface profilometry employing signal recovering methodology for simultaneously resolving lateral and axial cross talk problems (Invited Paper) [8759-214] L.-C. Chen, National Taiwan Univ. (Taiwan, China) and National Taipei Univ. of Technology (Taiwan, China); T.-Y. Lin, Y.-W. Chang, S.-T. Lin, National Taipei Univ. of Technology (Taiwan, China)
- 8759 4J Calibration of transformation matrix in object body coordinate and camera coordinate [8759-242] J. Song, Z. Sun, L. Guo, D. Wang, Beijing Aerospace Institute for Metrology & Measurement Technology (China)
- 8759 4K Error of Archimedes spiral when applied in linearity compensation [8759-255] K. Liu, X. Chen, J. Song, Y. Liang, Beijing Aerospace Institute for Metrology & Measurement Technology (China)
- 8759 4L Converting the infrared thermal image into temperature field for detection the defects inside materials [8759-261] T. Y.-F. Chen, M.-H. Kuo, National Cheng Kung Univ. (Taiwan, China)
- 8759 4M Experimental study on the absolute measurement of spherical surface with high accuracy (Invited Paper) [8759-264] X. Hou, Institute of Optics and Electronics (China); W. Song, Institute of Optics and Electronics (China) and Graduate School of the Chinese Academy of Sciences (China); F. Wu, L. Lu, Institute of Optics and Electronics (China)
- 8759 4N Evaluation of vibration transducer resolution by using intrinsic microseism [8759-265] C. Cai, National Institute of Metrology (China); J. Xu, Beijing Institute of Architecture Design (China); J. Li, National Institute of Metrology (China)
- 8759 40 Design of the automatic motor Ke measurement system using the system on programming chip [8759-276] S.-C. Yen, Metal Industries Research & Development Ctr. (Taiwan, China); K.-H. Chang, National Formosa Univ. (Taiwan, China); Y.-C. Liu, N.-C. An, H.-A. Tsai, Metal Industries Research & Development Ctr. (Taiwan, China)
- 8759 4P Calibration of sensor system used in ultra-precision form measuring instrument [8759-283] J. Z. Huang, T. Sun, B. M. Hu, W. Gu, L. L. Zhang, Harbin Institute of Technology (China)

#### MEMS AND NANOMETER MEASUREMENT **SESSION 9**

Fabrication of diffraction gratings for surface encoders by using a Lloyd's mirror 8759 4Q interferometer with a 405nm laser diode [8759-41]

X. Li, Y. Shimizu, S. Ito, W. Gao, Tohoku Univ. (Japan); L. Zeng, Tsinghua Univ. (China)

8759 4R **High optical transparent and wireless communication band-pass filtering window** [8759-45] Y. Liu, Y. Han, M. Yuan, J. Ma, Harbin Institute of Technology (China)

- 8759 4S Characterization of nanoline based on SEM images [8759-49]
   C. Wang, Xi'an Jiaotong Univ. (China) and Tianjin Univ. & Tsinghua Univ. (China); S. Yang, Xi'an Jiaotong Univ. (China) and Huazhong Univ. of Science and Technology (China);
   Q. Lin, Z. Jiang, Xi'an Jiaotong Univ. (China)
- 8759 4T Large step structure measurement by using white light interferometry based on adaptive scanning [8759-110]
   Y. Bian, Tianjin Univ. of Technology and Education (China); T. Guo, F. Li, S. Wang, X. Fu, X. Hu, Tianjin Univ. (China)
- 8759 40 Microscopic fringe projection system and measuring method [8759-111] J. Chen, T. Guo, L. Wang, Z. Wu, X. Fu, X. Hu, Tianjin Univ. (China)
- Bynamic analysis of mechanical model for three-dimensional resonant trigger probe and experiment [8759-123]
   H.-J. Yu, Q.-X. Huang, Z.-B. Li, M.-C. Wang, J.-P. Wei, Hefei Univ. of Technology (China)
- 8759 4W Experimental study on fabricating micro monolithic tungsten probing ball for micro-CMM [8759-130]
   Z.-W. Wang, Hefei Univ. of Technology (China); K.-C. Fan, Hefei Univ. of Technology (China) and National Taiwan Univ. (Taiwan, China); R.-J. Li, W. Gong, Hefei Univ. of Technology (China)
- 8759 4X **Methodologies for measuring residual stress distributions in epitaxial thin films** [8759-146] M. Liu, H. H. Ruan, L. C. Zhang, The Univ. of New South Wales (Australia)
- 8759 4Y Long range metrological atomic force microscope with versatile measuring head [8759-157]
   M. Lu, S. Gao, Q. Li, W. Li, Y. Shi, X. Tao, National Institute of Metrology (China)
- Analysis and design optimization of ironless linear permanent magnet synchronous motors with non-overlapping concentrated windings for ultra-precision positioning system [8759-160]
   L. Li, Y. Tang, J. Liu, Q. Chen, Harbin Institute of Technology (China)

8759 50 Error analysis and correction of grating interference displacement measurement system [8759-162]
 M. Jiang, X. Lu, X. Wang, X. Xu, Zhejiang Normal Univ. (China)

- 8759 51 **Character measurement and analyzing of micro optical lenses array fabricated by UVimprint** [8759-224] N. Liu, P. Jin, J. Tan, Harbin Institute of Technology (China)
- 8759 52 High-temperature SOI pressure sensors on the base of the MEMS micromachining technology [8759-252]
   L. V. Sokolov, Scientific Research Institute of Aircraft Equipment (Russian Federation)

#### SESSION 10 ACCURACY THEORY AND UNCERTAINTY ANALYSIS

- 8759 53 **Development and calibration of a 3-PSS parallel CMM** [8759-42] J. Wang, P. Hu, S. Li, X. Bao, Hefei Univ. of Technology (China)
- 8759 54 Reduction of measurement errors with two-channel configuration in the Mueller matrix ellipsometer [8759-73]

W. Li, S. Liu, C. Zhang, X. Chen, Huazhong Univ. of Science and Technology (China)

- 8759 55 Lidar echo characteristics analysis for stepped terrain [8759-106]
   Y. Jia, X. Zhang, Beijing Information Science and Technology Univ. (China); Y. Lv, Beijing Information Science and Technology Univ. (China) and Science and Technology on Electro-Optical Information Security Control Lab. (China); X. Lang, Beijing Information Science and Technology Univ. (China)
- 8759 56 Thermal influence on precise gear transmission [8759-171]
   Y. Zhang, Y. Fei, E. Miao, Hefei Univ. of Technology (China); X. Zhang, Harbin Institute of Technology (China)
- 8759 57 Airborne platform vibration environmental spectrum data processing via bootstrap method [8759-220]
  Y. Wang, Z. Wang, Beihang Univ. (China); J. Sun, J. Zhang, The Comprehensive Technology Research Institute of China Aviation (China)
- 8759 58 Influence of background radiation noise on the measuring accuracy of satellite laser altimeter [8759-251]
  G. Yan, Beihang Univ. (China); Y. Jia, Beijing Information Science and Technology Univ. (China); Y. Niu, Beihang Univ. (China)

#### SESSION 11 MEASUREMENT FOR ADVANCED OPTICS MACHINING

- Application of fiber spectrometers for etch depth measurement of binary computergenerated holograms [8759-83]
   V. P. Korolkov, A. S. Konchenko, Institute of Automation and Electrometry (Russian Federation) and Novosibirsk State Univ. (Russian Federation); A. G. Poleshchuk, Institute of Automation and Electrometry (Russian Federation)
- 8759 5A Measurement verification of line smoothness and surface roughness of micro products fabricated by two-photon polymerization [8759-275]
   T.-T. Chung, C.-P. Hung, C.-L. Tseng, C.-T. Lin, National Taiwan Univ. (Taiwan, China);
   P. L. Baldeck, Univ. Joseph Fourier (France)

Proc. of SPIE Vol. 8759 875901-19

Author Index

Downloaded From: https://www.spiedigitallibrary.org/conference-proceedings-of-spie on 7/19/2018 Terms of Use: https://www.spiedigitallibrary.org/terms-of-use

# **Conference Committee**

#### Honorary Chairs

Guofan Jin, Tsinghua University (China)
Tongbao Li, Tongji University (China)
Zhonghua Zhang, National Institute of Metrology (China)
Jie Gao, Sichuan University (China)
Shenghua Ye, Tianjin University (China)
Wenhan Jiang, Institute of Optics and Electronics (China)
Xiangdi Lin, Institute of Optics and Electronics (China)
Yuri V. Chugui, TDI SIE, Siberian Branch of the Russian Academy of Sciences (Russia)
Zhu Li, Huazhong University of Science and Technology (China)
Ahmed Abou-zeid, Physikalisch-Technische Bundesanstalt (Germany)
Peter Rolfe, University of Technology (China)
Guoxiong Zhang, Tianjin University (China)

#### Conference Chair

Jiubin Tan, Harbin Institute of Technology (China)

#### Conference Cochairs

Tony Wilson, University of Oxford (United Kingdom)
Harald Bosse, Physikalisch-Technische Bundesanstalt (Germany)
Min Gu, Swinburne University of Technology (Australia)
Kuang-Chao Fan, National Taiwan University (Taiwan, China)
Wei Gao, Tohoku University (Japan)
Seung-Woo Kim, Korea Advanced Institute of Science and Technology (Korea)

#### Program Committee

Jiubin Tan, Harbin Institute of Technology (China) Tony Wilson, University of Oxford (United Kingdom) Harald Bosse, Physikalisch-Technische Bundesanstalt (Germany) Min Gu, Swinburne University of Technology (Australia) Kuang-Chao Fan, National Taiwan University (Taiwan, China) Wei Gao, Tohoku University (Japan) Seung-Woo Kim, Korea Advanced Institute of Science and Technology (Korea) Liangchi Zhang, University of New South Wales (Australia) Shulian Zhang, Tsinghua University (China)

Igor A. Konyakhin, Saint-Petersburg State University of Information Technologies, Mechanics and Optics (Russia) Martin Booth, University of Oxford (United Kingdom) Guobiao Wang, National Natural Science Foundation of China (China) Norihiro Umeda, Tokyo University of Agriculture and Technology (Japan) **Richard Leach**, National Physical Laboratory (United Kingdom) Liang-Chia Chen, National Taiwan University (Taiwan, China) Michael Neugebauer, Physikalisch-Technische Bundesanstalt (Germany) **Derek Chetwynd**, University of Warwick (United Kingdom) Yusaku FUJII, Gunma University (Japan) Ming Chang, Chung Yuan Christian University (Taiwan, China) **Xianping Liu**, University of Warwick (United Kingdom) Senyung Lee, National Cheng Kung University (Taiwan, China) **Otto Jusko**, Physikalisch-Technische Bundesanstalt (Germany) **Chenggen Quan**, National University of Singapore (Singapore) Frank Härtig, Physikalisch-Technische Bundesanstalt (Germany) Hou Wenmei, University Shanghai for Science and Technology (China) Michael Krystek, Physikalisch-Technische Bundesanstalt (Germany) X. Jiang, University of Huddersfield (United Kingdom) Jia-Ruey Duann, Center for Measurement Standards, Industrial Technology Research Institute (Taiwan, China) Gaoliang Dai, Physikalisch-Technische Bundesanstalt (Germany) J.F. Song, National Institute of Standards and Technology (United States) **Kiyoshi Takamasu**, University of Tokyo (Japan) Rongging Lin, National Taiwan University (Taiwan, China) Tien-I. Liu, California State University, Sacramento (United States) Liying Wu, Harbin Institute of Technology (China)

#### Organizing Committee

Chair

Yudong Zhang, Institute of Optics and Electronics (China)

#### Cochairs

Tianquan Fan, Institute of Optics and Electronics (China)
Yongsheng Gao, The Hong Kong University of Science and Technology (Hongkong, China)
Xinghua Qu, Tianjin University (China)
Lijiang Zeng, Tsinghua University (China)
Jiaru Chu, University of Science and Technology of China (China)
Zhenghui Zhu, China Academy of Launch Vehicle Technology (China)
Zili Zhou, Changcheng Institute of Metrology and Measurement (China) **Zhaoyao Shi**, Beijing University of Technology (China) **Lianqing Zhu**, Beijing Information Science & Technology University (China)

#### Members

Shibin Wu, Institute of Optics and Electronics (China) Yuchi Lin, Tianjin University (China) **Qibo Feng**, Beijing Jiaotong University (China) Shuliang Ye, China Jiliang University (China) Yinhan Gao, Jilin University (China) Junjie Guo, Xi'an Jiaotong University (China) Jian Zhang, Harbin Institute of Technology (China) Donalin Pena, Chongaing University of Technology (Ching) Jianhua Wang, Xi'an Technological University (China) Yueke Wang, National University of Defense Technology (China) Yan Li, Tsinghua University (China) Xiaogang Sun, Harbin Institute of Technology (China) Linna Zhang, Zhengzhou University (China) Xiangzhao Wang, Shanghai Institute of Optics and Fine Mechanics (China) Xiaoyang Yu, Harbin University of Science and Technology (China) Guoyu Zhang, Chanachun University of Science and Technology (China) Yinxiao Miao, Beijing Aerospace Institute of Metrology and Measurement (China) Yongying Yang, Zhejiang University (China) Zhongyu Wang, Beihang University (China) Qun Hao, Beijing Institute of Technology (China) Dengxin Hua, Xi'an University of Technology (China) Hui Zhao, Shanghai Jiaotong University (China) Xiaodong Wang, Dalian University of Technology (China) Junbi Liao, Sichuan University (China) Yingjie Yu, Shanghai University (China) Rongsheng Lu, Hefei University of Technology (China) Weihu Zhou, Academy of Opto-Electronics (China) Yong Xu, Chanachena Institute of Metrology & Measurement (China) Weigian Zhao, Beijing Institute of Technology (China) Tiehua Ma, North University of China (China) Zhiquan Li, Yanshan University (China) Yongrui Zhao, China University of Petroleum (China) Zhihong Liu, China Aerospace Science and Technology Corporation (China) Mingxing Jiao, Xi'an University of Technology (China) Yangiu Li, Beijing Institute of Technology (China)

Secretary-General

Peng Jin, Harbin Institute of Technology (China) Xianfang Wen, Harbin Institute of Technology (China)

#### **Deputy Secretary General**

Jie Lin, Harbin Institute of Technology (China)

#### Session Chairs

Instrumentation Theory and Methodology Otto Jusko, Physikalisch-Technische Bundesanstalt (Germany) Jie Zhang, University of Bristol (United Kingdom)

Instrument and Measurement System Calibration Harald Bosse, Physikalisch-Technische Bundesanstalt (Germany) Zhaoyao Shi, Beijing University of Technology (China)

 Laser Measurement Techniques and Instruments I
 Kaoru Minoshima, National Institute of Advanced Industrial Science and Technology (Japan)
 Kuang-Chao Fan, National Taiwan University (Taiwan, China)

Laser Measurement Techniques and Instruments II Weihu Zhou, Academy of Opto-Electronics (China) Ming Chang, Chung Yuan Christian University (Taiwan, China)

Measurement for Precision and Ultra-Precision Machining I Liangchi Zhang, University of New South Wales (Australia) Konyakhin Igor, Saint-Petersburg State University of Information Technologies, Mechanics and Optics (Russia)

Optoelectronic System and Optical Instruments Design Yan Zhang, Capital Normal University (China) Ken-ichi Yamakoshi, Kanazawa University (Japan)

Measurement for Advanced Optics Machining Liying Wu, Harbin Institute of Technology (China) Jian Zhang, Harbin Institute of Technology (China)

Modern Optics and Instruments for Precision Measurement II Martin Booth, University of Oxford (United Kingdom) Ming Chang, Chung Yuan Christian University (Taiwan, China)

Measurement for Precision and Ultra-Precision Machining II **Zhaoyao Shi**, Beijing University of Technology (China) **Wenmei Hou**, University Shanghai for Science and Technology (China) MEMS and Nanometer Measurement **Alexander Poleshchuk**, Institute of Automation and Electrometry (Russia) **Lianxiang Yang**, Oakland University (United States)

Novel Instrument and Measurement System I Liang-Chia Chen, National Taiwan University (Taiwan, China) Ken-ichi Yamakoshi, Kanazawa University (Japan)

Sensors, Converters, and Control System Harald Bosse, Physikalisch-Technische Bundesanstalt (Germany) Sitian Gao, National Institute of Metrology (China)

Measurement for Precision and Ultra-Precision Machining III Ahmed Abou-Zeid, Physikalisch-Technische Bundesanstalt (Germany) Wenmei Hou, University Shanghai for Science and Technology (China)

Laser Measurement Techniques and Instruments III Martin Booth, University of Oxford (United Kingdom) Liang-Chia Chen, National Taiwan University (Taiwan, China)

Novel Instrument and Measurement System II **Kuang-Chao Fan**, National Taiwan University (Taiwan, China) **Otto Jusko**, Physikalisch-Technische Bundesanstalt (Germany)

Downloaded From: https://www.spiedigitallibrary.org/conference-proceedings-of-spie on 7/19/2018 Terms of Use: https://www.spiedigitallibrary.org/terms-of-use

# **Plenary Presentations Abstracts**

### Challenges in dimensional metrology resulting from possible further development of the International System of Units (SI) Harald Bosse

Head of Division 5 "Precision Engineering" Division 5 Precision Engineering Physikalisch-Technische Bundesanstalt, Braunschweig, Germany Email: <u>harald.bosse@ptb.de</u>

Reliable and comparable dimensional measurements have been of great importance for the functioning of societies and the quality of manufacturing goods from the very beginning in ancient cultures until the globally networked economy of today. A necessary prerequisite of a globally accepted system of units was laid down with the Convention of the Metre, an international treaty which was signed in Paris in 1875 by representatives of 17 nations. Twelve years later, in 1887, the first national metrology institute worldwide was founded in Berlin, the so-called PTR, and predecessor of the PTB.

This 125th anniversary will be taken as an opportunity to discuss in this contribution some examples of the relation between precise measurements and the progress of science. In particular the contributions of and the remaining challenges for dimensional metrology to support a further development of the International System of Units (SI), possibly redefined in terms of invariants of nature will be addressed.

### Precision interferometric measurements in non-ideal environments James Wyant

Dean, College of Optical Sciences College of Optical Sciences University of Arizona, Tucson, AZ USA Email: jcwyant@optics.arizona.edu

Precision optical components are essential for modern optics/photonics systems. Modern electronics, computers, and software have made it possible to greatly improve the fabrication and testing of optical components and optical systems and the resulting improvements in the new optical instruments and devices we use are evident. Once the data obtained testing an optical system is in the computer it is possible to do sophisticated computer analysis to determine what is wrong with the optical system and what needs to be done to correct the system, and how well the system will perform if it is not improved. It is now practical to test optical systems much better than

the reference optics used in the optical test setup. Until recently, a major limitation of interferometry for precision metrology was the sensitivity to the environment. In recent years many techniques for performing high quality interferometric measurements in non-ideal environments have been developed and new techniques are being introduced all the time. This talk discusses some of the different techniques for reducing the effects of vibration and atmospheric turbulence on interferometric measurements. The application of these techniques for the measurement of surface vibration, the testing of optical components including large astronomical optics, the phasing of segmented optical components, and the measurement of deformations of diffuse structures will be described.

# Some critical factors easy to be overlooked in precision instrumentation and characterisation Liangchi Zhang

Fellow of the Australian Academy of Technological Sciences and Engineering School of Mechanical and Manufacturing Engineering The University of New South Wales NSW 2052, Australia Email: Liangchi.Zhang@unsw.edu.au

With the advance in precision engineering and nanoscience and nanotechnology, the requirement on the accuracy and reliability of characterisation and measurement means and devices have become more stringent. This has posed new challenges in the further development of metrology theories and techniques, of which the majority is interdisciplinary. This presentation will not discuss anything in a traditional way of precision metrology research, but raise some open questions from a different angle to emphasise the importance of interdisciplinary considerations in the design and application of a piece of ultra-precision instrument. The presentation will use the characterisation of a nano-indentation/nano-probing system as an example to discuss some critical factors that govern the accuracy and reliability of the results but are easily to be overlooked in the measurement practice in a research laboratory.

# Calibration for surface topography measurement: How close are we? Richard Leach

Principal Research Scientist Engineering Measurement Division National Physical Laboratory, Teddington, UK Email: <u>richard.leach@npl.co.uk</u>

The function of a component part can be profoundly affected by its surface topography. There are many examples in nature of surfaces that have a well-controlled topography to affect their function. Examples include the hydrophobic effect of the lotus leaf, the reduction of fluid drag due to the

xxviii

riblet structure of shark skin, the directional adhesion of the gecko foot and the angular sensitivity of the multi-faceted fly eye. Surface structuring is also being used extensively in modern manufacturing industry. In this way many properties can be altered, for example optical, tribological, biological and fluidic.

The measurement of surfaces has been carried out for over 100 years using a stylus instrument to trace a profile across the surface. Whereas a profile measurement may allow the investigation of process changes during manufacture, to gain an understanding of the functional nature of a structured surface, an areal measurement is usually required. For areal surface topography measurement a range of instruments, both tactile and optical, has been developed. However, a traceability infrastructure for areal surface topography measurements is not yet in place. This paper will discuss the philosophy behind such a traceability infrastructure and will describe the latest developments at the National Physical Laboratory, UK to develop primary instrumentation and calibration artefacts. The concept of a surface will be addressed from first principles and novel approaches to remove common systematic errors when using areal surface topography measuring instrumentation will be presented.

# State of the art and challenges of tactile micro coordinate metrology Dr. Rudolf Thalmann

# Federal Office of Metrology METAS, Bern-Wabern, Switzerland Email <u>rudolf.thalmann@metas.ch</u>

Miniaturization in modern industrial products leads to larger functionality in a smaller volume. Today, small components with complex geometry are found in a variety of products in different sectors, e.g. in micro-sensors or injection systems for the automotive industry, in small gears for drug delivery in medical applications, or in components for the next generation RF technology. These micro parts have feature sizes in the meso scale, i.e. in the sub-millimetre to micrometre range, and are difficult to measure by means of classical dimensional metrology and often too complex and too large for microscopic techniques.

The challenges for the measurement of microparts are the small structure size, the complexity of the geometrical features, the sensibility of the surfaces, and the requirements for traceability and reduced uncertainty. In the recent years, several micro coordinate measuring machines with innovative probe designs were developed in research laboratories and in industry.

The paper will give an overview on state of the art machine and probe developments in Europe. The accuracy limitations for the geometrical errors of the axes, the probe head as well as for the probing element will be outlined. It will be shown, that tactile probes are the ultimate reference for geometrical measurements of micro components, since they can give a complete 3D picture of even complex objects and are unsurpassed in terms of accuracy, whereas optical sensors are often preferred for their fast and non contact measurement capability without risk to mechanically damage the surface. By means of exemplary applications and comparison results, the achieved performance will be illustrated and the challenges for further research are addressed.

Proc. of SPIE Vol. 8759 875901-29

# High-accuracy self-correction of air refractive index variation using wavelength-stabilized combs

#### Kaoru Minoshima

National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), 1-1-1 Umezono, Tsukuba, Ibaraki 305-8563, Japan

We developed a wavelength-stabilized optical frequency comb using a pulse-to-pulse interferometer for high-accuracy self-correction of the air refractive index by two-color method. Two-color combs were generated with fundamental and second harmonic generation (SHG) of an Er-doped mode-locked fiber laser. The fundamental interference signal was stabilized by feedback control of the comb frequency and so that environmental variation in air refractive index was cancelled. Therefore all the wavelengths in air of the comb modes were stabilized accordingly if the dispersion of the air refractive index is negligible (wavelength-stabilized comb). In this case, we can precisely and directly measure the effect of dispersion, and then two-color optical path-length difference was measured with a stability of  $10^{-10}$  for 1000 s for the path length 5.6m. In long-term measurements for 10h, experimental and calculated results were highly consistent with an accuracy of  $10^{-10}$ . The measured optical distances of two-color difference and the one-color were applied to the two color method; high-accuracy self-correction of the air refractive index fluctuation was performed with an uncertainty of  $5 \times 10^{-8}$  for 10-h. In this method, the correction can be realized without additional precise measurements of the environmental parameters, therefore the method is attractive to various practical applications.

# Introduction

The International Symposium on Precision Engineering Measurements and Instrumentation (ISPEMI) is an international symposium held every other year in different cities of China with Enalish as its working Ignaugae. It originated from the International Symposium on Instrumentation Science and Technology (ISIST), which has been held for a total of 5 sessions. ISIST 1999, the first session, was held in Luoyang, Henan Province, ISIST 2002, the second session, in Jinan, Shandong Province, ISIST 2004, the third session, in Xi'an, Shanxi Province, ISIST 2006, the fourth session, in Harbin, Heilongjiang Province, and ISIST 2008, the fifth session, in Shenyang, Liaoning Province. In order to efficiently use the resources available to run one important international symposium, the International Symposium on Instrumentation Science and Technology (ISIST) and International Symposium precision mechanical measurements (ISPMM) merged in 2010 into ISPEMI as suggested by National Natural Science Foundation of China (NSFC), Chinese Society for Measurements (CSM), and China Instrument and Control Society (CIS). The emerging of ISIST and ISPMM, and the use of ISPEMI means the establishment of a more efficient platform for academic exchange amongst wellaccomplished scientists and postgraduates both inside and outside China in order to facilitate in-depth discussion and cooperation in the field of precision engineering measurements and instrumentation.

ISPEMI 2012, the 8th ISPEMI, was held August 8-11, 2012, in Chengdu, Sichuan Province. The theme of ISPEMI 2012 is "metrology by quantum, measurement of extremity, innovative instrument and precision engineering". We want to make this meeting an international technical forum for scientists, researchers and students working in the field of precision engineering measurements, and instrumentation inside and outside of China to present their work and to broaded their knowledge on recent advances in this particular field.

More than 240 delegates attended the meeting. Plenary speakers from the U.S., Germany, U.K., Russia, Switzerland, Japan, Australia and China made excellent presentations on their work. A wide range of subjects were covered during session discussions. From the 380 manuscripts received, we accepted only 230 papers for oral and poster presentation at the meeting. After the meeting, we worked further with the authors to make sure the 189 papers included in the proceedings of ISPEMI 2012 are good in both technical quality and English.

While the proceedings of ISPEMI 2012 are now ready for distribution to the authors, we would like to thank National Natural Science Foundation of China (NSFC), International Committee on Measurements and Instrumentation (ICMI), Chinese Society for Measurement (CSM), China Instrument and Control Society (CIS), Harbin Institute of Technology (HIT), SPIE, Institute of Optics and Electronics under Chinese Academy of Sciences, Beijing Information Science and

Proc. of SPIE Vol. 8759 875901-31

Technology University, and Hefei University of Technology for their funds and assistance provided. Our thanks go to the procedure and organizing committee members, especially honorary chairman, cochairmen, and plenary speakers, Prof. Jie Gao, Prof. Wenhan Jiang, Prof. Abou-Zeid, Prof. Dr. Harald Bosse, Prof. Gao Wei, Prof. James Wyant, Prof. Liangchi Zhang, Prof. Tony Wilison, Prof. Richard Leach, Dr. Rudolf Thalmann and Prof. Kaoru Minoshima for their efforts in making the meeting fruitful and successful. Finally, our special thanks go to SPIE for its efforts to enable us to do all these thing so well.

Jiubin Tan

# **Plenary Presentations Abstracts**

### Challenges in dimensional metrology resulting from possible further development of the International System of Units (SI) Harald Bosse

Head of Division 5 "Precision Engineering" Division 5 Precision Engineering Physikalisch-Technische Bundesanstalt, Braunschweig, Germany Email: <u>harald.bosse@ptb.de</u>

Reliable and comparable dimensional measurements have been of great importance for the functioning of societies and the quality of manufacturing goods from the very beginning in ancient cultures until the globally networked economy of today. A necessary prerequisite of a globally accepted system of units was laid down with the Convention of the Metre, an international treaty which was signed in Paris in 1875 by representatives of 17 nations. Twelve years later, in 1887, the first national metrology institute worldwide was founded in Berlin, the so-called PTR, and predecessor of the PTB.

This 125th anniversary will be taken as an opportunity to discuss in this contribution some examples of the relation between precise measurements and the progress of science. In particular the contributions of and the remaining challenges for dimensional metrology to support a further development of the International System of Units (SI), possibly redefined in terms of invariants of nature will be addressed.

### Precision interferometric measurements in non-ideal environments James Wyant

Dean, College of Optical Sciences College of Optical Sciences University of Arizona, Tucson, AZ USA Email: jcwyant@optics.arizona.edu

Precision optical components are essential for modern optics/photonics systems. Modern electronics, computers, and software have made it possible to greatly improve the fabrication and testing of optical components and optical systems and the resulting improvements in the new optical instruments and devices we use are evident. Once the data obtained testing an optical system is in the computer it is possible to do sophisticated computer analysis to determine what is wrong with the optical system and what needs to be done to correct the system, and how well the system will perform if it is not improved. It is now practical to test optical systems much better than

the reference optics used in the optical test setup. Until recently, a major limitation of interferometry for precision metrology was the sensitivity to the environment. In recent years many techniques for performing high quality interferometric measurements in non-ideal environments have been developed and new techniques are being introduced all the time. This talk discusses some of the different techniques for reducing the effects of vibration and atmospheric turbulence on interferometric measurements. The application of these techniques for the measurement of surface vibration, the testing of optical components including large astronomical optics, the phasing of segmented optical components, and the measurement of deformations of diffuse structures will be described.

# Some critical factors easy to be overlooked in precision instrumentation and characterisation Liangchi Zhang

Fellow of the Australian Academy of Technological Sciences and Engineering School of Mechanical and Manufacturing Engineering The University of New South Wales NSW 2052, Australia Email: Liangchi.Zhang@unsw.edu.au

With the advance in precision engineering and nanoscience and nanotechnology, the requirement on the accuracy and reliability of characterisation and measurement means and devices have become more stringent. This has posed new challenges in the further development of metrology theories and techniques, of which the majority is interdisciplinary. This presentation will not discuss anything in a traditional way of precision metrology research, but raise some open questions from a different angle to emphasise the importance of interdisciplinary considerations in the design and application of a piece of ultra-precision instrument. The presentation will use the characterisation of a nano-indentation/nano-probing system as an example to discuss some critical factors that govern the accuracy and reliability of the results but are easily to be overlooked in the measurement practice in a research laboratory.

# Calibration for surface topography measurement: How close are we? Richard Leach

Principal Research Scientist Engineering Measurement Division National Physical Laboratory, Teddington, UK Email: <u>richard.leach@npl.co.uk</u>

The function of a component part can be profoundly affected by its surface topography. There are many examples in nature of surfaces that have a well-controlled topography to affect their function. Examples include the hydrophobic effect of the lotus leaf, the reduction of fluid drag due to the

xxxiv

riblet structure of shark skin, the directional adhesion of the gecko foot and the angular sensitivity of the multi-faceted fly eye. Surface structuring is also being used extensively in modern manufacturing industry. In this way many properties can be altered, for example optical, tribological, biological and fluidic.

The measurement of surfaces has been carried out for over 100 years using a stylus instrument to trace a profile across the surface. Whereas a profile measurement may allow the investigation of process changes during manufacture, to gain an understanding of the functional nature of a structured surface, an areal measurement is usually required. For areal surface topography measurement a range of instruments, both tactile and optical, has been developed. However, a traceability infrastructure for areal surface topography measurements is not yet in place. This paper will discuss the philosophy behind such a traceability infrastructure and will describe the latest developments at the National Physical Laboratory, UK to develop primary instrumentation and calibration artefacts. The concept of a surface will be addressed from first principles and novel approaches to remove common systematic errors when using areal surface topography measuring instrumentation will be presented.

# State of the art and challenges of tactile micro coordinate metrology Dr. Rudolf Thalmann

# Federal Office of Metrology METAS, Bern-Wabern, Switzerland Email <u>rudolf.thalmann@metas.ch</u>

Miniaturization in modern industrial products leads to larger functionality in a smaller volume. Today, small components with complex geometry are found in a variety of products in different sectors, e.g. in micro-sensors or injection systems for the automotive industry, in small gears for drug delivery in medical applications, or in components for the next generation RF technology. These micro parts have feature sizes in the meso scale, i.e. in the sub-millimetre to micrometre range, and are difficult to measure by means of classical dimensional metrology and often too complex and too large for microscopic techniques.

The challenges for the measurement of microparts are the small structure size, the complexity of the geometrical features, the sensibility of the surfaces, and the requirements for traceability and reduced uncertainty. In the recent years, several micro coordinate measuring machines with innovative probe designs were developed in research laboratories and in industry.

The paper will give an overview on state of the art machine and probe developments in Europe. The accuracy limitations for the geometrical errors of the axes, the probe head as well as for the probing element will be outlined. It will be shown, that tactile probes are the ultimate reference for geometrical measurements of micro components, since they can give a complete 3D picture of even complex objects and are unsurpassed in terms of accuracy, whereas optical sensors are often preferred for their fast and non contact measurement capability without risk to mechanically damage the surface. By means of exemplary applications and comparison results, the achieved performance will be illustrated and the challenges for further research are addressed.

xxxv

# High-accuracy self-correction of air refractive index variation using wavelength-stabilized combs

#### Kaoru Minoshima

National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), 1-1-1 Umezono, Tsukuba, Ibaraki 305-8563, Japan

We developed a wavelength-stabilized optical frequency comb using a pulse-to-pulse interferometer for high-accuracy self-correction of the air refractive index by two-color method. Two-color combs were generated with fundamental and second harmonic generation (SHG) of an Er-doped mode-locked fiber laser. The fundamental interference signal was stabilized by feedback control of the comb frequency and so that environmental variation in air refractive index was cancelled. Therefore all the wavelengths in air of the comb modes were stabilized accordingly if the dispersion of the air refractive index is negligible (wavelength-stabilized comb). In this case, we can precisely and directly measure the effect of dispersion, and then two-color optical path-length difference was measured with a stability of  $10^{-10}$  for 1000 s for the path length 5.6m. In long-term measurements for 10h, experimental and calculated results were highly consistent with an accuracy of  $10^{-10}$ . The measured optical distances of two-color difference and the one-color were applied to the two color method; high-accuracy self-correction of the air refractive index fluctuation was performed with an uncertainty of  $5 \times 10^{-8}$  for 10-h. In this method, the correction can be realized without additional precise measurements of the environmental parameters, therefore the method is attractive to various practical applications.