

| Paper ID | Title  | Authors  |
|----------|--|--|
| 5        | Modeling and Control for the Tube Blank Heating Quality of Seamless Tube   | dong xiao*; shaohua shi; jichun wang; Zhizhong Mao                       |
| 13       | Modeling of Guide Disk speed of Rotary Piercer Based on PCA-ELM  | dong xiao*; jichun wang; Zhizhong Mao; shaohua shi                       |
| 14       | Coordinated control of a four-area power system under structural perturbation  | Xuebo CHEN*; Chen MA   |
| 19       | Sliding Mode Controller Design for Spacecraft with Manipulator   | Hyo-Sung Ahn*  |
| 23       | Graphical Description of Autopilot Robustness to Aerodynamic Uncertainties   | Mingwei Sun*; Shengzhi Du; Zengqiang Chen                                |
| 26       | A New Method Based on the Polytopic Linear Differential Inclusion for the Nonlinear Filter                             | Bing Liu; Zhen Chen*; Xiangdong Liu; Fan Yang; Jie Geng                  |
| 30       | New Results for Feedback Control of Discrete Systems with Time Scales  | Magdi S. Mahmoud*  |
| 31       | The Active Disturbance Rejection Control for Nonlinear Systems Using Time-Varying-Gain                                 | Bao-Zhu Guo*; Zhiliang Zhao  |
| 34       | Stabilization of Uncertain Discrete Time-Delayed Systems via Delta Operator Approach                                   | Huijun Gao*; Xiaochen Xie; Shen Yin; Okyay Kaynak                        |
| 35       | Distributed State Estimation for Lur'e Systems in Sensor Networks with Impulsive Effects and Intermittent Measurements | Xiaomei Zhang*; Lei Yan; yufan zheng                                     |
| 36       | An Efficient Method for Finite Time Stability Calculation of Continuous Time Delay Systems                             | Ivan Buzurovic*; Dragutin Debeljkovic; Aleksandra Jovanovic              |
| 37       | Stabilization for Polytopic Uncertain Switched Linear Systems with Constant Input                                      | Takuya Soga; Naohisa Otsuka*; Genki Nakayama; Akihiro Tojo               |
| 40       | Controlling Two Asynchronous Sequential Machines with One Corrective Controller  | Jung Min Yang*   |
| 41       | Approximate Solutions to the Hamilton-Jacobi Equations for Generating Functions: the General Cost Function Case        | Zhiwei Hao*; Kenji Fujimoto; Yoshikazu Hayakawa                          |
| 43       | Nonlinear model predictive control of an uninhabited surface vehicle   | Robert Sutton*; sanjay Sharma  |
| 45       | Model Matching of Input/State Asynchronous Sequential Machines Using a One-Step Corrective Controller                  | Jung Min Yang*   |
| 48       | Stability Analysis of Dynamic Quantized Systems With Time-varying Delay  | Mu Li*; Jian Sun; Lihua Dou; Haoyuan Sun                                 |
| 50       | On a trolley-like problem in the presence of a nonlinear friction and a bounded fuel expenditure                       | Ivan Samylovskiy*  |
| 52       | Instability of Uncertain Large-Scale Networks  | Masaki Inoue*; Jun-ichi Imura; Kenji Kashima; Kazuyuki Aihara            |
| 53       | Obstacle Avoidance for Redundant Manipulator without Information of the Joint angles                                   | YOUNG JUN YOO; Ki Jang Oh; Yong Jun Choi; Sangchul Won*                  |
| 55       | System stabilization by unsymmetrical saturated state feedback control   | mohamed benhayoun; Abdellah Benzaouia*; Fouad mesquine; Ahmed EL Hajjaji |
| 66       | Tracking Control for Piezo-Actuated Stage using Sliding Mode Controller with Observer-based Hysteresis Compensation    | Taufiq Muhammadi; Wookyong Kwon; Duckman Lee; Sangchul Won*              |
| 67       | CRS and PS-Optimised PID Controller for Nonlinear, Electrohydraulic Suspension Systems                                 | Jimoh PEDRO*; Akintunde Olurotimi Dahunsi; Montaz Ali; Muhammed Dangor   |

|     |  |   |
|-----|--|---|
| 68  | Micro defect detection in solar cell wafer based on hybrid illumination and near-infrared optics                 | Gyung-bum KIM*  |
| 69  | Realizability of n-Port Resistive Networks with 2n Terminals   | Michael Z. Q. Chen*; Kai Wang; Minghui Yin; Chanying Li; Guanrong Chen                |
| 70  | High-order Consensus in High-order Multi-agent Systems   | Yuping Tian*; Ya Zhang  |
| 71  | Consensus over Directed Graph: Output Feedback and Topological Constraints                                       | Tian Qi*; Li Qiu; Jie Chen  |
| 74  | Contribution of Voltage-dependent Ion Channels to Subthreshold Resonance   | Tatsuo Kitajima*; Zhonggang Feng  |
| 75  | A gain Scheduling model of Temperature Compensation for Circadian Rhythm of Cyanobacteria                        | Miki Shimada*; Kenko Uchida   |
| 77  | Output Feedback Receding Horizon Control for Spatiotemporal Dynamic Systems                                      | Tomoaki Hashimoto*; Yu Takiguchi; Toshiyuki Ohtsuka                                   |
| 78  | Stabilization of Multi-agent Systems via Distributed Difference Feedback Control                                 | Yuping Tian*; Di Xin  |
| 79  | A Novel Robust MPC Based Aircraft Auto-Throttle for Performing 4D Contract Flights                               | Vangelis Petratos; Dimitrios Dimogianopoulos; Fotis Kopsaftopoulos; Spiilos Fassois*  |
| 81  | Infinite horizon MPC applied to an industrial FCC converter  | Darci Odloak*   |
| 82  | Policy Iteration for Parameterized Markov Decision Processes and Its Application                                 | Li Xia*; Qing-Shan Jia  |
| 83  | A Study on the Spectrum of Monodromy Operator for a Time-Delay System  | Jung Hoon Kim*; Tomomichi Hagiwara; Kentaro Hirata                                    |
| 85  | Estimation of Debris Hazard Areas due to a Space Vehicle Breakup at High Altitudes                               | Mahmut Reyhanoglu*; Juan Alvarado   |
| 86  | On Near-controllability of a Class of Three-dimensional Discrete-time Bilinear Systems                           | Lin Tie*; Yan Lin   |
| 87  | Fuzzy Improved Delphi method and its Application   | wen ji*; Jianhui Wang; Xiaoke Fang; Shusheng Gu                                       |
| 88  | Adaptation-and-Collision Detection Scheme for Safe Physical Human-Robot Interaction                              | Chang Nho Cho; Young-Loul Kim; Jae-Bok Song*  |
| 89  | Feedback Control Method Based on Direct Servomechanism Speed Sensing and Processing to Reduce Residual Vibration | David Lindr*; Pavel Rydlo   |
| 91  | Artificial Intelligent Control for Indoor Lighting Basing on Person Number in Classroom                          | Yifei Chen*   |
| 94  | Robust adaptive dynamic programming for optimal nonlinear control design   | Yu Jiang*; Zhong-Ping Jiang   |
| 95  | Evolutionary Game Dynamics of Multi-agent Cooperation Driven by Self-learning                                    | Jinming Du*; Bin Wu; Long Wang  |
| 96  | Nonholonomic Control of Distance-based Cyclic Polygon Formation  | Hyo-Sung Ahn*   |
| 97  | Baseband Design and Software-Defined-Radio Implementation for LTE Femtocell                                      | Dung-Rung Hsieh*; Jen-Yuan Hsu; Chieh-Yu Kao; Ming-Che Lin; Chun-Nan Liu; Pangan Ting |
| 98  | Minimizing the memory of a system  | Dominikus Noll*; Ngoc Minh Dao  |
| 99  | Formation Control of Multiple Robots Using Constrained Motion Formulation  | Yun-Hui Liu*  |
| 102 | A dynamical search space harmony search for unconstrained optimization problems                                  | Jing Wang*; Wei Jiang; Liulin Cao; Qibing Jin   |

|     |   |   |
|-----|---|---|
| 105 | Sliding-Mode Control of a Wheeled Vehicle Using Neural Network Estimator  | Anugrah Pamosoaji; Pham Thuong Cat; Keum-Shik Hong*                                       |
| 106 | Automotive longitudinal speed pattern generation with acceleration constraints aiming at mild merging using model predictive control method | Wenjing Cao*; Masakazu Mukai; Taketoshi Kawabe; Hibaru Nishira; NORIAKI FUJIKI            |
| 107 | Caterpillar Mechanism for a Portable Haptic Interface of Endoscopy Simulation   | Yunjin Gu; Doo Yong Lee*  |
| 108 | Numerical Solution for a Class of pursuit-evasion Problem in Low Earth Orbit  | Songtao Sun*; qiuuhua zhang   |
| 111 | A Measurement Based Approach to Mechanical Systems  | Navid Mohsenizadeh; Hazem Nounou; Mohamed Nounou; Aniruddha Datta; Shankar Bhattacharyya* |
| 114 | Mechanical Property Control System for Cold Rolled Steel Sheet through Locally Weighted Regression Model                                    | Hiroyasu Shigemori*   |
| 116 | H-infinity Performance Analysis with Transients for Singular Systems  | zhiguang feng*; James Lam; Shengyuan Xu; Shaosheng Zhou                                   |
| 118 | Design of a Haptic Interface for Simulation of Needle Intervention  | Seung Gyu Kang; Doo Yong Lee*   |
| 124 | Design of Intelligent Optimal Energy Management System for Hybrid Power Sources   | Rong-Jong Wai*; Shih-Jie Jhung  |
| 125 | On-line Schedule Model for Reusable Equipment Maintenance and Support Resource in Wartime   | Quan Jia*; Yaoyu Li   |
| 133 | Multistability of a Class of Biological Systems   | Yuanlong Li; Zongli Lin*  |
| 134 | Global Adaptive Output Regulation for Output Feedback Nonlinear Systems with Integral ISS Inverse Dynamics                                  | Dabo Xu; Jie Huang*; Zhong-Ping Jiang   |
| 135 | An Augmented Neural Network Algorithm for Solving Singular Convex Optimization with Nonnegative Variables                                   | Rendong Ge*   |
| 137 | The influence of degree mixing patterns on synchronization paths  | Mingyang Zhou*; Shimin CAI; Zhao Zhuo; Zhong-Qian Fu                                      |
| 153 | Model free analysis and tuning of PID controller  | zhiqiang zhu*; kun liu; Yuqing He; Junlong Qi; Jianda Han                                 |
| 154 | Event-triggered control of multi-agent systems with suboptimal triggering   | Yuan Fan*; Gang Feng  |
| 164 | REFERENCE GOVERNOR FOR OUTPUT SMOOTHING OF RENEWABLE ENERGY GENERATION  | Yutaka Tsubota; Genki Baba*; Kenko Uchida; Toru Jintsugawa; Yosuke Nakanishi              |
| 169 | A Decentralized Control Algorithm Based on the DC Power Flow Model for Avoiding Cascaded Failures in Power Networks                         | Saleh AL-TAKROURI*; Andrey Savkin; Vassilios Agelidis                                     |
| 175 | Study on the Operating Mode of SNS in EC Environment of China   | Xiufeng Li*   |
| 178 | Dual Estimation of Attitude and Parameters Considering Vibration based on GPS and IMU   | Qi Xin; ZhongKe Shi*  |
| 186 | Adaptive Sliding Mode Control Strategy Design for DSP-based Maglev Driving and Control System   | Rou-Yong Duan; Jeng-Dao Lee*; Ming-Jui Wu   |
| 187 | Exact-estimator-based Terminal Sliding Mode Control System Design   | Jeng-Dao Lee*; Suiyang Khoo; Jia-Qi Lu  |
| 188 | A Comparative Study of Two Control Schemes for Anti-Lock Braking Systems  | Samuel John*; Jimoh PEDRO   |
| 190 | On Modeling of Tall Linear Systems with Multirate Outputs   | Mohsen Zamani*; Brian D. O. Anderson  |

|     |  |  |
|-----|--|--|
| 191 | Static output feedback adaptive integral sliding control for interconnected nonlinear systems                  | ESHAG LARBAH*; Ron Patton  |
| 192 | State of Charge Management for PHEVs with Uncertain Distance to Recharge                                       | Chris Manzie*; Prakash Dewangan; Gilles Corde; Olivier Grondin; Antonio Sciarretta   |
| 193 | Controllability and Stabilizability of Higher-Order Nonholonomic Systems                                       | Jaime Rubio Hervas; Mahmut Reyhanoglu*   |
| 195 | Fuzzy Control for Balancing of a Two-Wheel Transpoatation Robotic Vehicle: Experimetal Studies                 | Seul Jung*; Hyunwook Kim   |
| 196 | Compensation for Long Arm Payload by a Non Model-Based Disturbance Observer                                    | Yeonggeol Bae; Seul Jung*  |
| 203 | A Finite-time Generalized $\$H_2\$$ Gain Measure and Its Performance Criterion                                 | Fenghua He*; Denggao Ji; Shuqi Zhang   |
| 204 | Vector Control Lyapunov Functions as a Tool for Decentralized and Distributed Control                          | Zhong-Ping Jiang*; Karafyllis Iasson   |
| 205 | Maximum Power Point Tracking of Directly Driven PV-RO Systems  | Khaled Alshehri*; Moustafa Elshafei; Anwar Khalil Sheikh   |
| 207 | Containment Control of Discrete-time Multi-agent Systems Based on Delayed Neighbors <sup>-</sup> Information   | Shuai Liu; Lihua Xie*; Huansui Zhang   |
| 211 | Experience-based identification and MPC for a methanol recovery distillation column                            | Bingqiang Huang; Yong Gu*; Hongye Su   |
| 213 | A Theoretical Approach of the Generalized Hybrid Model Based on the Control of Repetitive Processes            | Eugenia MINCA*   |
| 214 | Position Feedback Pinning Control for Nonlinear Multi-agent Systems  | Mingcan Fan; Zhiyong Chen*; Hai-Tao Zhang  |
| 215 | Novel Voltage Control of 18 Level Multilevel Inverter  | SAAD MEKHILEF*   |
| 216 | Optimal Controller Design for a Railway Vehicle Suspension System Using Particle Swarm Optimization            | Hazlina Selamat*; Siti Duranni Arang Bilong  |
| 217 | Force Observer-Based Control for a Rehabilitation Hand Exoskeleton System                                      | NIRVANA POPESCU; DECEBAL POPESCU; MIRCEA IVANESCU*; DORIN POPESCU; CRISTIAN VLADU; ILEANA VLADU                            |
| 219 | Compound Control for Intelligent Artificial Leg Based on Fuzzy-CMAC  | hongliu yu; jinhua yi; ping SHI*   |
| 221 | UMAY1: A Modular Humanoid Platform for Education and Rehabilitation of Children with Autism Spectrum Disorders | Pinar Boyraz*; Bora Yigit; Okan Bicer  |
| 223 | Setpoints Compensation in Industrial Processes via Multirate Output Feedback Control                           | Shen Yin*; Fangzhou Liu; Huijun Gao; Jianbin Qiu; Tianyou CHAI; Jialu Fan  |
| 226 | Input-to-state stability for switched nonlinear time-delay systems   | wang yuee; Xi-Ming Sun*; Wei Wang; Jun Zhao  |
| 227 | Rendezvous of Nonholonomic Multiple Unicycles with Connectivity Maintenance                                    | Yutian Mao*; Hao Fang; Lihua Dou; Jie Chen   |
| 229 | TRACKING PERFORMANCE AND DISTURBANCE REJECTION OF PNEUMATIC ACTUATOR SYSTEM                                    | syed najib syed salim; Mohd Fuaad Rahmat*; Ahmad Athif Mohd Faudzi; Zool Ismail; Noorhazirah Sunar; Sharatul Izah Samsudin |
| 230 | Cognitive Radio Networks for Smart Grid Communications   | Fang Liu; Jinkuan Wang*; Yinghua Han; Peng Han   |
| 231 | Nonlinear Modal Space Decoupled PID Control of Flight Simulator Motion System                                  | Yang Chifu*  |
| 234 | Adaptive Flocking Control of Multiple Nonholonomic Mobile Robots With Limited Communication Ranges             | Wang Wei*; Changyun Wen; Jiangshuai Huang  |

|     |  |  |
|-----|--|--|
| 237 | A Data Communication And Control System Based On Ethernet And CANBUS In AUV  | Xinjing Huang; Yibo Li*; Shiju Jin   |
| 239 | Adaptive consensus of multi-agent systems with unknown nonlinear dynamics  | Hui Yu*; Xiaohua Xia   |
| 240 | Minimum Energy Trajectory Planning Method for Robot Manipulator Mounted on Flexible Base   | Akira Abe*   |
| 244 | Passivity-Based Observer Design and Robust Output Feedback Control for Nonlinear Uncertain Systems   | Wei Liu; Zhiming Wang*; Guoliang Chen; Laihua Sheng  |
| 246 | A Cascade Controller Structure using an internal PID controller for a Hybrid Piezo-Hydraulic Actuator in Camless Internal Combustion Engines | Paolo Mercorelli*; Nils Werner   |
| 248 | Adaptive Optimal Control Algorithm for Maturing Energy Management Strategy in Fuel-Cell/Li-ion-Capacitor Hybrid Electric Vehicles            | Wei-Song Lin*; Yu-Chun Huang; Chen-Hong Zheng; Chao-Ming Lee                                     |
| 249 | Dynamical Average Consensus in Networked Linear Multi-Agent Systems with Communication Delays  | Jianqiang Hu*; Jinling Liang; Fangbin Sun  |
| 252 | Robust Adaptive Neural Control of Automatic Train Operation Subject to Actuator Saturation   | Shigen Gao; Hairong Dong*; Bin Ning; Yao Chen; Guanrong Chen                                     |
| 254 | Quantized-data consensus of second-order multi-agent systems with directed topology  | Weisheng Chen*; Wang Chao; Li Xiaobo   |
| 256 | A new clustering technique for the identification of PWARX hybrid models   | Zeineb Lassoued*; Kamel Abderrahim   |
| 260 | On the Computation of Mixing Coefficients Between Discrete-Valued Random Variables   | Mehmet Eren Ahsen; Mathukumalli Vidyasagar*  |
| 261 | Graph Partitioning of Power Network for Emergency Voltage Control  | Hasan Mehrjerdi*   |
| 262 | Distributed Tracking for Networked Euler-Lagrange Systems Using Only Relative Position Measurements  | Qingkai Yang*; Hao Fang; Yutian Mao  |
| 264 | A Method for Decentralized Formation Building for Unicycle-like Mobile Robots  | Andrey Savkin; Chao Wang*; Ahmad Baranzadeh; Zhiyu Xi; Hung Nguyen                               |
| 266 | Temperature Control Problem of Vibrational Viscometers Considering Heat Generation and Heat Transfer Effect of Oscillators                   | Ali AKPEK*   |
| 267 | On-Line Continous Self-Calibration for Inertial Platform System with a Single Totally Free Axis  | Lu Feng; Bo Wang*; Zhihong Deng; Shunting Wang   |
| 268 | Efficient Input Variable Selection for Calibration Model Design  | Koichi Fujiwara*; Manabu Kano  |
| 269 | An Algorithm of Decentralized Encircling Coverage and Termination of a Moving Deformable Region by Mobile Robotic Sensor/Actuator Networks   | Andrey Savkin; Zhiyu Xi*; Hung Nguyen  |
| 270 | Rapid Alignment Method of INS with Large Initial Azimuth Error under Uncertain Flexure Disturbances  | Liu Xin; Bo Wang*; Zhihong Deng; Shunting Wang   |
| 271 | Feasible Approach to Control the Operation of Implantable Rotary Blood Pumps for Heart Failure Patients                                      | Mohsen Bakouri*; Andrey Savkin; Abdul-Hakeem AlOmari; Robert Salamonsen; Einly Lim; Nigel Lovell |

|     |   |  |
|-----|---|--|
| 272 | Model-based Fault Detection and Diagnosis Optimization for Process Control Rig  | Ribhan Zafira Abdul Rahman*; Rubiyah Yusof; FATIMAH SHAM ISMAIL            |
| 276 | Investigation of Interactions between Mechanical and Electrical Components of a Motion Platform   | Evrin Onur ARI*; Erol Kocaoglan  |
| 277 | A Note on Representation of Nonlinear Time-Varying Delay-Differential Equations as Time-Delay Feedback Systems                                      | Tatsuya Yamazaki; Tomomichi Hagiwara*                                      |
| 279 | Static LPV Feedforward Controller Synthesis for Linear Parameter Varying Systems  | Yusuf ALTUN*; Kayhan GULEZ   |
| 280 | Hyperstability Analysis of Switched Systems Subject to Integral Popovian Constraints  | M. De la Sen; Santiago Alonso-Quesada*; Asier Ibeas                        |
| 283 | Bezier Approximation Based Inverse Dynamic Guidance for Entry Glide Trajectory  | Tawfiqur Rahman*; Hao Zhou; Chen Wanchun                                   |
| 284 | Improvement on Adaptive Forward Prediction Controller Using A Direct-Compensation Technique   | Wei De Hxiao; Jia-Ying Tu*; Chih Ying Chen                                 |
| 285 | Preliminary Feasibility Studies of Real-Time Substructuring Control Strategies  | Chih Ying Chen; Jia-Ying Tu*; You-Chuan Chen; Wei De Hxiao                 |
| 286 | Distributed Control of Angle-constrained Circular Formations using Bearing-only Measurements  | Shiyu Zhao; Feng Lin; K. M. Peng; Ben M. Chen*; Tong Heng Lee              |
| 287 | An Weighted Error Controller for a Class of Distributed Parameter Systems   | NIRVANA POPESCU; DECEBAL POPESCU; MIRCEA IVANESCU*                         |
| 288 | VB-AQKF-STF: A Novel Linear State Estimator for Stochastic Quantized Measurements Systems   | Quanbo Ge*; chenglin wen; Xiangfeng Wang                                   |
| 289 | A New Distributed Localization Method for Sensor Networks   | Yingfei Diao; Zhiyun Lin; Minyue Fu*; Huanshui Zhang                       |
| 290 | Real-time Implementation of a Robust Hierarchical Controller for a Laboratory Helicopter  | Hao Liu*; Geng Lu; Yisheng Zhong   |
| 291 | Calculation of the least $\mathcal{L}_1$ measure for switched linear systems via similarity transformation  | Meili Lin; Zhendong Sun*   |
| 293 | Smart Pitch Control Strategy For Doubly Fed Wind Generation System Using Adaptive Neural Networks   | Syed Ahmed Raza*; Noureddine Harid   |
| 294 | Gradient Based Iterative Identification for Discrete Time Delay Systems   | Saida Bedoui*; Majda Ltaief; Kamel Abderrahim                              |
| 295 | A Frequency-based Method for Complete Identification of Some Types of Wiener-type Plants Based on Relay Feedback                                    | &#381;eljko Juri*; Hamza &#352;ehovi*; Selma Hanjali*; Branislava Peruni*; |
| 296 | Second-order leader-following consensus of multi-agent systems with nonlinear dynamics and time delay via periodically intermittent pinning control | Xiaoling Wang*; Bo Liu; Housheng Su; Xiaofan Wang                          |
| 297 | Control The Photovoltaic Grid-Connected System Using Fuzzy Logic and Backstepping Approach  | Nguyen Gia Minh Thao*; Kenko Uchida  |
| 298 | Distributed Circumnavigation by Unicycles with Cyclic Repelling Strategies  | Ronghao Zheng; Zhiyun Lin*; Minyue Fu; Dong Sun                            |
| 299 | Backstepping Control of Polymerization reactor  | Amar Nath Samanta*   |

|     |   |  |
|-----|---|--|
| 300 | Hands Tracking with Self-occlusion Handling in Cluttered Environment  | Bor-jeng Chen; Cheng-Ming Huang; An-Sheng Liu*; Ting-En Tseng; Li-Chen Fu                |
| 301 | Rendering of Unfalsified PID Gain Sets for Parameter Space Control Design   | Masami Saeki   |
| 302 | Development of Power Assist System with Motion Estimation Using Model Predictive Control  | Takahiko Mori*; Yuya Tanaka  |
| 303 | A New Approach Based on Boundary Analysis of Reconstructed Phase Space for Fault Diagnosis                                      | ilhan AYDIN*; Mehmet Karak&#246;se; Erhan AKIN   |
| 304 | A Model Predictive Control of Transparent Bilateral Teleoperation Systems Under Uncertain Communication Time-Delay              | Ghoushkhanehee Seyyed Vahid; Alireza Alfi*   |
| 305 | Adaptive Robust Fault-Tolerant Attitude Control of Spacecraft with Finite-Time Convergence                                      | QIANG SHEN; Danwei Wang*; Senqiang Zhu; Eng Kee Poh; Tianqi Liu                          |
| 306 | Numerical Analysis of a Reparable Multi-State Device  | Houbao XU*; Weiwei Hu  |
| 307 | Necessary and Sufficient Condition of Consensus for Affine Multi-Agent Cooperative Systems under Time-Varying Directed Networks | Jidong Jin*; yufan zheng   |
| 309 | Neural Network Based Terminal Iterative Learning Control for Tracking Run-Varying Reference Point                               | Tianqi Liu; Danwei Wang*; Ronghu Chi; QIANG SHEN   |
| 316 | Input-Output Finite-Time Stability of Positive Switched Linear Systems with State Delays  | Shipei Huang; Hamid Reza Karimi; Zhengrong Xiang*  |
| 317 | A Riesz Basis Approach to Exponential Stability in Thermoelasticity of Type III   | Jing Wang*; Jun-Min Wang   |
| 319 | Non-fragile Fuzzy Control Design for Nonlinear Time-Delay Systems   | Baharak Makki; Bahador Makki; Hamid Reza Karimi*   |
| 320 | Data-based Modeling of Vehicle Collision by LPV-ARMAX Model Approach  | Qiugang Lu; Witold Pawlus; Hamid Reza Karimi*; Kjell Gunnar Robbersmyr                   |
| 321 | Wavelet Network based Online Sequential Extreme Learning Machine for Dynamic System Modeling                                    | Samsul Noor*; Dhiadeen Salih; Mohammad Hamiruce Merhaban; Raja Kamil                     |
| 322 | Duopolistic dynamics in markets with competitive advertising and churn  | Amit Bhaya*; Eugenius Kaszkurewicz   |
| 323 | Adaptive Control Using Multiple Parallel Dynamic Neural Networks  | Chao Jia; Xiaoli Li*; Dexin Liu; Dawei Ding  |
| 325 | Finite-time consensus tracking of multiple coupled harmonic oscillations via bounded control                                    | Haibo Du*; Yigang He; Yingying Cheng   |
| 327 | Design of optimal disturbance cancellation controllers for sinusoidal output disturbances via loop transfer recovery            | Tadashi Ishihara*; Hai-Jiao Guo  |
| 328 | Computation of Parametric Convergence Bound and Parametric Convergence Margin for Volterra series Expansion                     | Zhenlong Xiao; Xingjian Jing*  |
| 332 | On Design of Multi-rate Sampled-Data Output Feedback by Maximizing RSR  | Xia yu Li*; Hui liang Jin; Qing chang Zhong  |
| 333 | Modeling and Analysis of Stray Light Impact on Coarse Sun Sensor  | Xiaopeng Liu*; Zhenyan Zhao; huan wang; Yuanqing Xia                                     |
| 334 | Self-Tuning Dynamic Matrix Control of Two-Axis Autopilot For Small Aeroplanes   | Drago Matko*; Tine Toma&#382;i&#269;; Matija Arh; Igor &#352;krnjac                      |
| 336 | The Construction method of GIS for Autonomous Vehicles  | Meiling Wang*; Yong Yu; Mengyin Fu; Yi Yang; Tong Liu                                    |
| 337 | A Control Design Method For Complex Systems Using Frequency Domain Data   | Sofiane Khadraoui*; Hazem Nounou; Mohamed Nounou; Aniruddha Datta; Shankar Bhattacharyya |

|     |  |  |
|-----|--|--|
| 338 | Distributed Adaptive Output Agreement in a Class of Multi-Agent Systems  | Veysel Gazi*   |
| 339 | Coordinated Adaptive Control for Formation Flying Vehicles with a Time-Varying Orbital Velocity                                | Yang-yang Chen*; Yuping Tian   |
| 341 | Repetitive Control of an Artificial Muscle Actuator  | Mehmet Itik*   |
| 343 | H $\infty$ Consensus Tracking in Sensor Networks with Time-Varying Sensing Period  | Ya Zhang*; Yuping Tian   |
| 344 | Stabilization of Linear Discrete-time Periodic Systems with Uncertain Period   | Jianbo Lu*; Dewei Li; Yugeng Xi  |
| 345 | Pitch/Yaw Momentum Position Control of Roll Momentum Biased Satellite System   | kyunghyun oh*; hae yeong gwon  |
| 346 | Image Processing Based Defuzzification Method for Type-2 Fuzzy Systems   | Mehmet Karak&#246;se*; Semih Makinist  |
| 347 | A stability criterion for fractional-order systems with $\alpha$ -order in frequency domain: The $1 < \alpha < 2$ case         | Zhe Gao; Xiao-zhong Liao*; Shan Bo; Hong Huang   |
| 348 | Locating WiFi Access Points in Indoor Environments using Non-monotonic Signal Propagation Model                                | Saeed Varzandian*; Hasan Zakeri; sadjaad ozgoli  |
| 350 | Control for Quadruped Robots in Trotting on Horizontal and Slanted Surfaces  | Jeong Hoon Lee; Jong Hyeon Park*   |
| 351 | Dominant Three Pole Placement in PID Control Loop with Delay   | Pavel Zitek*; Jaromir Fiser; Tomas Vyhlidal  |
| 352 | On the Stabilization of an Irrigation Channel with a Cascade of 2 Pools: A linearized case                                     | dongxia zhao*; Jun-Min Wang  |
| 355 | A Hybrid PID and Direct Adaptive Neural Controller for Active Control of Non-Linear Hysteretic Base-Isolation building         | Subasri Ramaiah*; Natarajan Annadasanpalayam Mathiyan; Suresh Sundaram; Jianliang Wang |
| 356 | Multi-scale Predictive Modeling for Achromic Power in a Lithopone Calcination Process Based on EMD                             | Jing YAO*; Qiliang Du  |
| 358 | A Data-driven Methodology for Solving the Control Strategy of Descriptor Systems   | Daqing Zhang*; Li Mengmeng   |
| 360 | Stability Analysis of Social Foraging Swarm with General Nonlinear Attraction and Repulsion Forces and Interaction Time Delays | Weiyun Pan; yufan zheng*   |
| 361 | Robust Stability Analysis of an Optical Parametric Amplifier Quantum System  | Ian Petersen*  |
| 367 | A Fault-Tolerant Control Scheme for a Hovering Underwater Vehicle subject to Region Function Formulation                       | Zool Ismail*; Ahmad Athif Mohd Faudzi; Matthew Dunnigan                                |
| 368 | Constant Velocity Control of a Miniature Pantograph with Image Based Trajectory Generation                                     | Eray A. Baran*; Edin Golubovic; Tarik E. Kurt; Asif Sabanovic                          |
| 369 | Adaptive Discrete-time Control with Dual Neural Networks for HFV via Back-stepping   | Jianxin Ren; Xingmei Zhao*; Bin Xu   |
| 370 | An LMI Framework to Design Robust MPC for a class of Nonlinear Uncertain Systems   | Valiollah Ghaffari; Seyed Vahid Naghavi*; Ali Akbar Safavi                             |
| 371 | Event-triggered Control for Discrete-time Multi-agent Networks with Communication Delays                                       | Lulu Li*; Daniel Ho; Yuanyuan Zou; Chi Huang; Jianquan LU                              |
| 374 | An Algebraic Approach to Hierarchical LQR Synthesis for Large-Scale Dynamical Systems  | Daisuke Tsubakino*; Taiki Yoshioka; Shinji Hara  |

|     |   |  |
|-----|---|--|
| 376 | On Smith Predictor-Based Controller Design for Systems with Integral Action and Time Delay                                | Ugur Tasdelen*; Hitay Ozbay  |
| 378 | Consensus Control of A Class of Nonlinear Systems   | Zhengtao Ding*   |
| 379 | Improved future model prediction and robust MPC design for LPV systems with bounded rates of parameter variations         | pengyuan zheng*; Dewei Li; Yugeng Xi   |
| 381 | Passivity-based Finite-time Attitude Control Problem  | Shuochen Liu; Junyong sun; Zhiyong Geng*   |
| 382 | Combating the Effects of Delay in Periodic-Review Perishable Inventory Systems  | Przemyslaw Ignaciuk*   |
| 383 | Nonlinear Inventory Control with Discrete Sliding Modes in Systems with Multiple Delayed Supply Options                   | Przemyslaw Ignaciuk*   |
| 384 | Virtual constraints for the underactuated walking design: comparison of two approaches                                    | Milan Anderle*; Sergej Celikovsky; Haroldo Ibarra                                      |
| 388 | Stochastic Stability Conditions for A Class of Neutral Markovian Jump Systems   | Xinghua Liu*; Hongsheng Xi   |
| 389 | LMI Based Model Order Reduction Considering the Minimum Phase Characteristic of the System                                | gholamreza khademi; haniyeh mohammadi; Maryam Dehghani*                                |
| 390 | Backstepping Position Control of Two-Mass Systems with Unknown Backlash   | Mirhamed Mola*; Alireza Khayatian; Maryam Dehghani                                     |
| 392 | A Guidance Strategy for Multi-player Pursuit and Evasion Game in Maneuvering Target Interception                          | Ting-Kuo Wang*; Li-Chen Fu   |
| 394 | Velocity Planning to Optimize Traction Losses in a City-Bus Equipped with Permanent Magnet Three-Phase Synchronous Motors | Paolo Mercorelli*  |
| 395 | Quantized State Feedback Stabilization with Signal-to-Noise Ratio Constraints   | Yu Feng*; Xiang Chen; Guoxiang Gu  |
| 397 | Low-Oscillation Command Switch-Times for Relay-Driven Cranes with Asymmetrical Acceleration and Deceleration              | Kelvin Chen-Chih Peng*; William Singhose   |
| 398 | A Super-Twisting Algorithm for Systems of Relative Degree More Than One   | Michael Basin*; Pablo Rodriguez-Ramirez  |
| 399 | Cooperative Electricity Consumption Scheduling and Pricing for Future Residential Smart Grid                              | Guohua Jiang; Li Yu; Yuan Wu*; WenZhan Song  |
| 408 | Mean-Square Filtering Problem for Stochastic Polynomial Systems with Gaussian and Poisson Noises                          | Michael Basin*; Pablo Rodriguez-Ramirez  |
| 409 | Extremely Short-term Wind Speed Prediction Based on RSCMAC  | Ching-Tsan Chiang*   |
| 410 | Multivariable PID Controllers for Dynamic Process   | Norhaliza Abdul Wahab*; Mashitah Che Razali; Mohd Fuaad Rahmat; Sharatul Izah Samsudin |
| 413 | Control Strategies for Removing Nitrogen Compounds in Wastewater Treatment Plants   | Henry Rafael Concepcion; Darko Vrecko; Montse Meneses*; Ramon Vilanova                 |
| 415 | A Sensory Data Tracking Approach to Bipedal Gait Compensation Control on Slope Surfaces                                   | Chiao-Min Wu; Kai-Tai Song*  |
| 417 | FRIT and RLS-Based Online Controller Tuning and Its Experimental Validation   | Yuji Wakasa*; Ryo Azakami; Kanya Tanaka; Shota Nakashima                               |

|     |  |   |
|-----|--|---|
| 418 | Using Bearing-sensitive Infrared Sensor Arrays in Motion Localization for Human-following Robots   | Yuebin Yang; Guodong Feng; Shaoxian Wang; Xuemei Guo; Guoli Wang* |
| 419 | Control of Omni-Directional Mobile Vehicle for Obstacle Avoidance Using Potential Function Method  | Giang Hoang; Hak Kyeong Kim; Sang Bong Kim*                       |
| 420 | Oscillation Suppressing for an Energy Efficient Bridge Crane Using Input Shaping   | Youmin Hu*; Joshua Vaughan; William Singhose                      |
| 421 | A New Sparse Reconstruction Algorithm for Device-free Localization with Sensor Network   | Zhiyong Yang; Kaide Huang; Guoli Wang*                            |
| 423 | Consensus Conditions of Continuous-Time Multi-Agent Systems With Relative-State-Dependent Measurement Noises and Matrix-Valued Intensity Functions | Tao Li*; Fuke Wu; Ji-Feng Zhang                                   |
| 425 | Sliding-mode Observer Design for Sensorless Vector Control of AC Induction Motor   | PHUC THINH DOAN; Thanh Luan Bui; Hak Kyeong Kim; Sang Bong Kim*   |
| 426 | Experimental Testing of Liquid Slosh Suppression in a Suspended Container with Compound Pendulum Dynamics  | Ali AlSaibie; William Singhose*                                   |
| 427 | Fuzzy Sampled Controller Design for Consensus of Multiagent Networks with Varying Connections  | Wenjun Xiong*; Wenwu Yu; Jinhua Lu; Xinghuo Yu                    |
| 428 | Development Laser Sensor Based AGV for Trajectory Tracking   | Thanh Luan Bui; PHUC THINH DOAN; Hak Kyeong Kim; Sang Bong Kim*   |
| 430 | A Lyapunov Method Based Multiple-Model Adaptive Actuator Failure Compensation Scheme for Control of Near-Space Vehicles                            | Chang Tan; Gang Tao*; xuelian yao; Bin Jiang                      |
| 431 | Consensus Control of Switching Directed Networks with General Linear Node Dynamics   | Guanghui Wen; Wenwu Yu*; Jinde Cao; Guoqiang Hu; Guanrong Chen    |
| 432 | Robust Adaptive Attitude Synchronization of Rigid Body Networks with Unknown Inertias  | Iman Fadakar*; Baris Fidan; Jan Huissoon                          |
| 433 | Control of Omni-directional Gaits for Six Legged Robot   | Woo-Young Jeong; Bong-Huan Jun; Hak Kyeong Kim; Sang Bong Kim*    |
| 434 | A Method for Performance Improvement of PID Control by Dual-Input Describing Function (DIDF) method  | YeonWook Choe*  |
| 435 | On sampled-data extremum seeking control via stochastic approximation methods  | Sei Zhen Khong*; Ying Tan; Dragan Nesic; Chris Manzie             |
| 436 | Double Resonant Controller for Fast Atomic Force Microscopy  | Sajal Das*; Hemanshu Pota; Ian Petersen                           |
| 437 | Cooperative Area Reconnaissance for Multi-UAV in Dynamic Environment   | Jie Chen; Wenzhong Zha*; Zhihong Peng; Jian Zhang                 |
| 439 | Velocity Estimation and Control of 3-DOF Helicopter based on Optical Flow  | Lianhua Zhang*; Hao Liu; zongying shi; Yisheng Zhong              |
| 440 | Learning and Information for Dual Control  | Tansu Alpcan*; Iman Shames; Michael Cantoni; Girish Nair          |
| 441 | Satellite Map based Quantitative Analysis for 3D World Modeling of Urban Environment   | Hyun Chul Roh*; Taek Jun Oh; Yungeun Choe; Myung Jin Chung        |
| 444 | New Input-Output Pairing Based on Eigenvalue Contribution Measures   | Seyedadel AhmadiTabatabaei*; Mohammad Aldeen                      |
| 445 | Depth and normal vector identification of an unknown slope from a UAV using a single camera  | ZHICHAO LIU; Jianliang Wang*; Eng Kee Poh; Suresh Sundaram        |

|     |  |   |
|-----|--|---|
| 446 | Malicious data injection attack against power system state estimation based on orthogonal matching pursuit                   | Chao Zhang; Aimin Zhang*; Hang Zhang; Zhigang Ren; Yingsan Geng                             |
| 448 | Neural "C Adaptive Control for Electro Hydraulic Servo System  | zohreh alzahra Sanai Dashti*; milad gholami; Mahdi` Aliyari Shoorehdeli; Mohammad Teshnehab |
| 450 | Model Predictive Controller Performance Monitoring Based on Impulse Response Identification                                  | Zhong Zhao*; Feng Song; Hailiang Yang   |
| 451 | A Combined Backstepping and Wavelet Neural Network Control Approach for Mechanical System                                    | Chiung-Chou Liao*; Chiu-Hsiung Chen; Ya-Fu Peng   |
| 452 | Observer-Based Fuzzy Control Design for Discrete-Time T-S Fuzzy Bilinear Stochastic Systems with infinite-distributed delays | jiangrong LI*   |
| 453 | Adaptive Control of a Three-Agent Surveillance Swarm with Constant Velocity Constraint                                       | Samet Guler; Nasrettin Koksal; Baris Fidan*   |
| 455 | On Networked Non-cooperative Games -- A Semi-tensor Product Approach   | Daizhan Cheng; Fenghua He*; Tingting Xu   |
| 458 | Stability Analysis of Symmetrical Two-Route Traffic Flow with Feedback Information Delay                                     | Yuki Iguchi*; Kazuma Sekiguchi; Mitsuji Sampei  |
| 459 | Faults Diagnosis of Induction Machine by Using Feed-forward ANNs and GAs   | MOURAD HASNI*   |
| 461 | Robust Adaptive Control of Nonlinear Systems with Unknown State Delay  | Alper Bayrak; Enver Tatlicioglu*; Baris Bidikli; Erkan Zergeroglu                           |
| 462 | Optimization Based Algorithm for Correction of Systematic Odometry Errors of Mobile Robot                                    | Aida Mrzi&#263;; Senka Krivi&#263;; Jasmin Velagi&#263;*; Nedim Osmi&#263;;                 |
| 464 | Robust Unscented Kalman Filter via l1 Regression and Design Method of Its Parameters   | Yasuaki Kaneda*; Yasuharu Iriuki; MASAKI YAMAKITA   |
| 466 | A Discrete-Event Traffic Simulation Model for Multilane-Multiple Intersection  | Azura Che Soh*; Rubiyah Yusof; Mohammad Hamiruce Merhaban                                   |
| 467 | A Bias-Compensated Affine Projection Algorithm for Noisy Input Data  | Sang Mok Jung; Poogyeon Park*   |
| 468 | LPV Controller Design with Multiple Parameters for the Nonlinear RTAC System   | Nam Kyu Kwon; Bum Yong Park; Poogyeon Park*   |
| 469 | Pricing-based Resource Allocation With Security Requirements for OFDM Networks in Real-Time Electricity Market               | Yue Zhang; Bo Yang*; Cailian Chen; Xinping Guan   |
| 470 | Online ANFIS Controller Based on RBF Identification and PSO  | Moltajaei Farid ali*; S. Masoud Barakati; Seifipour Navid                                   |
| 472 | A New Method of Direct Data-driven Predictive Controller Design  | Hua Yang*; Shaoyuan Li  |
| 474 | Moving Base Disturbance Suppression Method of Rotary INS Based on Rotation Angular Rate                                      | Yuan Zhou; Zhihong Deng*; Bo Wang; Mengyin Fu; Shunting Wang                                |
| 475 | Fuzzy-Neural-Network Control for Robot Manipulator Via Sliding-Mode Design   | Rong-Jong Wai*; Rajkumar Muthusamy  |
| 479 | Traffic Scenes Invariant Vehicle Detection   | Yan Liu*; xiaqing Lu; jianbo xu   |
| 480 | Wide Area Equipment Protection System based on Substation Panoramic Information  | Jungang Li; Aimin Zhang*; Hang Zhang; Chao Zhang; jingjing huang; Zhang Lei; Yingsan Geng   |
| 481 | Bearing Angle Measurement Based Cooperative Pursuit-Evasion Game in Non-convex Environments                                  | Di Guo; Gangfeng Yan; Zhiyun Lin*   |
| 482 | Study on the pressure feedforward control of electro-hydraulic load system   | biao zhang*; Yanliang Dong  |
| 483 | Control Algorithm of a Smart Grid Device for Optimal Radial Feeder Load Reconfiguration                                      | Dan Valentin Nicolae*   |

|     |  |  |
|-----|--|--|
| 485 | Takagi-Sugeno Fuzzy Observer and Extended-Kalman Filter for Adaptive Payload Estimation  | Selami Beyhan*; Zsofia Lendek; Musa Alci; Robert Babuska                           |
| 487 | Model-free and model-based time-optimal control of a badminton robot   | Melody Liu; Bruno Depraetere*; Greg Pinte; Ivo Grondman; Robert Babuska            |
| 491 | A New Approach to Map Joining for Depth-Augmented Visual SLAM  | Chien-Hung Liu; Kai-Tai Song*  |
| 493 | Development of power add on drive wheelchair and its evaluation  | Yoon Heo; Eung Pyo Hong*   |
| 494 | Implementation of a fractional PD controller tuned by genetic algorithm for a Sterward platform  | Yu Zhong*; Abhishek Dutta; Cosmin Copot; Clara Mihaela Ionescu; Robin De Keyser    |
| 497 | A Pseudospectral Approach to Ascent Trajectory Optimization for Hypersonic Air-Breathing Vehicles  | Wei Shi*; Zhongliang Jing; Yongsheng Yang; Hui Ge                                  |
| 498 | Modeling Overtaking Behavior in Virtual Reality Traffic Simulation System  | YUE YU*; Abdelkader EL KAMEL; Guanghong GONG                                       |
| 499 | Robust LQ Control with Adaptive Law for MIMO descriptor system   | Yusuke Watanabe; Naruya Katsurayama; Isao TAKAMI; Gan CHEN*                        |
| 501 | Finite Time Stability Control Based on Higher-Order Sliding Mode for TORA System   | Jie YANG*; Qinglin WANG; Yuan Li   |
| 503 | Singularity-Free Adaptive Control for Uncertain Omnidirectional Mobile Robots  | Jeng-Tze Huang*; Tran Van Hung   |
| 504 | Full and Partial Parametrizations of Stabilizing Controllers with Two-Stage Compensator Designs  | Kazuyoshi MORI*  |
| 506 | Connectivity Control on Lie Groups   | Aykut Satici*; Mark Spong  |
| 507 | Performance Analysis of MPC Based on Structures Subject to No-Model Input/Output Combinations  | Leandro Massaro*; Alain Potts; Claudio Garcia                                      |
| 508 | Energy Consumption Optimization for Mobile Robots in Three-dimension Motion Using Predictive Control   | Mostafa Yacoub*; Dan Neculescu; Jerzy Sasiadek                                     |
| 509 | The Parameterization of All Stabilizing Two-Degree-of Freedom Simple Multi-Period Repetitive Controllers with Specified Frequency Characteristic | Tatsuya Sakanushi; Yun Zhao; Jie Hu; Satoshi Tohnai; Kou Yamada*                   |
| 510 | Lateral Control of UAVs: trajectory tracking via Higher Order Sliding Modes  | Ussama Ali*; Muhammad Zamurad Shah; Raza Samar; Aamer Iqbal Bhatti                 |
| 511 | Communication Disturbance Observer Approach to Control of Integral Plant with Time Delay   | Mumin Tolga Emirler; Bilin Aksun Guvenc*; Levent Guvenc                            |
| 512 | FA System Integration using Robotic Intelligent components   | Young-Ho Choi*; Jung-Woo Lee; Sung-Jo Yun; Jin-ho Suh; Sung-Ho Hong; Jong-Deuk Lee |
| 513 | Micro Position Control of a Designed 3-PRR Compliant Mechanism Using Experimental Models   | Merve Acer*; Asif Sabanovic  |
| 514 | The Study on Tracking Algorithm for the Underwater Target : Applying to Noise Limited Bi-Static Sonar Model                                      | hyun seung son; Jin Bae Park*; Young Hoon Joo                                      |
| 517 | Sliding Mode Based Direct Torque Control of Three-Level Inverter Fed Induction Motor Using Switching Vector Table                                | Tanvir Ahammad*; Abdul Rahiman Beig; Khalifa Hasan Al Hosani                       |
| 518 | Rejection of sinusoidal disturbances with time varying frequency for discrete multivariable systems: adaptive control with Q-parametrization     | Khadija Dehri*   |
| 519 | A Robust Dynamic Inversion Technique for Asymptotic Tracking Control of an Aircraft  | Ilker Tanyer; Enver Tatlicioglu*; Erkan Zergeroglu                                 |

|     |  |  |
|-----|--|--|
| 522 | A Simulation Study of GPS/INS Integration for Use in ACC/CACC and HAD                                  | Ilker Altay*; Bilin Aksun Guvenc; Levent Guvenc                          |
| 526 | H infinity loop shaping for positioning control system with nonlinear friction                         | Yuki Sugiyama; Naito Masakazu; Isao TAKAMI; Gan CHEN*                    |
| 527 | Synthesis Method of Gene Regulatory Networks Having Desired Expression-Pattern Transition Sequences    | Yoshihiro Mori*; Yasuaki Kuroe   |
| 528 | Cooperative Coverage of Mobile Robots with Distributed Estimation and Control of Connectivity          | Xiaoli Li*; Shuguang Zhao; Haiqin Xu                                     |
| 531 | Image Classification with Bag-of-Words Model Based on Improved SIFT Algorithm                          | Huilin Gao*  |
| 532 | Unscented Kalman Filter for an orientation module of a quadrotor mathematical model                    | Jaroslaw Goslinski*; Stanislaw Gardecki; Wojciech Giernacki              |
| 533 | High Precision Control of a Walking Piezoelectric Motor in Bending Mode                                | Zhenishbek Zhakypov*; Edin Golubovic; Asif Sabanovic                     |
| 535 | On Initial Alignment Methods for Manned Lunar Ascent Module  | Qingzhe Wang; ping wang; Linli Guo; Zhihong Deng*                        |
| 536 | A step forward to pinning control of complex networks: finding an optimal vertex to control            | Wenwu Yu*; Jinhua Lu; Xinghuo Yu; Guanrong Chen                          |
| 537 | Research on the Detection and Control Algorithm of Magnetic Navigation Based Wheeled Mobile Robot      | Guan Sun*; Dan Feng; yutong zhang; Dongdong Weng                         |
| 538 | Energy Consumption Scheduling in Smart Grid: A Non-Cooperative Game Approach                           | Kai Ma*; Guoqiang Hu; Costas Spanos                                      |
| 540 | Application of Intelligent Systems and DSP to Landing Controller Design                                | Jih-Gau Juang*   |
| 541 | Adaptive TSKCMAC-Identification-Based Intelligent Backstepping Control for Nonlinear Chaotic Systems   | Ya-Fu Peng*; Chih-Hui Chiu   |
| 543 | Time Delay Sensitivity Analysis in a Wireless Network Control System Using LMI Approach                | Mohammad Mahdi Delbari*; Mohammad Taghi Hamidi Beheshti; Amin Ramezani   |
| 544 | Stabilizing Multiple Sliding Surface Control of Quadrotor Rotorcraft                                   | Nikola Shakev; Andon Topalov*; Kostadin Shiev; Okyay Kaynak              |
| 546 | Parameter Identification of Bacterial Growth Bioprocesses using Particle Swarm Optimization            | Sendrescu Dorin*; Monica Roman   |
| 547 | Data loss and delay distribution of wireless sensor networks   | Tian Zheng*; Abdelkader EL KAMEL; Shaoping Wang                          |
| 548 | Improving Quadrotor Three Axes Stabilization Results Using Empirical Results and System Identification | Ovunc Elbir; Batmaz Anil Ufuk; Cosku Kasnakoglu*                         |
| 551 | Sliding Mode Online Learning Algorithm for Type-2 Fuzzy CMAC Networks                                  | Sevil Ahmed; Kostadin Shiev; Andon Topalov*; Nikola Shakev; Okyay Kaynak |
| 552 | Type-2 Fuzzy Based Quadrotor Control Approach  | Ismail Ilhan*; Mehmet Karak&#246;se                                      |
| 554 | Design and application of gain-scheduling control for a Hover: parametric H loop shaping approach      | Renan Pereira*   |
| 555 | Time-Varying Formation control for Nonholonomic Wheeled Mobile Robots via Synchronization              | Ibrahim Sanhoury*; Shamsudin Amin; Abdul Rashid Husain                   |
| 556 | Feasible Distributed MPC Scheme for Network Systems Based on an Inexact Dual Gradient Method           | Ion Necoara*; Andrei Valentin Nedelcu; Dragos Nicolae Clipici            |
| 557 | GA-based Sliding Mode Controller for Yaw Stability Improvement   | Norhazimi Hamzah*; Yahaya Sam; Hazlina Selamat                           |
| 559 | Hinf controller design for the synchronization of a hyper-chaotic system                               | Bo Wang; Hamid Reza Karimi*; Peng Shi                                    |

|     |  |  |
|-----|--|--|
| 560 | Chaos synchronization for a class of chaotic systems via Hinf control technique  | Peng Shi; Hamid Reza Karimi*; Bo Wang  |
| 566 | Model-free learning of wire winding control  | Abdel Rodriguez; Peter Vrancx*; Ann Nowe; Erik Hostens   |
| 567 | Adaptive kernel principal component analysis for nonlinear dynamic process monitoring  | Mohamed-Faouzi Harkat*; Chouaib Chakour; messaoud Djeghaba   |
| 569 | A Mechanism for Surgical Tool Manipulation   | Basem Yousef*; Farah Aiash   |
| 571 | RBF Neural Network Controller based on OLSSVR  | Kemal UCAK*; Gulay Oke   |
| 572 | State Estimation in Discrete-Time Nonlinear Stochastic Systems Subject to Random Data Loss   | S.M. Mahdi Alavi; Mehrdad Saif*; Bahram Shafai   |
| 573 | Performance limitations in the control of LTI plants over fading channels  | Alejandro Maass*; Eduardo Silva  |
| 576 | Central Energy-to-Peak Filter Design for Linear Systems  | Michael Basin*; Manuel Serna   |
| 578 | Robot Aided Passive Rehabilitation using Nonlinear Control Techniques  | Mohammad Habibur Rahman*; Philippe Archambault; Maarouf Saad   |
| 580 | System Identification and Robust Controller Design for the Autopilot of an Unmanned Helicopter                                       | Ahmad Safaee*  |
| 582 | Control of the relative movement of hydraulically driven linear moving parts.  | Jarissa Maselyne*; Robin De Keyser   |
| 584 | Further results on stabilization over additive white noise channels subject SNR constraints  | Francisco Vargas*; Eduardo Silva; Jie Chen   |
| 585 | Modeling and Control of an Electric Drive System with Continuously Variable Reference, Moment of Inertia and Load Disturbance        | Alexandra-Iulia Stinean; Stefan Preitl; Radu-Emil Precup*; Emil M. Petriu; Claudia-Adina Dragos; Mircea-Bogdan Radac |
| 586 | Localization of an Autonomous Underwater Vehicle Using a Decentralized Fusion Architecture   | Moslem Karimi; Mohammad Bozorg*; Alireza Khayatian   |
| 588 | Open-Loop Nash Equilibrium Problem in Polynomial Stochastic Differential Games with Incomplete Information                           | Manuel Jimenez*; Michael Basin; Celeste Rodriguez; Pablo Rodriguez-Ramirez   |
| 589 | A new PID auto-tuning strategy with operational optimization for MCFC systems  | Yujin Cheon; Donghyun Lee; Su Whan Sung; In-Beum Lee*  |
| 590 | On the effect of adding frequency-response-constrained input channels on the achievable performance of discrete-time control systems | Ignacio Latorre*; Eduardo Silva; E. Salgado Mario  |
| 591 | Intelligent Systems Based Solutions for the Kinematics Problem of the Industrial Robot Arms  | Emre Sarıyıldız; Kemal UCAK*; Kouhei OHNISHI; Gulay Oke; Hakan Temeltas  |
| 592 | A new iterative online dynamic identification method of robots from only force/torque data   | Maxime Gautier; Anthony Jubien*; Alexandre Janot   |
| 593 | Effectiveness of the DIDIM method compared with a usual CLOE method for parameter identification of robot dynamics                   | Anthony Jubien*; Maxime Gautier; Alexandre Janot   |
| 596 | A Novel Method for Indirect Estimation of Tire Pressure  | Selim Solmaz*  |
| 601 | Sensor/Actuator system for Internet delays and packet losses   | Miguel Diaz-Cacho*   |
| 602 | A Statistical Fault Detection Strategy using PCA based EWMA Control Scheme   | fouzi harrou*; Mohamed Nounou; Hazem Nounou  |

|     |  |  |
|-----|--|--|
| 604 | Digital AFC Control of a Three-Phase Three-Wire Unity-Power-Factor PWM Rectifier                                       | Marcos Orellana*; Robert Griñaldo  |
| 605 | Leader-follower formation control of nonholonomic wheeled mobile robots using only position measurements               | Hasan Poonawala*; Aykut Satici; Mark Spong   |
| 606 | Control of Solid Oxide Fuel Cells: An Overview   | Marvin Leung; Gunhyung Park; Verica Radisavljevic-Gajic*   |
| 608 | Spectral features of ZVD shapers with lumped and distributed delays  | Tomas Vyhlidal*; Vladimir Kucera; Martin Hromcik   |
| 609 | Stabilizing Control of an Autonomous Bicycle   | Harun Yetkin*; Umit Ozguner  |
| 610 | Closed-Loop Nonlinear Adaptive Control of Anti-angiogenic Tumor Therapy  | UGUR HASIRCI*; Richard Groff; Timothy Burg   |
| 611 | A Self-Aligning Underwater Navigation System Based on Fusion of Multiple Sensors Including DVL and IMU                 | Prashanth Krishnamurthy; Farshad Khorrami*   |
| 612 | A Sub-principal Component of Fault Detection (PCFD) Modeling Method and Its Application to Online Fault Diagnosis      | Chunhui Zhao*; Li Wenqing; Furong Gao; Youxian Sun   |
| 613 | Optimal Residential Load Scheduling in Smart Grid: A Comprehensive Approach  | Bo Chai; Zaiyue Yang*; Jiming CHEN   |
| 615 | Robust Passivity-Based Surge Control of Compressors via Feedback Linearization   | Gholamreza Sari; Ouassima Akhrif; Lahcen Saydy*  |
| 618 | Stereo Vision Based Robots : Fast and Robust Obstacle Detection Method   | Masoud Samadi; Mohd Fauzi Othman*; Shamsudin Amin  |
| 621 | Modeling and Control of Rocking in Cable-Riding Systems  | Joshua Vaughan*  |
| 630 | The Effect of Measurement for Time Synchronization Error in the Tightly Coupled GPS/INS Integration                    | Cheol-Kwan Yang; Duk-Sun Shim*   |
| 631 | Control of Soccer Robots Using Behaviour Trees   | Rahib Abiyev*  |
| 634 | Modeling, Control and Simulation of DFIG for Maximum Power Point Tracking  | Hadi Kanaan*   |
| 639 | Multiresolution Wavenet PID Control for Global Regulation of Robots  | Luis Enrique Ramos-Velasco*; Fabian Alonso Diaz Lopez; Omar Arturo Dominguez Ramirez; Vicente Parra Vega |
| 640 | Performane evaluation of non-minimum phase linear control systems with fractional order partial pole-zero cancellation | nazli khalili zadeh mahani*; Ali Khaki Sedigh; Farshad Merrikh Bayat                                     |
| 641 | A Unified Framework for State Estimation of Nonlinear Stochastic Systems with Unknown Inputs                           | Chien-Shu Hsieh*   |
| 642 | Approximation of a thermal diffusive interface fractional-order system "C Part 1: application to a semi-infinite plan  | ROY ABI ZEID DAOU*; Xavier MOREAU; Riad ASSAF; Fady CHRISTOPHY   |
| 643 | Approximation of a thermal diffusive interface fractional-order system "C Part 2: application to a finite plane        | ROY ABI ZEID DAOU*; Xavier MOREAU; Riad ASSAF; Fady CHRISTOPHY   |
| 644 | Correlation Analysis of Cutting Force and Acoustic Emission Signals for Tool Condition Monitoring                      | Z.W. Zhong*  |
| 645 | Implementation of Micro-inertial Measurement/GPS Combinatorial Attitude Measurement System                             | Xiaorong Shen*; Yueming Wang; Rongsheng Dong   |
| 646 | A Non-Communicating Multi-Robot System with Switchable Formations  | Ahmet Cezayirli; Feza Kerestecioglu*   |
| 647 | Multi-variable Double Resonant Controller for Fast Image Scanning of Atomic Force Microscope                           | Sajal Das*; Hemanshu Pota; Ian Petersen  |
| 648 | A Local Information Criterion for Order Identification of Nonlinear ARX Systems  | Wen-Xiao Zhao*; Han-Fu Chen; Erwei Bai; Kang Li  |

|     |   |   |
|-----|---|---|
| 650 | The development of electromechanical valve actuator and the comparison with the camshaft driven system                                | Zeliha KAMIS KOCABICAK*; &#34;brahim Y&Uuml;KSEL; Elif Erzan Top&#231;u                 |
| 652 | Humanoid Robot Orientation Stabilization by Shoulder Joint Motion During Locomotion   | Selim Ozel; Sefik Emre Eskimez; Kemalettin Erbatur*                                     |
| 653 | A Ground Reaction Force Sensor Fault Detection and Recovery Method based on Virtual Force Sensors for Walking Biped Robots            | Iyad Hashlamon; Kemalettin Erbatur*   |
| 654 | Shop-floor controller based on RT-middleware technology   | Ferenc Tajti*; Bence Kovacs; Geza Szayer  |
| 657 | A Novel Apparatus for Motion Control Experiments  | Manh-Tuan Ha*; Chul-Goo Kang  |
| 658 | Data-driven Based Predictive Controller Design for Vapor Compression Refrigeration Cycle System                                       | Xiaohong Yin; Shaoyuan Li*; Wen-Jian Cai  |
| 659 | Multiple Fault Diagnosis using mathematical models  | lotfi mhamdi; hedi dhouibi; noureddine liouane; zineb abazi*                            |
| 660 | Defect Detection and Width Estimation in Natural Gas Pipelines using MFL Signals  | Mojtaba Rostami Kandroodi*; Babak Nadjar Araabi; Majid Nili Ahmadabadi; Farshad Shirani |
| 665 | Fault Tolerant Synchronization for a Class of Uncertain Chaotic Systems versus External Disturbances using Fuzzy Sliding Mode Control | Faezeh Farivar*; Mojtaba Rostami Kandroodi  |
| 666 | Multivariable Input-Output Linearization Sliding Mode Control of DFIG Based Wind Energy Conversion System                             | akbar tohidi; ali shamsaddinlou*; Ali Khaki Sedigh                                      |
| 667 | Study of Multiple Model Predictive Control On a pH Neutralization Plant   | ali shamsaddinlou*; Alireza Fatehi; Ali Khaki Sedigh                                    |
| 671 | Omni-directional spherical mobile system control  | Chih-Hui Chiu*; Ya-Fu Peng  |
| 678 | Energy Transfer Modelling of Thermoacoustic Engines with Boundary Resonant Control  | Boe-Shong Hong*; Chia-Yu Chou; Tsu-Yu Lin   |
| 680 | Iterative Learning Control Method for Permanent Magnet Synchronous Liner Motor based on Vector Control                                | Rong-min CAO*; zhong su; Jiuhe wang; Qing LI  |
| 681 | Adaptive Unstructured Road Detection Using Close Range Stereo Vision  | Kadri Bugra Ozutemiz*; Akif Hacinecipoglu; Bugra Koku; Ilhan Konukseven                 |
| 683 | A Trajectory Prediction Algorithm Based on Fuzzy Rectification for Spinning Ball  | Ren Yanqing*; Zaojun Fang; de xu; min tan   |
| 685 | Robust Smoothing for Discrete-Time Uncertain Nonlinear Systems  | Abhijit Kallapur*; Ian Petersen   |
| 686 | An Iterative Predictive Learning Control Approach With Application to Train Trajectory Tracking                                       | Heqing Sun; zhongsheng hou*   |
| 688 | Optimized Real-Time Soft Analyzer for Chemical Process Using Artificial Intelligence  | Mohammad Mahdi Karimi; Alireza Fatehi*; Reza Ebrahimpour                                |
| 691 | Controllability of Higher Order Switched Boolean Control Networks   | Lequn Zhang; Jun-e Feng*; Min Meng  |
| 693 | Neural Network based Model Predictive Control Performance Monitoring<br>ja ja a data-driven approach                                  | Lu Wang; Ning Li*; Shaoyuan Li  |
| 694 | A New Algorithm for Decomposition Problem of Binary Fuzzy Relations   | Hongbiao Fan; Jun-e Feng*; Lequn Zhang  |
| 695 | VF-RRT: Introducing Optimization into Randomized Motion Planning  | Inyoung Ko; Kim Beobkyoon; Frank Chongwoo Park*   |

|     |   |   |
|-----|---|---|
| 696 | Combined RGBD-Inertial based State Estimation for MAV in GPS-denied Indoor Environments                                 | Dachuan Li*; Qing Li; Nong Cheng; Qinfan Wu; Jingyan Song; Liangwen Tang  |
| 698 | Modeling of Parrot Ardrone and passivity-based reset control  | Pablo Falcon*; Antonio Barreiro Blas  |
| 700 | Optimized State Feedback Regulation of 3DOF Helicopter System via Extremum Seeking                                      | Rini Akmeliaawati*  |
| 701 | Experimental External Force Estimation Using a Non-Linear Observer for 6 axes Flexible-Joint Industrial Manipulators    | Jinna QIN*; Fran&ccedil;ois Leonard; Gabriel ABBA   |
| 702 | Influence of Frictions on Gait optimization of a Biped Robot with an Anthropomorphic Knee                               | Mathieu HOBON*; Nafissa LAKBAKBI-ELYAAQOUBI; Gabriel ABBA   |
| 703 | Predictive control of large steam turbines  | Majid S. Khoshro*; Mojtaba Kordestani; Alireza Mirzaee  |
| 704 | Optimal control of crystallization of alpha-lactose monohydrate   | Dominikus Noll*; AMIRA RACHAH   |
| 705 | Investigating the Security Controls of a Water System: An Overview  | Yu-Lun Huang*; Ya-Hsuan WANG  |
| 706 | Mathematical Model of Group Robots  | Teturo Itami*   |
| 707 | A Simple Approach to Nonlinear State Feedback Design  | Jacob Hammer*   |
| 709 | State Estimation for Genetic Regulatory Networks with Time-varying Delay Using Stochastic Sampled-data                  | Tae Hee Lee; MyeongJin Park; Ju Hyun Park*; Sang Moon Lee; OhMin Kwon   |
| 710 | Leader-following Consensus Control for Markovian Switching Multi-agent Systems with Interval Time-varying Delays        | MyeongJin Park; OhMin Kwon*; Ju Hyun Park; Sang Moon Lee; Eun Jong Cha; Tae Hee Lee                                 |
| 711 | Data-driven Water Supply System Modelling   | Yuan Zhang; Jing Wu; Ning Li; Shaoyuan Li*  |
| 714 | Flatness control strategy for the air subsystem of a hydrogen fuel cell system  | Ramon Da Fonseca*; Eric Bideaux; Mathias Gerard; Bruno Jeanneret; Ali Sari; Matthieu Desbois-Renaudin; Didier Buzon |
| 716 | On Stabilization of Continuous-time and Discrete-time Symmetric Bilinear Systems by Constant Controls                   | Lin Tie*  |
| 719 | Prediction of Building Lighting Energy Consumption Based on Support Vector Regression                                   | Dandan Liu*; Qijun Chen   |
| 720 | On On-line Sampled-data Optimal Learning for Dynamic Systems with Uncertainties   | Shou-Han Zhou*; Ying Tan; Denny Oetomo; Christopher Freeman; Iven Mareels   |
| 722 | Developing A New Image Scanning Method Using Atomic Force Microscopy  | Habibullah Habibullah*, Hemanshu Pota; Ian Petersen   |
| 725 | Mining At Most Top-K% Mixed-drove Spatio-temporal Co-occurrence Patterns  | wang zhanquan*  |
| 726 | Analysis on Marketing Capabilities of IT Listed Company in China: A Empirical Study Based on Stochastic Frontier Method | chen gelin*; hongsheng xia  |
| 728 | Linearized Mathematical Model of Intelligent Pneumatic Actuator System: Position, Force and Viscosity Controls          | Ahmad Athif Mohd Faudzi*; Teh Chuan Enn; Khairuddin Osman   |
| 730 | A novel ASM2 and SVM compensation method for the effluent quality prediction model of A2O process                       | Xiaoting LI*; Feng Pan; Xiaofeng Lian; Miao YU  |
| 732 | Sampling Rate Tracking Control of Networked Control Systems Based on Cognitive Knowledge of Packet Disordering          | Jinna Li*; Qingling Zhang   |

|     |   |   |
|-----|---|---|
| 734 | pH Control in Biological Process Using MMPC based on Neuro-Fuzzy Model by LOLIMOT Algorithm                             | ali saadat*; hamed rezaei   |
| 743 | Indirect Adaptive Formation Control with Nonlinear Dynamics and Parametric Uncertainty                                  | Samet Guler; Nasrettin Koksal; Baris Fidan*; Veysel Gazi          |
| 745 | Using General Sound Descriptors For Early Autism Detection  | Seyyed Hamid Ebrahimi Motlagh*; Hadi Moradi; Hamidreza Pouretemad |
| 746 | Low-complexity MISO models of T1DM glucose metabolism   | Marzia Cescon*; Rolf Johansson                                    |
| 752 | Modeling and Identification of the Yaw Dynamics of an Autonomous Tractor  | Erkan Kayacan*; Erdal Kayacan; Herman Ramon; Wouter Saeys         |
| 753 | Optimization via Characteristic Functions of Cones  | Jimmie Lawson*  |
| 757 | Divergence-based Odor Source Declaration  | Gon&#231;alo Cabrita*; Lino Marques                               |
| 758 | Control of Resonant Modes of a Smart Structure Using OMPC   | Md. Sohel Rana*; Habibullah Habibullah                            |
| 759 | Humanoid Robot Navigation and Obstacle Avoidance in Unknown Environments  | Griswald Brooks; Prashanth Krishnamurthy; Farshad Khorrami*       |
| 760 | Sliding Mode Type-2 Fuzzy Control of MIMO Robotic Manipulators Using Ellipsoidal Type-2 Membership Functions            | Mojtaba Ahmadieh*; Erdal Kayacan; Okyay Kaynak                    |
| 762 | A spline-based technique for optimal set point regulation through pseudo-inversion of nonminimum phase linear systems   | valentina orsini; Raffaele Romagnoli; Leopoldo Jetto*             |
| 764 | An effective computational method for human splice sites identification   | Jiuqiang Han; Ying Cui*; Jun Liu; Xinman Zhang                    |
| 765 | A Linearization reference node Selection Strategy for Accurate Multilateration Localization in Wireless Sensor Networks | Quanrui Wei*; Jiuqiang Han; Jun Liu                               |
| 766 | Improved Results on Frequency Weighted Optimal Hankel Norm Model Reduction  | Deepak Kumar*; S. K. Nagar  |
| 767 | An effective SNR gene prediction algorithm based on merge of nucleotide segments (MNS)                                  | Jiuqiang Han; Yucheng Ma*; Jun Liu; Rong Bao                      |
| 770 | Simple Virtual Slip force Sensor for Walking Biped Robots   | Iyad Hashlamon; Kemalettin Erbatur*                               |
| 772 | Design and Evaluation of Motion Path for Specific Muscle Strengthening Using Neural Network                             | Kenta Itokazu*; Miyoshi Takanori; Kazuhiko Terashima              |
| 775 | A New Technique in Multi-Model Adaptive Control: Sequential Parameter Discrimination and Hybrid Parameter Vector        | Ahmet Cezayirli*  |
| 776 | Consensus of fractional-order linear systems  | Chao Song; Jinde Cao*   |
| 778 | Cluster Consensus of Boolean Multi-Agent Systems  | Fangfei Li; Yao Chen; Jinhua Lu*; David J. Hill                   |
| 779 | Robust State Estimation via the Descriptor Kalman Filtering Method  | Chien-Shu Hsieh*  |
| 780 | Classical and Subsequence Dynamic Time Warping for Recognition of Rigid Body Motion Trajectories                        | Ozkan Cigdem*; Tinne De Laet; Joris De Schutter                   |
| 782 | Manual Control of Inverted Pendulum with Different Input from Joystick  | Jianning Hua*; Yujie Cui; Pu Shi; Yang Fangping; Xuezhu Wang      |
| 787 | State Estimation Subject to Random Network Delays without Time Stamping   | Yuanhua YANG*; Min Yue Fu; Huanshui Zhang                         |
| 789 | On A Type of Second-order Generalized Sylvester Equations   | Guang-Ren Duan  |
| 790 | Solution to Second-order Nonhomogeneous Generalized Sylvester Equations   | Guang-Ren Duan  |