

Moderately Complex Paxos Made Simple: High-Level Executable Specification of Distributed Consensus Algorithms*

Yanhong A. Liu

Saksham Chand

Scott D. Stoller

Computer Science Department, Stony Brook University

Abstract

This paper presents simpler specifications of more complex variants of the Paxos algorithm for distributed consensus, as case studies of high-level executable specification of distributed algorithms. The key to the development of the specifications is the use of a method and language for expressing complex control flows and synchronization conditions precisely at a high level, using nondeterministic waits and message-history queries.

We show that (1) English and pseudocode descriptions of algorithms can be captured completely and precisely at a high level, without adding, removing, or reformulating algorithm details to fit lower-level, more abstract, or less direct languages, (2) we created higher-level control flows and synchronization conditions than all previous specifications, and obtained specifications that are significantly simpler and smaller, even matching or smaller than abstract specifications that omit many algorithm details, (3) the resulting specifications led us to easily discover useless replies, unnecessary delays, and liveness violations (if messages can be lost) in a previous published specification, and (4) the resulting specifications can be executed directly, and we can express optimizations cleanly, yielding drastic performance improvement over naive execution and facilitating a general method for merging processes. We systematically translated the resulting specifications into TLA+ and developed machine-checked safety proofs, which also allowed us to detect and fix a subtle safety violation in an earlier specification. We also show the basic concepts in Paxos that are fundamental in many distributed algorithms and show that they are captured concisely in our specifications.

1 Introduction

Distributed algorithms are increasingly important as distributed applications are increasingly needed. These algorithms describe how distributed processes compute and communicate with each other by passing messages. However, because processes can fail and messages can be lost, delayed, reordered, and duplicated, distributed algorithms are often difficult to understand, even if they might appear simple. The most important and well-known of such algorithms is Paxos [Lam98, Lam01, vRA15] for *distributed consensus*—a set of distributed processes trying to agree on a single value or a continuing sequence of values, called *single-value consensus* or *multi-value consensus*, respectively.

*This work was supported in part by NSF under grants CCF-1414078, CCF-1248184, CNS-1421893, and ONR under grant N000141512208. Contact Author: Y. Annie Liu, Computer Science Department, Stony Brook University, Stony Brook, NY 11794-2424, U.S.A. liu@cs.stonybrook.edu.

Distributed consensus and Paxos. Distributed consensus is essential in any important service that must maintain a state, including many services provided by companies like Google and Amazon. This is because such services must use replication to tolerate failures caused by machine crashes, network outage, etc. Replicated processes must agree on the state of the service or the sequence of operations that have been performed, e.g., a customer order has been placed and paid but not yet shipped, so that when some processes become unavailable, the remaining processes can continue to function correctly. Distributed consensus is exactly this agreement problem.

Many algorithms and variations have been proposed for distributed consensus, starting from viewstamped replication (VR) by Oki and Liskov [OL88]. These algorithms share similar ideas, but Paxos became the most well-known name and the focus of studies starting with its elaborate description by Lamport [Lam98, Lam17]. The basic ideas in these algorithms are fundamental for not only consensus, but all distributed algorithms that must deal with replication, asynchronous communication, and failures. These ideas include successive rounds, a.k.a. views in VR [OL88] and ballots in Paxos [Lam98], leader election, voting by majority or quorum, preemption, dynamic re-configuration, state reduction, and failure detection by periodic probe or heartbeat. Van Renesse et al. give extended discussions of these ideas [vRA15] and comparisons of major variants of consensus algorithms [vRSS15].

Paxos is well-known to be hard to understand [Lam01]. Since Paxos was introduced by Lamport [Lam98, Lam17], there has been a continuous series of studies of it. This includes not only optimizations and extensions, especially for use in practical systems, e.g., Google’s distributed lock service Chubby [Bur06, CGR07], but also more variations and expositions, especially with effort for better understanding, e.g., [Lam96, DPLL00, Lam01, OO14, vRA15, vRSS15, GGMS18], and for formal verification, e.g., [HHK⁺15, WWP⁺15, WWA⁺16, CLS16, PLSS17, CL18, TLM⁺18]. Major expositions in this series have finally led to a better comprehensive understanding of Paxos, as presented in Paxos Made Moderately Complex by van Renesse and Altinbuken [vRA15], starting from its simpler core, as presented in Paxos Made Simple by Lamport [Lam01]. Can these algorithms be made completely precise, readily executable in real distributed environments, and at the same time easier to understand?

This paper. This paper presents complete executable specifications of both simple and more complex variants of the Paxos algorithm for distributed consensus, as case studies of high-level executable specification of distributed algorithms. The key to the development of the specifications is the use of a method and language for expressing complex control flows and synchronization conditions precisely at a high level, using nondeterministic waits and message-history queries. The specifications are for Paxos for single-value consensus, as described by Lamport in English [Lam01], which we call *Basic Paxos*, and Paxos for multi-value consensus with preemption and reconfiguration, as described by van Renesse and Altinbuken in pseudocode [vRA15], which we call *vRA Multi-Paxos*. Our contributions include the following:

- We show that English and pseudocode descriptions of algorithms can be captured completely and precisely at a high level, without adding, removing, or reformulating algorithm details to fit lower-level, more abstract, or less direct languages.
- We create higher-level control flows and synchronization conditions than all previous specifications of these algorithms, and obtain specifications that are significantly smaller, even matching or smaller than abstract specifications that omit many algorithm details.

- We show that the resulting specifications led us to easily discover useless replies, unnecessary delays, and liveness violations (if messages can be lost) in the original vRA Multi-Paxos specification and in our earlier specifications.
- We show that the resulting specifications can be executed directly, and we can express optimizations cleanly, yielding drastic performance improvement over naive execution and facilitating a general method for merging processes.

We systematically translated the resulting specifications into TLA+ [Lam02] and developed machine-checked safety proofs, which also allowed us to detect and fix a subtle safety violation in an earlier specification.

Our specifications are written in DistAlgo [LLS17], a language for distributed algorithms with a formal operational semantics [LSL17] and a complete implementation in Python [LSLG12, LL18]. Our complete executable specifications in DistAlgo and machine-checked proofs in TLAPS are available at darlab.cs.stonybrook.edu/paxos.

There have been numerous studies of specifications for understanding and verification of distributed algorithms, especially of Paxos, as discussed in Section 7. With the exception of vRA Multi-Paxos, no previous published papers include direct, complete, and precise specification of Multi-Paxos. Previous formal specifications are only for Basic Paxos, e.g., [IOA, Ber], are abstract by omitting many algorithm details necessary for real execution, e.g., [CLS16, PLSS17], or are too long or too complicated to include in papers, e.g., [HHK⁺15, WWA⁺16]. To the best of our knowledge, no previous efforts of formal verification, for any specification of Paxos or variants, reported finding any correctness violations or improvements.

2 Basic Paxos and high-level specification

We describe the language, DistAlgo, and method of specification using Basic Paxos as an example. A passing familiarity with Paxos would be helpful, but the description is self-contained.

2.1 Basic Paxos in English

Figure 1 shows Lamport’s description of Basic Paxos in English [Lam01]. It presents the algorithm for (1) the proposer and acceptor—the two phases, and (2) the learner—the obvious algorithm. From it, we can see that high-level specification of distributed algorithms needs four main concepts:

1. **Distributed processes that can send messages.** In Figure 1, there are proposer, acceptor, and learner processes, *prepare* and *accept* messages from a proposer to an acceptor, response messages back from an acceptor, and messages for accepted proposals from an acceptor to a learner.
2. **Control flows for handling received messages.** In Figure 1, messages can be received by acceptors, proposers, and learners asynchronously at any time, but processes must synchronize by testing and waiting for different conditions on the received messages. Capturing such complex control flows is essential.
3. **High-level queries for synchronization conditions.** In Figure 1, the conditions checked in Phases 1b, 2a, 2b, and the learner before taking actions involve sets of many messages sent and received. Capturing such conditions at a high level is the most important key to making control flows much clearer and easier to understand.

Putting the actions of the proposer and acceptor together, we see that the algorithm operates in the following two phases.

Phase 1. (a) A proposer selects a proposal number n and sends a *prepare* request with number n to a majority of acceptors.

(b) If an acceptor receives a *prepare* request with number n greater than that of any *prepare* request to which it has already responded, then it responds to the request with a promise not to accept any more proposals numbered less than n and with the highest-numbered proposal (if any) that it has accepted.

Phase 2. (a) If the proposer receives a response to its *prepare* requests (numbered n) from a majority of acceptors, then it sends an *accept* request to each of those acceptors for a proposal numbered n with a value v , where v is the value of the highest-numbered proposal among the responses, or is any value if the responses reported no proposals.

(b) If an acceptor receives an *accept* request for a proposal numbered n , it accepts the proposal unless it has already responded to a *prepare* request having a number greater than n .

To learn that a value has been chosen, a learner must find out that a proposal has been accepted by a majority of acceptors. The obvious algorithm is to have each acceptor, whenever it accepts a proposal, respond to all learners, sending them the proposal.

Figure 1: Lamport's description of Basic Paxos in English [Lam01].

```

1 process Proposer:
2   def setup(acceptors):
3     self.majority := acceptors
4   def run():
5     n := self
6     send ('prepare',n) to majority
7     await count {a: received ('respond',=n,_) from a}
8     > (count acceptors)/2:
9     v := any ({v: received ('respond',=n,(n2,v)),
10              n2 = max {n3: received ('respond',=n,(n3,_)) }
11              or {any 1..100}})
12     responded := {a: received ('respond',=n,_) from a}
13     send ('accept',n,v) to responded
14 process Acceptor:
15 def setup(learners): pass
16 def run(): await false
17 receive ('prepare',n) from p:
18   if each sent ('respond',n2,_) has n > n2:
19     max_prop := any {(n,v): sent ('accepted',n,v),
20                      n = max {n: sent ('accepted',n,_) } }
21     send ('respond',n,max_prop) to p
22 receive ('accept',n,v):
23   if not some sent ('respond',n2,_) has n2 > n:
24     send ('accepted',n,v) to learners
25 process Learner:
26 def setup(acceptors): pass
27 def run():
28   await some received ('accepted',n,v) has
29     count {a: received ('accepted',=n,=v) from a}
30     > (count acceptors)/2:
31     output('chosen',v)
32 def main():
33   acceptors := 3 new Acceptor
34   proposers := 3 new Proposer(acceptors)
35   learners := 3 new Learner(acceptors)
36   acceptors.setup(learners)
37   (acceptors + proposers + learners).start()

```

Figure 2: A high-level specification of Basic Paxos in DistAlgo, including setting up and running 3 each of Proposer, Acceptor, and Learner processes and outputting the result.

4. **Configuration for setting up and running.** This is often implicit in descriptions of distributed algorithms. In Figure 1, each process needs to be set up and get a hold of other processes with which it needs to communicate. In general, there may also be special configuration requirements, such as use of specific logical clocks.

Figure 2 shows a complete high-level executable specification of Basic Paxos in DistAlgo, including setting up and running. It will be explained in examples for the language in Section 2.2 and discussed in more detail in Section 2.3. The overall structure has two main aspects:

- Figure 1 corresponds to the body of `run` in `Proposer` (lines 5-13), the two `receive` definitions in `Acceptor` (lines 17-24), and the `await` condition in `Learner` (lines 28-30), including selecting “a proposal number” in Phase 1a to be self (line 5), as is commonly used, and taking “any value” in Phase 2a to be any integer in 1..100 (line 11), for simplicity.
- The rest puts all together, plus setting up processes, starting them, and outputting the result.

Note that Figure 1, and thus Figure 2, specifies only one round of the two phases for each process. Section 2.3 discusses successive rounds that help increase liveness.

2.2 Language

We use DistAlgo, a language that supports the four main concepts in Section 2.1 by building on an object-oriented programming language, with a formal operational semantics [LSL17].

Besides the language constructs explained below, commonly used notations in high-level languages are used for no operation (`pass`), assignments ($v := e$), etc. Indentation is used for scoping, “.” for separation, and “#” for comments.

Distributed processes that can send messages. A type P of distributed processes is defined by process P : *body*, e.g., lines 1-13 in Figure 2. The body may contain

- a `setup` definition for taking in and setting up the values used by a type P process, e.g., lines 2-3,
- a `run` definition for running the main control flow of the process, e.g., lines 4-13, and
- `receive` definitions for handling received messages, e.g., lines 17-21.

A process can refer to itself as `self`. Expression `self.attr` (or `attr` when there is no ambiguity) refers to the value of `attr` in the process. `ps := n new P(args)` creates n new processes of type P , optionally passing in the values of `args` to `setup`, and assigns the new processes to `ps`, e.g., lines 33 and 34. `ps.setup(args)` sets up processes `ps` using values of `args`, e.g., line 36, and `ps.start()` starts `run()` of processes `ps`, e.g., line 37.

Processes can send messages: `send m to ps` sends message m to processes `ps`, e.g., line 6.

Control flow for handling received messages. Received messages can be handled both asynchronously, using `receive` definitions, and synchronously, using `await` statements.

- A definition, `receive m from p` handles, at yield points, un-handled messages that match m from p , e.g., lines 17-21. There is a yield point before each `await` statement, e.g., line 7, for handling messages while waiting. The `from` clause is optional, e.g., line 22.

- A statement, `await cond1: stmt1 or ... or condk: stmtk timeout t: stmt`, waits for one of `cond1, ..., condk` to be true or a timeout after period `t`, and then nondeterministically selects one of `stmt1, ..., stmtk, stmt` whose conditions are true to execute, e.g., lines 7-13. Each branch is optional. So is the statement in `await` with a single branch.

High-level queries for synchronization conditions. High-level queries can be used over message histories, and patterns can be used for matching messages.

- Histories of messages sent and received by a process are kept in variables `sent` and `received`, respectively. `sent` is updated at each `send` statement, by adding each message sent. `received` is updated at yield points, by adding un-handled messages before executing all matching `receive` definitions.

Expression `sent m to p` is equivalent to `m to p in sent`. It returns true iff a message that matches `m to p` is in `sent`. The `to` clause is optional. `received m from p` is similar.

- A pattern can be used to match a message, in `sent` and `received`, and by a `receive` definition. A constant value, such as `'response'`, or a previously bound variable, indicated with prefix `=`, in the pattern must match the corresponding components of the message. An underscore matches anything. Previously unbound variables in the pattern are bound to the corresponding components in the matched message.

For example, `received ('response', =n, _) from a` on line 7 matches every triple in `received` whose first two components are `'response'` and the value of `n`, and binds `a` to the sender.

A query can be a comprehension, aggregation, or quantification over sets or sequences.

- A comprehension, `{e: v1 in s1, ..., vk in sk, cond}`, where `vi` can be a pattern, returns the set of values of `e` for all combinations of values of variables that satisfy all `vi in si` clauses and condition `cond`, e.g., the comprehension on line 7.
- An aggregation, `agg s`, where `agg` is an aggregation operator such as `count` or `max`, returns the value of applying `agg` to the set value of `s`, e.g., the `count` query on line 7.
- An existential quantification, `some v1 in s1, ..., vk in sk has cond`, returns true iff for some combinations of values of variables that satisfy all `vi in si` clauses, `cond` holds, e.g., the `some` query on line 23. When the query returns true, all variables in the query are bound to a combination of satisfying values, called a witness, e.g., `n` and `v` on lines 28-30.
- A universal quantification, `each v1 in s1, ..., vk in sk has cond`, returns true iff for all combinations of values of variables that satisfy all `vi in si` clauses, `cond` holds, e.g., the `each` query on line 18.

Other operations on sets can also be used, in particular:

- `any s` returns any element of set `s` if `s` is not empty, and a special value `undefined` otherwise.
- `n1..n2` returns the set of integers ranging from `n1` to `n2` for `n1 ≤ n2`.
- `s1 + s2` returns the union of sets `s1` and `s2`.
- `s1 or s2` returns `s1` if `s1` is not empty, and `s2` otherwise.

Configuration for setting up and running. Configuration for requirements such as logical clocks can be specified in a `main` definition, e.g., lines 32-37. Basic Paxos does not have special configuration requirements, besides setting up and running the processes by calling `new`, `setup`, and `start` as already described. In general, `new` can have an additional clause `at node` specifying remote nodes where the created processes will run; the default is the local node.

2.3 Understanding Basic Paxos

We now see how Phases 1 and 2 in Figure 2 precisely follow Lamport’s description in Figure 1.

Phase 1a (lines 5-6). This straightforwardly follows the description in Figure 1. A proposal number can be any value that allows the comparison operation `>`.

Phase 1b (lines 17-21). When an acceptor receives a `prepare` message with a proposal number larger than all numbers in its previous responses, it responds with this proposal number and with the accepted `(n,v)` where `n` is maximum among all accepted pairs it has sent in `accepted` messages; note that, if it has not sent any `accepted` messages, `max_prop` is `undefined`, instead of some `(n,v)`, in the `respond` message.

Phase 2a (lines 7-13). When a proposer receives responses to its proposal number `n` from a majority of acceptors, it takes `v` in the `(n2,v)` that has the maximum `n2` in all responses to `n`, or any value in `1..100` if the responses have no `(n2,v)` pairs but only `undefined`; note that, in the latter case, the set on lines 9-10 is empty because `undefined` does not match `(n2,v)`. The proposer then sends `accept` for a proposal with number `n` and value `v` to acceptors that responded to `n`.

Phase 2b (lines 22-24). This directly follows the description in Figure 1.

In particular, the specification in Figure 2 makes the “promise” in Phase 1b of Figure 1 precise—the “promise” refers to the responded proposal number that will be used later to not accept any proposal with a smaller proposal number in Phase 2b.

Indeed, this is the hardest part for understanding Paxos, because understanding the `respond` message sent in Phase 1b requires understanding the `accepted` message sent in Phase 2b, a later phase, but understanding the later phase depends on understanding earlier phases. The key idea is that the later phase to be understood is for a smaller proposal number, i.e., the `accepted` messages used in Phase 1b were those sent with smaller proposal numbers than the `n` in currently received `prepare`; for the smallest `n`, no `accepted` messages have been sent, and Phase 1b simply responds with `max_prop` being `undefined`.

Basic Paxos contains several concepts that are fundamental in distributed algorithms and are commonly used:

- **Leader election.** This is as done in Phase 1 but on only lines 5-6, 17, and 21 (ignoring lines 18-20). It is for electing at most one proposer (with its proposal number `n`) at a time as the leader. It ends with the `await` condition on lines 7-8 taking a majority. In Basic Paxos, only after receiving responses from a majority does a proposer carry out Phase 2 and propose to accept a value `v`.
- **Majority or quorum voting.** This is as done on lines 7-8 and 29-30 that test with a majority. It ensures that at most one value is in the voting result. In Basic Paxos, the two votings are for electing a leader `n` on line 7 and choosing an accepted proposal `n,v` on line 29.

- **Successive rounds.** This is as partially done on lines 5, 18, and 23, with larger proposal numbers taking over smaller ones. Rounds are used to make progress with increasingly larger numbers. To do this fully to increase liveness, each proposer may iterate, with a larger number n in each iteration; we will see this in Multi-Paxos in Section 3, by using a pair for the proposal number, called ballot number there.

To fundamentally increase liveness, each proposal may add a timeout to the `await`. Timeout is the most important mechanism to provide liveness in practice.

- **Selection using maximum or minimum.** This is as done for computing `max_prop` and `v` on lines 19-20 and 9-11, by using maximum to select over collections. In Basic Paxos, this is for passing on the agreed value (once voted by a majority in a round) to successive later rounds.

These are all made simple and precise by our high-level control flows and synchronization conditions, especially with high-level queries over message history variables `sent` and `received`.

To summarize, uses of high-level control flows and high-level queries allow our Basic Paxos specification to be at the same high level as Lamport’s English description, while making everything precise. With also precise constructs for setting up and running, the complete specification is both directly executable in real distributed environments, by automatic compilation to a programming language, and ready to be verified, by systematic translation to a verifier language.

3 Multi-Paxos with preemption and reconfiguration

Multi-Paxos extends Basic Paxos to reach consensus on a continuing sequence of values, instead of a single value. It is significantly more sophisticated than running Basic Paxos for each *slot* in the sequence, because proposals must be made continuously for each next slot, with the proposal number, also called ballot number or simply ballot, incremented repeatedly in new rounds if needed, and the ballot is shared for all the slots for obvious efficiency reasons.

Preemption allows a proposer, also called leader, to be preempted by another leader that has a larger ballot, i.e., if a leader receives a message with a larger ballot than its own ballot, it abandons its own and uses a larger ballot later.

Reconfiguration allows switching to a set of new leaders during execution of the algorithm. The slot in which the change of leaders is to happen must be agreed on by the old leaders. This is done by taking the change as one of the values, also called commands, to be agreed on. Note that the new leaders can be set up with a new set of acceptors.

We present a complete specification of Multi-Paxos with preemption and reconfiguration, developed based on vRA Multi-Paxos. The specification improves over the original pseudocode in several ways and also led us to easily discover liveness violations when messages can be lost.

3.1 vRA Multi-Paxos pseudocode

vRA Multi-Paxos gives complete pseudocode for Multi-Paxos with preemption and reconfiguration [vRA15]. The core ideas are the same as Basic Paxos. However, except for the name `Acceptor`, all other names used, for processes, data, and message types, are changed:

Algorithm	Process Types	Data Types		Message Types			
Basic Paxos	Proposer, Learner	proposal number	value	prepare	respond	accept	accepted
vRA Multi-Paxos	Leader, Scout, Commander	ballot number	command	1a	1b	2a	2b

or new:

Algorithm	Process Types	Data Types	Message Types				
vRA Multi-Paxos	Replica	slot	request	response	propose	decision	preempt

- An Acceptor process should have the same role as in Basic Paxos, except that it needs to handle slots. However, it is also changed to always reply to 1a and 1b messages without checking the corresponding conditions as in Basic Paxos; similar conditions are checked in Scout and Commander processes to report preemption.
- A Leader process spawns Scout and Commander processes to perform Phases 1 and 2, respectively, on its behalf; the spawned processes also determine preemption and inform the Leader process (`preempt` message). These three kinds of processes together have essentially the same role as Proposer and Learner, except that they also handle slots.
- A Replica process keeps the state of an application, e.g., a bank. It repeatedly receives a requested command (`request`) from a client, and sends a proposed slot for the command (`propose`) to Leader processes; it also receives a decided slot for a command (`decision`), applies the operation in the command to the state at the decided slot, and sends the result (`response`) to the client.
- A slot is just a component in a proposal or decision in Leader and Acceptor, but is tracked in Replica using variables `slot_in` and `slot_out`, for the next slot to send a proposal and the next slot to apply a decision, respectively. A window between `slot_in` and `slot_out` is used so that a decided reconfiguration at a slot takes effect at the slot at the end of the window, while other commands can still be proposed and decided for slots within the window.
- A command is a triple of client id, command id, and operation, and the operation for reconfiguration holds the set of new leaders.

The complete pseudocode (Figs. 1, 4, 6, 7, and the two formulas on pages 6, 9, 12, 13, and 14 in [vRA15]) is precise and succinct, even though not directly executable. However, there are two main challenges in understanding the overall algorithm:

1. Each of the 5 kinds of processes maintains additional process state variables. These variables are updated repeatedly or in multiple places in the process without explicit invariants or properties about the values in the variables.
2. Each of the 5 kinds of processes contains an infinite loop. The body of the loop is driven by receiving a message and performing the associated actions without expressing higher-level conditions over the messages sent or received.

For example, a Replica process maintains 3 sets: *requests*, *proposals*, and *decisions*. Set *requests* is (i) initialized to empty, (ii) added to after receiving a `request` message, (iii) deleted from under a condition about *decisions* in a `while` loop in the top-level infinite loop, and (iv) added to under two nested conditions inside a `while` loop after receiving a `decision` message.

3.2 Higher-level executable specification

To overcome the challenges in understanding the algorithm, we worked hard to find the hidden properties and developed higher-level control flows and synchronization conditions.

```

1 process Replica:
2   def setup(leaders, state): pass # take in initial set of leaders and state
3   def run():
4     slot_in, slot_out := 1, 1 # slot to send prop, slot to apply decision
5     while true:
6       await slot_in < slot_out + WINDOW and # if slot_in can be increased and
7         some received ('request',c) has # some received request for cmd c
8         each sent ('propose',s,c) has # each sent proposed slot s for c
9         some received ('decision',=s,c2) has c2 != c: # some rcvd dec has s for diff c2
10      if some received ('decision', slot_in - WINDOW, (_,_,op)) has is_reconfig(op):
11        leaders := op.leaders # if slot_in-WINDOW is reconfig, set leaders
12      if not some received ('decision',=slot_in,_): # if slot_in is not decided
13        send ('propose', slot_in, c) to leaders # propose slot_in for command c
14        slot_in := slot_in + 1
15
16      or some received ('decision', =slot_out, c): # if rcvd dec slot_out for some c
17        client, cmd_id, op := c # extract components of command c
18        if not (some received ('decision',s,c) has s < slot_out) and not is_reconfig(op):
19          state, result := apply(op, state) # if c not decided before & is not reconfig
20          send ('response', cmd_id, result) to client # apply op and send result to client
21          slot_out := slot_out + 1
22
23 process Leader:
24   def setup(acceptors, replicas): pass # take in sets of acceptors and replicas
25   def run():
26     ballot := (0, self) # ballot num is pair of round num and self
27     while true:
28       send ('1a', ballot) to acceptors # send 1a with ballot number # 1a
29
30       await count {a: received ('1b',=ballot,_) from a} > (count acceptors)/2: # 2a
31       ps = {p: received ('1b',=ballot,accepted), p in accepted} # all proposals accepted #
32       for (s,c) in {(s,c): (b,s,c) in ps, b = max {b2: (b2,s,_) in ps}}: # max b per s #
33         send ('2a', ballot, s, c) to acceptors # send 2a for previously accepted s,c #
34         while true:
35           await some received ('propose',s,c) has not some sent ('2a',=ballot,=s,_) #
36           send ('2a', ballot, s, c) to acceptors # send 2a for newly proposed s,c #
37
38       or some received ('2b',=ballot,s,c) has # learn
39         count {a: received ('2b',=ballot,=s,c) from a} > (count acceptors)/2: #
40         send ('decision', s, c) to replicas # send decided s,c to replicas #
41
42       or some received ('preempt',(r2,leader2)) has (r2,leader2) > ballot: break # preempted
43       or some received ('preempt',(r2,leader2)) has (r2,leader2) > ballot: pass # preempted
44
45       ballot := (r2+1, self) # increment round number in ballot number
46
47 process Acceptor:
48   def run(): await false # wait for nothing, only to handle messages
49
50   receive ('1a', b) from leader: # Phase 1b: receive 1a with ballot b
51     if each sent ('1b',b2,_) has b > b2: # if b > each b2 in sent 1b msgs
52       accepted := {(b,s,c): sent ('2b',b,s,c)} # get accepted triples sent in 2b msgs
53       send ('1b', b, accepted) to leader # send 1b with b and accepted triples
54
55   receive ('2a', b, s, c) from leader: # Phase 2b: receive 2a with bal,slot,cmd
56     if not some sent ('1b',b2,_) has b2 > b: # if not sent 1b with larger ballot b2
57       send ('2b', b, s, c) to leader # send 2b to accept the proposal triple
58
59   receive m from leader: # Preemption: receive 1a or 2a msg
60     maxb := max ({b: received ('1a',b)} + {b: received ('2a',b,_,_)}) # find max bal in 1a,2a msgs
61     if m[1] < maxb: send ('preempt', maxb) to leader # if ballot in m < max bal, send preempt

```

Figure 3: A high-level specification of vRA Multi-Paxos in DistAlgo.

Figure 3 shows a complete higher-level executable specification of vRA Multi-Paxos in DistAlgo.

Even though executable code is generally much longer and more complex than pseudocode, our specification is smaller than vRA Multi-Paxos pseudocode (51 vs. 142 lines, or 100 lines without “end” of 42 scopes). More importantly, it is much simpler. The new organization and main simplifications are as follows. Other improvements are described in Section 4, after understanding the overall algorithm better in Section 3.3.

Scout and Commander are removed. Their roles for Phases 1 and 2 are merged into Leader. Their roles for determining preemption are merged into Acceptor.

Repeated and scattered updates are replaced by high-level queries. Leader collects majority from Phases 1b and 2b using two count queries (lines 27 and 35), not repeated updates of two *waitfor* sets in Scout and Commander; finds previously accepted and newly proposed proposals using only comprehensions and *some* queries (lines 28-29 and 32), not maintaining and updating a *proposals* set; and confirms preemption using two *some* queries (lines 37 and 38), not maintaining an overall variable *active* and updating it to *false* here and *true* elsewhere.

Acceptor uses *each* and *some* (lines 43 and 47) and a comprehension (line 44), instead of using and maintaining a maximum *ballot_num* and an *accepted* set by updates; and it determines preemption using a *max* query (line 50) in one place, instead of always sending *1b* and *2b* messages to scouts and commanders and letting them determine preemption.

Replica uses two clearly separated conditions, one for proposing commands based on requests, and one for applying commands based on decisions, instead of maintaining *requests*, *proposals*, and *decisions* by additions and deletions in mixed control flows and loop structures.

3.3 Understanding Multi-Paxos with preemption and reconfiguration

Without low-level updates, we now see how Figure 3 precisely extends Basic Paxos with continuous slots, preemption, and Replica with reconfiguration.

A Leader process takes a set *acceptors* and a set *replicas* (line 22), initializes *ballot* to round 0 paired with *self* (line 24), and repeatedly (line 25) does two things with each incremented *ballot* (line 39).

1. Send *1a* message for the current *ballot* to *acceptors* (line 26) and wait for a majority *1b* replies for the *ballot* (line 27), as in Proposer in Phase 1 of Basic Paxos; but also wait for some *preempt* with a larger ballot (*r2,leader2*) than the *ballot* and then do nothing more for the current *ballot* (line 38).

Note that between receiving a majority *1b* messages and receiving a *preempt* is exactly when the original pseudocode maintains *active* as *true* for the current *ballot*.

2. After receiving a majority *1b* replies, (1) find in *1b* messages (line 28) previously accepted slot *s* and command *c* pairs that correspond to the largest ballot for each *s* (line 29) and send them with the current *ballot* to *acceptors* (line 30), ensuring that they continue to be accepted in the current ballot, and (2) repeatedly (line 31) wait to (i) receive newly proposed *s* and *c* for which no *2a* message has been sent for *s* for the *ballot* (line 32) and send a *2a* message for *s* and *c* to *acceptors* (line 33), or (ii) receive a majority *2b* replies for some *s* and *c* (lines 34-35) and send *s* and *c* as a decision to *replicas* (line 36), or (iii) receive a *preempt* with a larger ballot than the *ballot* and break out of the repeats.

This is as in Proposer in Phase 2 of Basic Paxos except that a `1b` message holds a set of triples instead of a single pair; a `2a` message is sent for a triple (`ballot`, `s`, `c`) for each slot `s` instead of a single pair (`n`, `v`); a `2b` message has an additional slot component too, and is received by the leader instead of a learner, and a `decision` is sent back to `replicas` instead of a “learned” being outputted; and receiving a `preempt` message is added.

An Acceptor process continuously waits (line 41) to receive `1a` and `2a` messages and does one of two things:

- Use `each` and `some` queries to check sent `1b` messages (lines 43 and 47), and send back `1b` and `2b` messages (lines 45 and 48), exactly as in Acceptor in Phases 1 and 2 of Basic Paxos except with the additional `s` component in `2a` and `2b` messages, and computing a set `accepted` of proposals instead of a single `max_prop` proposal.
- Test if the ballot in a received `1a` or `2a` message is less than the maximum ballot ever received (line 50), and send back `preempt` with the maximum ballot (line 51). This is not only simpler and more direct, it is also much more efficient than always sending `1b` messages with the set `accepted` that is large and will be ignored anyway.

A Replica process takes a set `leaders` and a `state` (line 2), initializes `slot_in` and `slot_out` to 1 (line 4), and repeatedly (line 5) executes one of two branches and increments `slot_in` or `slot_out` (lines 14 and 20):

- If some received requested command `c` (line 7) is such that each sent proposed slot `s` for `c` (line 8) has `s` taken by a different command `c2` in some received decision (line 9), propose `slot_in` for `c` to `leaders` (line 13) if `slot_in` is not already used in some received decision (line 12). For reconfiguration, check also that `slot_in` is within `WINDOW` slots ahead of `slot_out` (line 6), and if the decision at `WINDOW` slots back is a command for a reconfiguration operation (line 10), set new leaders to be those in that operation (line 11).
- If some received decided command `c` is for `slot_out` (line 15), get the client, command id, and operation in `c` (line 16), and if there was not already a decision for `c` in some earlier slot `s` and the operation is not reconfiguration (line 17), apply the operation to `state` to obtain a new state and a result (line 18), and send the result with the command id to the client (line 19).

The complete preemption functionality is expressed simply on lines 50-51 and 37-38, and reconfiguration is completely expressed on lines 6 and 10-11 with two increments on lines 14 and 20. Again, these are easy to see due to our use of high-level control flows and synchronization conditions.

4 Issues and fixes

This section describes useless replies, unnecessary delays, liveness violations and fixes discovered in developing the specification in Figure 3. All problems to be described were difficult to find in the original pseudocode due to complex control flows. Developing higher-level specifications, especially using nondeterministic `await` with message-history queries for synchronization conditions, helped us understand the algorithm better and discover these problems easily.

The liveness violations can occur if messages can be lost. The liveness violation in Replica was confirmed by author van Renesse when we first discovered it. However, we recalled later that the

paper has used a fair links assumption, and assumes that messages are periodically retransmitted until an ack is received. Nonetheless, implementing such retransmission is not easy without slowing down the executions too much, because even TCP connections can break, and retransmission would need to include repairing broken TCP connections. The Ovid framework by the authors [AvR16] does such repair and retransmission automatically. When we discovered the liveness violation in Leader, we learned from author van Renesse that making a framework like Ovid efficient is difficult. We describe fixes without relying on message retransmission.

Useless replies in Acceptor are fixed. In Figure 3, if an acceptor receives a $2a$ message with a larger ballot b than the maximum ballot in all sent $1b$ messages, i.e., all received $1a$ messages, it replies with the same ballot b (line 48), which will be used when counting majority for ballot b , exactly as in Basic Paxos. In the original pseudocode, it replies with that maximum (line 15 in Figure 4 in [vRA15]), smaller than b , causing the reply to be ignored by the Commander and Leader processes, rendering the reply useless.

Unnecessary delays in Replica are fixed. In Figure 3, the first `await` condition (lines 6-9) allows any received request, for which each sent proposal for a slot has that slot taken by a different command in a received decision, to be detected and re-proposed immediately. The original pseudocode delays the detection and re-proposal until `slot_out` equals the taken slot.

This delay could be relatively minor by itself, but realizing it and removing it helped us develop our simpler specification, especially in terms of control flows, which subsequently led us to easily discover the liveness violation in Replica.

Liveness violation in Replica and fix. Replica is arguably the most complex of the process types: it needs to mediate with both clients and leaders while competing with other replicas for proposed slots; perform eventual state updates in correct order of decided slots despite possibly receiving them out of order; and support reconfiguration.

Our high-level specification led us to discover a liveness violation in the original pseudocode: if no decision is received for a slot, e.g., due to lost `propose` messages from all replicas proposing for that slot, all replicas will stop applying decisions from that slot on, so `slot_out` will stop incrementing; furthermore, due to the limited `WINDOW` used for incrementing `slot_in`, all sending of proposals will stop after the `WINDOW` is used up. So all replicas will be completely stuck, and the entire system will stop making progress.

To fix, a replica can propose for that slot again after a timeout. A leader can then work on deciding for that slot if a decision for it has not been made; otherwise, it can send back the decision for that slot.

Liveness violation in Leader and fix. Leader is the core of Paxos. A leader must always be able to make progress unless it has crashed. However, liveness violations can occur in several ways.

For Phase 1, if after sending a $1a$ message, the leader does not receive $1b$ messages from a majority of acceptors or a `preempt` message, e.g., due to a lost $1a$ message, the leader will wait forever. To fix, the leader can add a timeout to the outer `await`, so a new round of Phase 1 will be started after the timeout.

For Phase 2, if for a newly proposed slot, no $2b$ messages are received from a majority, e.g., due to a lost $2b$ message, the leader will not make a decision for that slot. If this happens to

all leaders, the replicas will not receive a decision for that slot, leading to the liveness violation in Replica described earlier. To fix, the leader can send the 2a message with that slot again after a timeout from waiting to receive a majority of 2b messages for it.

For Phase 2, if a `preempt` message is lost, and a majority has seen a larger ballot, the leader will fruitlessly continue to send 2a messages for newly proposed `s,c` and count received 2b message but not having a majority to make any `decision`, and thus not making progress. To fix, the leader can start a new round of Phase 1 after a timeout from waiting to receive a majority or a preemption.

5 Optimizations and executions

High-level specifications can be too inefficient to execute, which is indeed the case with the specification in Figure 3 as well as any specification following the original pseudocode [vRA15]. However, high-level specifications also allow additional optimizations and extensions to be done more easily. We specify the two most important ones suggested in [vRA15] for vRA Multi-Paxos but not included in its pseudocode, describe a general method for merging processes that supports a range of additional optimizations, and discuss results of executions.

5.1 State reduction with maximum ballot

The most serious efficiency problem of the algorithm in Figure 3 is the fast growing set `accepted` in 1b messages, which quickly chokes any execution of the algorithm that does real message passing. The solution is to not keep all triples in sent 2b messages, as in Figure 3 and the original pseudocode [vRA15], but keep only triples with the maximum ballot for each slot, so there is at most one triple for each slot. This is done by changing line 44 to

```
44     accepted := {(b,s,c): sent ('2b',b,s,c), b = max {b: sent ('2b',b,s,_)}}
```

This drastically reduces not only the size of 1b messages, but also the space needed by acceptors and leaders, which send and receive 1b messages, respectively.

5.2 Failure detection with ping-pong and timeout

Failure detection addresses the next most serious problem: leaders compete unnecessarily to become the leader with the highest ballot, leaving little or no time for proposals to be decided. Adding failure detection uses ping-pong after preemption: in `Leader`, after exiting the outer `await` following a `preempt` and before incrementing `ballot`, periodically ping the leader `leader2` that has the larger ballot (`r2,leader2`) and wait for replies, by inserting

```
38.1     while each sent('ping',r2,t) to =leader2 has received ('pong',r2,t) from leader2:
38.2         send ('ping', r2, logical_time()) to leader2
38.3         await timeout TIMEOUT
```

and adding the following `receive` definition after the `run` definition:

```
39.1     receive ('ping', r2, t) from leader2:
39.2         send ('pong', r2, t) to leader2
```

`TIMEOUT` is a variable holding the timeout value in seconds.

5.3 Merging processes

High-level specifications in DistAlgo allow different types of processes that run at the same time to be merged easily, even if they interact with each other in sophisticated ways, provided they together have one main flow of control. There are two cases:

1. A process P that has only `await false` in `run` can be merged easily with any process Q . For example, in Figure 3, `Acceptor` can be merged with `Leader` by adding the `receive` definitions of `Acceptor` to the body of `Leader`.
2. A process P that has only `while true: await...` in `run`, with no `timeout` in the `await`, can be merged easily with any process Q . For example, in Figure 3, `Replica` can be merged with `Leader` by adding, for each branch `cond: stmt` of `await` of `Replica`, a `receive _: if cond: stmt` definition to the body of `Leader`.

Process setups can be transformed accordingly. Details are omitted because they are less important. These transformations are easy to automate. Inversely, independent `receive` definitions can be easily put into separate processes. In Figure 3, all three types of processes, or any two of them, can be merged, giving a total of 4 possible merged specifications.

Merging supports colocation of processes cleanly, and allows a range of optimizations, e.g., garbage collection of states of leaders and acceptors, for decided slots already learned by all replicas [vRA15]. Furthermore, communication between processes that are merged no longer needs real message passing but can be done more efficiently through shared memory. Also, because the actions are independent, lightweight threads can be used to make each process more efficient.

With a few more small variations to vRA Multi-Paxos, merging `Replica`, `Leader`, and `Acceptor` into one process type yields essentially the 'Replica' in Chubby [Bur06], Google's distributed lock service that uses Paxos, and the 'Server' in Raft [OO14], a pseudocode for the main features of Chubby. In general, separate processes provide modularity, and merged processes provide efficiency. Being able to merge separate processes easily allows one to obtain the benefits of both.

5.4 Configuration and execution

A `main` definition, similar to that in Figure 2, can set up a number of `Replica`, `Leader`, and `Acceptor` processes, or their merged versions, and some `Client` processes that send `request` messages to `Replica` processes and receive `response` messages; and parameters `WINDOW` and `TIMEOUT` can be defined. We summarize the results of running DistAlgo specifications:

- DistAlgo specifications can be run directly. For example, a complete specification of vRA Multi-Paxos with state reduction and failure detection in file `spec.da` (available at `darlab.cs.stonybrook.edu`) can be run by executing `pip install pyDistAlgo` followed by `python -m da spec.da`. The default is to run all processes on the local machine as separate operating system processes.
- The DistAlgo specification for vRA Multi-Paxos as in Figure 3, without the state reduction in Section 5.1, almost immediately overflows the default message buffer size of 4KB, yielding a `MessageTooBigException`.
- The DistAlgo specification for vRA Multi-Paxos with state reduction, without the failure detection in Section 5.2, runs continuously but most times stops making progress (decisions)

for 3 leaders, 3 acceptors, and 3 replicas, serving 10 client requests, and was killed manually after 200 rounds (200–600 ballots) have been attempted.

- The DistAlgo specification for vRA Multi-Paxos with both state reduction and failure detection runs smoothly. For example, setting up 10 processes (3 leaders, 3 acceptors, 3 replicas, and 1 client) and processing 10 requests takes 88.112 milliseconds (ranging from 84.224 to 94.954), averaged over 10 runs, on a Intel Core i7-6650U CPU @ 2.20GHz with 16 GB RAM, running Windows 10 and Python 3.5.

Additional optimizations. Many additional optimizations and experiments can be done, especially including transforming high-level queries into efficient incremental updates [LSLG12, LSL17], but they are beyond the scope of this paper. Our experience is that precise high-level specifications allow us to understand the algorithms much better and to significantly improve both correctness and efficiency much more easily than was possible before.

6 Correctness and formal verification

The problems of vRA Multi-Paxos described in Section 4 do not affect the safety of vRA Multi-Paxos. However, even safety is not easy to understand.

We have developed formal proofs of safety of the complete specification of vRA Multi-Paxos in Figure 3, and of the one extended with state reduction and the one further extended with failure detection as described in Section 5. The safety property ensures that, for each slot, only a single command may be decided and it must be one of the commands proposed.

The proofs are done by first translating the specifications into TLA+, Lamport’s Temporal Logic of Actions [Lam02]. This was done systematically but manually. The high-level nature of our specifications makes the translation simple conceptually: each type of data in DistAlgo corresponds to a type of data in TLA+, and each expression and statement in DistAlgo corresponds to a conjunction of equations in TLA+. The three translated specifications of vRA Multi-Paxos and extensions in TLA+ are 154, 157, and 217 lines.

Automatic translators from DistAlgo to TLA+ had in fact been developed previously, and we are currently developing a new one. The earlier translators produced TLA+ specifications that contain many more details needed to handle general control flows, especially low-level flows, and are formidable for formal verification, even for simpler protocols. We are using experience from systematic manual translations of high-level specifications in building a new automatic translator.

6.1 Proofs in TLAPS

Our proofs are manually developed and automatically machine-checked using TLAPS [Mic15], a proof system for TLA+. The proofs for the three translated specifications are 4959, 5005, and 7006 lines, respectively. The proofs are much more complex and longer than the previous proof of 1033 lines for Multi-Paxos with preemption [CLS16], because of the additional details in vRA Multi-Paxos, and the extensions for state reduction and failure detection. Appendix A contains additional details about the proofs.

Compared to other manually developed and mechanically checked proofs of executable Multi-Paxos and variants, namely, a proof of safety and liveness of Multi-Paxos in Dafny from Iron-Fleet [HHK⁺15] and a proof of safety of Raft [OO14] in Coq from Verdi [WWA⁺16], our proofs in

TLAPS are 4 to 10 times smaller, compared with 30,000 lines in IronFleet and 50,000 lines in Verdi. We believe this is due to our use of high-level queries over message histories, which are much simpler and directly capture important invariants, in contrast to use of repeated and scattered lower-level updates, as studied for a more abstract specification [CL18]. Shorter proofs are much easier to understand and maintain, and also easier and faster to check automatically. Both are significant advantages for practical development cycles of specifications, programs, and proofs.

Our proof checking times are 9.5, 9.8, and 13 minutes, respectively, on an Intel i7-4720HQ 2.6GHz CPU with 16GB memory running Ubuntu16.04 LTS and TLAPS1.5.2. No proof checking time is reported for the proof from Verdi [WWA⁺16], but we were able to run proof check for the proof after solving some version mismatch problems, and it took 29 minutes to run on the same machine as our proof. The proof checking times for the proofs from IronFleet are reported to be 147 minutes for the protocol-level proof and 312 minutes including also the implementation-level proof (without specifying the machine used for the proofs) [HHK⁺15]; we have not been able to run proof check for their proofs on our machine due to an error from a build file.

6.2 Safety violation and fix

Our development of formal proofs also allowed us to discover and fix a safety violation in an earlier version of our specification for vRA Multi-Paxos. There, acceptors always reply with **1b** and **2b** messages, not **preempt** messages, as in the original pseudocode, and leaders try to detect preemption. It is incorrect because the ballot number in leaders may increase after a **1a** or **2a** message is sent, contrasting the fixed ballot number in a Scout or Commander process used for detecting preemption.

The fix of having acceptors detect preemption and inform the leader also makes the algorithm much more efficient in the case of preemption upon receiving **1a** messages: a **preempt** message with only a ballot number is sent, as in Figure 3, instead of a **1b** message with a ballot number and an entire **accepted** set, as in the original pseudocode.

The earlier incorrect version was used in distributed algorithms and distributed systems courses for several years, with dozens of course projects and homeworks having used it, including ones directed specifically at testing and even modeling using TLA+ and model checking using TLC [Mic18]. However, this safety violation was never found, because it requires delays of many messages, extremely unlikely to be found by testing or model checking, due to the large search space that must be explored.

7 Related work and conclusion

Consensus algorithms and variants around Paxos have seen a long series of studies, especially their specifications for understanding, implementation, and verification.

Paxos is well-known to be hard to understand. Since its initial description [Lam98], much effort has been devoted to its better exposition and understanding. Earlier descriptions use English, e.g., [Lam01], or state machines, e.g., [Lam96, DPLL00]. Later studies include pseudocode, e.g., [KA08a, OO14, vRA15], and deconstructed pseudocode or code, e.g., [BDFG03, vRSS15, GGMS18]. Among existing works, vRA Multi-Paxos pseudocode [vRA15] is by far the most direct, complete, and concise specification of a more realistic version of Multi-Paxos. Our specification captures and improves over vRA Multi-Paxos pseudocode, and yet is much simpler and smaller (51 vs. 142 lines, or 100 lines without “end” of 42 scopes), even though executable code is generally

much larger and more complex than pseudocode.

Our specification captures the control flows and synchronization conditions at a higher level than previous specifications, yet is precise, complete, and directly executable. It has helped tremendously in teaching and allowed us to easily discover the liveness violations in vRA Multi-Paxos if messages can be lost. An earlier work [LSL12] uses similar high-level language constructs. However, it keeps the complex Leader process doing low-level updates while spawning Scout and Commander processes as in vRA Multi-Paxos. It does not have reconfiguration, state reduction, or failure detection; its more complex control flows make it more difficult to add them and be sure of correctness. Its Replica process uses a `for` loop and sequential statements in the loop body instead of high-level `await` conditions, causing it to iterate extremely inefficiently, bias towards sending a proposal before applying decisions, and apply decisions exhaustively before sending more proposals. It also has the same liveness violations as in vRA Multi-Paxos but they were not discovered.

One might also try to understand Paxos variants through more practical implementations, but these implementations are much larger and more complex. For example, Google Chubby’s C++ server code is reported to be about 7000 lines [Bur06, CGR07] and is not open-source. Paxos for system builders [KA08b, KA08a] is written in C and has over 5000 lines, not including over 2000 lines of library code for group communication primitives.¹ OpenReplica [AS12] is implemented in Python and has about 3000 lines.² They generally include many lower-level data structures, bookkeeping tasks, and language details. This makes it much harder to understand the algorithms used. They are also so far infeasible for formal verification, manually or with automated support.

There has been significant effort on formal specification and verification of Paxos and variants. Many specifications have been developed, especially for Basic Paxos, including earlier ones described previously [LSLG12]; our specifications are significantly simpler while including full details for execution in real distributed environments. Several proofs are successful. Some are automatic by writing specifications in a restricted language [PLSS17, TLM⁺18]. Some include proofs of liveness properties, e.g., [HHK⁺15, PHL⁺17]. Some also generate code, e.g., [GLMT09, TLM⁺18]. Some proofs are discussed extensively but are only on paper [GGMS18]. Some others are also for abstract specifications that omit many algorithm details, e.g., [CLS16, BGG⁺17, CL18]. Proofs for executable implementations are from IronFleet [HHK⁺15] and Verdi [WWP⁺15], with much larger proofs and longer proof checking times, as discussed in Section 6.

To the best of our knowledge, no previous efforts of formal verification, for any specification of Paxos or variants, reported finding any correctness violations in published specifications or any improvements to them. However, Fonseca et al. [FZWK17] discovered 16 bugs in IronFleet, Verdi, and Chapar [LBC16] for distributed key-value stores. These include 4 bugs in IronFleet, in the protocol specification and verification tool, 8 bugs in Verdi, in the shim layer modeling, and 4 bugs in Chapar, in the protocol specification and shim layer modeling; no bugs were found in the protocols modeled. 11 of the 16 bugs were discovered by manual inspection, even without prior experience of Fonseca with OCaml, the language used by Coq.³ This helps support both the importance and difficulty of writing good specifications for understanding and manual inspection, as well as formal verification.

There are many directions for future research: higher-level specifications of more variants of

¹From the “Download” link of “Paxos for System Builders” at <http://www.dsn.jhu.edu/software.html>, April 15, 2018.

²From email with Emin Gun Sirer, August 12, 2011.

³From communication with Fonseca at and after a talk he gave, April 2018.

Paxos and other important distributed algorithms, more powerful optimizations for automatically generating efficient implementations, and better methods for developing automated proofs directly from high-level specifications.

Acknowledgments

We thank Leslie Lamport and Robbert van Renesse for their clear explanations and helpful discussions about Paxos. We thank Bo Lin for his robust DistAlgo compiler with excellent support and his original DistAlgo program that follows vRA Multi-Paxos pseudocode directly. We thank hundreds of students in distributed algorithms and distributed systems courses and projects for extending, developing variants of, testing, evaluating, and model checking our executable specifications, including running them on distributed machines, in the cloud, etc. We thank Xuetian (Kain) Weng for developing earlier automatic translators from DistAlgo to TLA+.

References

- [AS12] Deniz Altinbükten and Emin Gun Sirer. Commodifying replicated state machines with open-replica. Technical report, Cornell University, 2012.
- [AvR16] Deniz Altinbükten and Robbert van Renesse. Ovid: A software-defined distributed systems framework to support consistency and change. *IEEE Data Engineering Bulletin*, 39(1):65–80, 2016.
- [BDFG03] Romain Boichat, Partha Dutta, Svend Frølund, and Rachid Guerraoui. Deconstructing paxos. *ACM SIGACT News*, 34(1):47–67, 2003.
- [Ber] Berkeley Boom Project. Paxos in bud sandbox. <http://github.com/bloom-lang/bud-sandbox/tree/master/p>
- [BGG⁺17] Rakesh Bobba, Jon Grov, Indranil Gupta, Si Liu, José Meseguer, Peter C Olveczky, and Stephen Skeirik. Design, formal modeling, and validation of cloud storage systems using Maude. Technical report, University of Illinois at Urbana-Champaign, 2017.
- [Bur06] Mike Burrows. The Chubby lock service for loosely-coupled distributed systems. In *Proceedings of the 7th USENIX Symposium on Operating Systems Design and Implementation*, pages 335–350, 2006.
- [CGR07] Tushar D. Chandra, Robert Griesemer, and Joshua Redstone. Paxos made live—An engineering perspective. In *Proceedings of the 26th Annual ACM Symposium on Principles of Distributed Computing*, pages 398–407, 2007.
- [CL18] Saksham Chand and Yanhong A. Liu. Simpler specifications and easier proofs of distributed algorithms using history variables. In *Proceedings of the 10th NASA International Formal Methods Symposium, 30 Years of Formal Methods at NASA*, pages 70–86. Springer, 2018.
- [CLS16] Saksham Chand, Yanhong A. Liu, and Scott D. Stoller. Formal verification of Multi-Paxos for distributed consensus. In *Proceedings of the 21st International Symposium on Formal Methods*, pages 119–136. Springer, 2016.
- [DPLL00] Roberto De Prisco, Butler Lampson, and Nancy Lynch. Revisiting the Paxos algorithm. *Theoretical Computer Science*, 243(1-2):35–91, 2000.
- [FZWK17] Pedro Fonseca, Kaiyuan Zhang, Xi Wang, and Arvind Krishnamurthy. An empirical study on the correctness of formally verified distributed systems. In *Proceedings of the 12th European Conference on Computer Systems*, pages 328–343, 2017.

- [GGMS18] Álvaro García-Pérez, Alexey Gotsman, Yuri Meshman, and Ilya Sergey. Paxos consensus, deconstructed and abstracted (extended version). *Computing Research Repository*, arXiv:1802.05969, 2018. Accepted for publication in the 27th European Symposium on Programming.
- [GLMT09] Chryssis Georgiou, Nancy A. Lynch, Panayiotis Mavrommatis, and Joshua A. Tauber. Automated implementation of complex distributed algorithms specified in the IOA language. *International Journal on Software Tools for Technology Transfer*, 11(2):153–171, 2009.
- [HHK⁺15] Chris Hawblitzel, Jon Howell, Manos Kapritsos, Jacob R. Lorch, Bryan Parno, Michael L. Roberts, Srinath Setty, and Brian Zill. IronFleet: Proving practical distributed systems correct. In *Proceedings of the 25th Symposium on Operating Systems Principles*, pages 1–17, 2015.
- [IOA] IOA Project. IOA Toolkit extened tools version. <http://groups.csail.mit.edu/tds/ioa/distributions/IOA>. The Paxos code is under Examples/Paxos.
- [KA08a] Jonathan Kirsch and Yair Amir. Paxos for system builders. Technical Report CNDS-2008-2, John Hopkins University, Mar. 2008.
- [KA08b] Jonathan Kirsch and Yair Amir. Paxos for system builders: An overview. In *Proceedings of the 2nd Workshop on Large-Scale Distributed Systems and Middleware*, pages 3:1–3:6, 2008. Invited paper.
- [Lam96] Butler W Lamson. How to build a highly available system using consensus. In *International Workshop on Distributed Algorithms*, pages 1–17. Springer, 1996.
- [Lam98] Leslie Lamport. The part-time parliament. *ACM Transactions on Computer Systems*, 16(2):133–169, 1998.
- [Lam01] Leslie Lamport. Paxos made simple. *SIGACT News (Distributed Computing Column)*, 32(4):51–58, 2001.
- [Lam02] Leslie Lamport. *Specifying Systems: The TLA+ Language and Tools for Hardware and Software Engineers*. Addison-Wesley, 2002.
- [Lam17] Leslie Lamport. My writings. <http://research.microsoft.com/en-us/um/people/lamport/pubs/pubs.html>. Accessed Feburary 7, 2017. Lamport’s description of the history of paper [Lam98].
- [LBC16] Mohsen Lesani, Christian J. Bell, and Adam Chlipala. Chapar: Certified causally consistent distributed key-value stores. In *Proceedings of the 43rd Annual ACM SIGPLAN-SIGACT Symposium on Principles of Programming Languages*, pages 357–370, 2016.
- [LL18] Bo Lin and Yanhong A. Liu. DistAlgo: A language for distributed algorithms. <http://github.com/DistAlgo>, 2018. Beta release September 27, 2014. Latest release September 18, 2018.
- [LLS17] Yanhong A. Liu, Bo Lin, and Scott Stoller. DistAlgo Language Description. <http://distalgo.cs.stonybrook.edu>, Mar. 2017.
- [LMD14] Leslie Lamport, Stephan Merz, and Damien Doligez. A TLA spfication of the Paxos Consensus algorithm described in Paxos Made Simple and a TLAPS-checked proof of its correctness. file `/tlapm/examples/paxos/Paxos.tla` in TLAPS distribution <http://tla.msr-inria.inria.fr/tlaps/dist/current/tlaps-1.4.3.tar.gz>, November 2012. Last modified November 28, 2014.
- [LSL12] Yanhong A. Liu, Scott D. Stoller, and Bo Lin. High-level executable specifications of distributed algorithms. In *Proceedings of the 14th International Symposium on Stabilization, Safety, and Security of Distributed Systems*, pages 95–110. Springer, 2012.
- [LSL17] Yanhong A. Liu, Scott D. Stoller, and Bo Lin. From clarity to efficiency for distributed algorithms. *ACM Transactions on Programming Languages and Systems*, 39(3):12:1–12:41, May 2017.

- [LSLG12] Yanhong A. Liu, Scott D. Stoller, Bo Lin, and Michael Gorbovitski. From clarity to efficiency for distributed algorithms. In *Proceedings of the 27th ACM SIGPLAN Conference on Object-Oriented Programming, Systems, Languages and Applications*, pages 395–410, 2012.
- [Mic15] Microsoft Research-Inria Joint Center. TLA+ Proof System (TLAPS). <http://tla.msr-inria.inria.fr/tlaps/>, Last released June 2015.
- [Mic18] Microsoft Research. The TLA Toolbox. <http://lampport.azurewebsites.net/tla/toolbox.html>, Last modified January 30, 2018.
- [OL88] Brian M Oki and Barbara H Liskov. Viewstamped replication: A new primary copy method to support highly-available distributed systems. In *Proceedings of the 7th Annual ACM Symposium on Principles of Distributed Computing*, pages 8–17, 1988.
- [OO14] Diego Ongaro and John Ousterhout. In search of an understandable consensus algorithm. In *2014 USENIX Annual Technical Conference*, pages 305–319. USENIX Association, 2014.
- [PHL⁺17] Oded Padon, Jochen Hoenicke, Giuliano Losa, Andreas Podelski, Mooly Sagiv, and Sharon Shoham. Reducing liveness to safety in first-order logic. *Proceedings of the ACM on Programming Languages*, 2(POPL):26, 2017.
- [PLSS17] Oded Padon, Giuliano Losa, Mooly Sagiv, and Sharon Shoham. Paxos made EPR: Decidable reasoning about distributed protocols. *Proceedings of the ACM on Programming Languages*, 1(OOPSLA):108, 2017.
- [TLM⁺18] Marcelo Taube, Giuliano Losa, Kenneth L. McMillan, Oded Padon, Mooly Sagiv, Sharon Shoam, James R. Wilcox, and Doug Woos. Modularity for decidability of deductive verification with applications to distributed systems. In *Proceedings of the 2018 ACM SIGPLAN Conference on Programming Language Design and Implementation*, pages 662–677, 2018.
- [vRA15] Robbert van Renesse and Deniz Altinbuken. Paxos made moderately complex. *ACM Computing Surveys*, 47(3):42:1–42:36, Feb. 2015.
- [vRSS15] Robbert van Renesse, Nicolas Schiper, and Fred B. Schneider. Vive la différence: Paxos vs. viewstamped replication vs. Zab. *IEEE Transactions on Dependable and Secure Computing*, 12(4):472–484, July 2015.
- [WWA⁺16] Doug Woos, James R Wilcox, Steve Anton, Zachary Tatlock, Michael D Ernst, and Thomas Anderson. Planning for change in a formal verification of the Raft consensus protocol. In *Proceedings of the 5th ACM SIGPLAN Conference on Certified Programs and Proofs*, pages 154–165, 2016.
- [WWP⁺15] James R. Wilcox, Doug Woos, Pavel Panchekha, Zachary Tatlock, Xi Wang, Michael D. Ernst, and Thomas Anderson. Verdi: A framework for implementing and formally verifying distributed systems. In *Proceedings of the 36th ACM SIGPLAN Conference on Programming Language Design and Implementation*, pages 357–368, 2015.

A Mechanically checked proofs in TLAPS

We developed inductive proofs of safety for all three specifications. Like the proof for Multi-Paxos from [CLS16], they are inductive proofs based on several invariants that together imply safety. The proofs involve three types of invariants: (1) type invariants, stating that as the system progresses, all data in the system have the expected types, (2) invariants about local data of processes, for example, about the values of `ballot`, `accepted`, and `maxb`, and (3) invariants about global data of the system, in particular, about the messages sent in the system.

Our proofs for vRA Multi-Paxos differ from the proof for Multi-Paxos from [CLS16] for several reasons, including differences between the algorithms themselves. For example, the `accepted` set in vRA Multi-Paxos contains all triples for which a `2a` message was sent and received and may contain a triple for which a `2b` message was not sent, whereas in Multi-Paxos in [CLS16], the `accepted` set would only keep a triple if a `2b` message was sent containing that triple. Also, to keep our specification in TLA+ close to the specification in DistAlgo, we model ballots as tuples containing a natural number and a process ID, not as natural numbers in [CLS16]. This modeling difference has huge impact on the proof, because comparison operators like $>$ and \geq on natural numbers are built-ins in TLAPS, and are reasoned about automatically, but comparison operators on tuples need to be defined using predicates, and all of their properties, including fundamental properties like transitivity and non-commutativity, need to be explicitly stated in lemmas and proved. In addition, we specify and prove safety of three versions of Multi-Paxos, all of which are variations not considered in [CLS16].

Metric	Basic	Multi-Paxos		vRA Multi-Paxos & extensions		
	Paxos	Multi-Paxos	Multi- w/ Preempt.	w/details &reconfig.	w/also st. reduct.	w/also fail. detect.
Spec size (lines excl. comments)	56	81	97	154	157	217
Spec size incl. comments (lines)	115	133	158	249	254	347
Proof size (lines excl. comments)	306	1003	1033	4959	5005	7006
Proof size incl. comments (lines)	423	1106	1136	5256	5301	7384
Max level of proof tree nodes	7	11	11	12	12	12
Max degree of proof tree nodes	3	17	17	28	28	48
# lemmas	4	11	12	24	23	23
# stability lemmas	1	5	6	8	8	8
# uses of stability lemmas	8	27	29	76	76	76
# proofs by induction on set increment	0	4	4	30	30	30
# proofs by contradiction	1	1	1	14	16	17
# obligations in TLAPS	239	918	959	4364	4517	5580
TLAPS check time (seconds)	24	128	94	590	569	781

Figure 4: Comparison of results for safety proofs of Basic Paxos from [LMD14], Multi-Paxos from [CLS16], and vRA Multi-Paxos. Spec and proof sizes including comments are also compared because they are used in [CLS16] as opposed to sizes excluding comments. Stability lemmas are called continuity lemmas in [CLS16]. An obligation is a condition that TLAPS checks. The time to check is on an Intel i7-4720HQ 2.6 GHz CPU with 16 GB of memory, running Ubuntu 16.04 LTS and TLAPS 1.5.2.

A.1 Results and comparisons

Figure 4 presents the results about our specifications and proofs of vRA Multi-Paxos and its extensions, and the specifications and proofs of Multi-Paxos from [CLS16] and Basic Paxos from [LMD14]. First, we compare the specifications and proofs of vRA Multi-Paxos and its extensions with each other:

- The specification size grows by only 3 lines (1.9%) from 154 when we add state reduction, but by 60 more lines (38%), for the new actions added, when we add failure detection.

- The proof size grows by only 46 lines (0.9%) from 4959 when we add state reduction, but by 2001 more lines (40%) when we add failure detection, roughly proportional to the increase in specification size.
- The maximum level and degree of proof tree nodes remain unchanged when state reduction is added. When failure detection is added, the maximum level of proof tree nodes remains unchanged, but the maximum degree of proof tree nodes increases by 20 (71%), from 28 to 48, due to more complex proofs for the new actions added for failure detection.
- An interesting decrease of one lemma is seen after state reduction is added. The lemma states that the maximum of a set is one of the maximums of its two partitions. This lemma was needed in the case when all triples in 2a messages are kept by the acceptors. However, owing to state reduction, only triples with the maximum ballots are kept, making the proofs simpler. The number of stability lemmas and their uses remain unchanged when we add extensions. A *stability lemma* is a lemma asserting that a predicate continues to hold (or not hold) as the system goes from one state to the next in a single step.
- The number of proofs by induction on set increment remains unchanged when we add extensions. The number of proofs by contradiction increases; in those cases, constructive proofs were more challenging.
- The number of obligations, i.e., conditions that TLAPS proves, increases by 153 (3.5%) from 4364 when state reduction is added, and by 1063 (24%) more when failure detection is added, contributing to the increase in proof size.
- The proof check time decreases by 21 seconds (3.6%) from 590 to 569 when state reduction is added. This was expected because, with state reduction, for each slot, only the triple with the maximum ballot is kept. Upon receiving a triple with a larger ballot, only the new triple is kept, and the maximum of a singleton set is the item itself, making the proof time decrease. The proof check time increases by 212 seconds (37%) when failure detection is added. This is expected, because there are more proof obligations (24%) and the proof is larger (40%).

Next, we compare our TLA+ specification and proof of vRA Multi-Paxos (without state reduction or failure detection) with those of Multi-Paxos with preemption from [CLS16].

- The specification of vRA Multi-Paxos, excluding comments, is 154 lines, which is 59% more. This increase is because [CLS16] omits many algorithm details, while our specification models the many more details in Figure 3.
- The proof of vRA Multi-Paxos, excluding comments, is 4959 lines, which is 380% more. This increase is due to many factors, including more actions (for sending 2a messages in two cases and for sending decisions), more invariants (about the looser *accepted* set and about program points for the additional actions), and representing ballots as tuples instead of natural numbers, as mentioned above.
- The proof tree for vRA Multi-Paxos is more complex, as shown by the 65% increase, from 17 to 28, in the maximum degree of proof tree nodes and 9% increase, from 11 to 12, in the maximum level of proof tree nodes.

- Twice as many lemmas are needed for vRA Multi-Paxos, 24 vs. 12, because properties of operations on tuples need to be explicitly stated in lemmas and proved, as mentioned above.

We prove 2 more stability lemmas for vRA Multi-Paxos for the additional actions. The number of uses of stability lemmas increases by 47 (162%), from 29 to 76, because of the additional actions and the larger number of invariants.

- The number of proofs by induction on set increment increases by 26 (650%), from 4 to 30, the number of proofs by contradiction increases from 1 to 14 (1300%), the number of obligations increases by 3405 (355%), from 959 to 4364, and the proof check time increases by 496 seconds (527%), from 94 seconds to 590 seconds, all due to increased complexity in the specification, more actions, and more invariants.