Esri Accessibility Conformance Report ArcGIS Pro

Product Version: 2.8

Report Date: DEC 14, 2021

Table of Contents

| ESRI ACCESSIBILITY CONFORMANCE REPORT | 1 |
|--|----|
| Product Information | 1 |
| Purpose | 3 |
| Background | 3 |
| Terms | 3 |
| REVISED SECTION 508 CONSIDERATIONS | 4 |
| Application and Administration | 4 |
| Scoping Requirements | 4 |
| Functional Performance Criteria | 4 |
| Hardware | 5 |
| Software | 5 |
| Support Documentation and Services | 5 |
| WEB CONTENT ACCESSIBILITY GUIDELINES (WCAG) REPORT | 6 |
| WCAG Principle 1: Perceivable | 6 |
| WCAG Principle 2: Operable | 13 |
| WCAG Principle 3: Understandable | 20 |
| WCAG Principle 4: Robust | 23 |
| REVISED SECTION 508 REPORT | 25 |
| Chapter 3: Functional Performance Criteria | 25 |
| Chapter 4: Hardware | 29 |
| Chapter 5: Software | 30 |
| Chapter 6: Support Documentation and Services | 36 |
| EN 301 549 REPORT | 38 |
| Chapter 4: Functional Performance Statements (FPS) | 38 |
| Chapter 5: Generic Requirements | 42 |
| Chapter 6: ICT with Two-Way Voice Communication | 42 |
| Chapter 7: ICT with Video Capabilities | 42 |

| Chapter 8: Hardware | 42 |
|--|----|
| Chapter 9: Web (see WCAG section) | 42 |
| Chapter 10: Non-Web Documents | 43 |
| Chapter 11: Software (see Revised Section 508 section – Chapter 5: Software) | 43 |
| Chapter 12: Documentation and Support Services | 44 |

List of Tables

| Table 1: Applicable Standards and Guidelines | 2 |
|--|----|
| Table 2: Record of Changes | 2 |
| Table 3: Conformance Level Definitions | 3 |
| Table 4: WCAG Principle 1 Success Criteria - Perceivable | 6 |
| Table 5: WCAG Principle 2 Success Criteria - Operable | 13 |
| Table 6: WCAG Principle 3 Success Criteria - Understandable | 20 |
| Table 7: WCAG Principle 4 Success Criteria - Robust | 23 |
| Table 8: Revised Section 508 Chapter 3 - Functional Performance Criteria | 25 |
| Table 9: Revised Section 508 Chapter 5 - Software | 30 |
| Table 10: Revised Section 508 Chapter 6 - Support Documentation and Services | 36 |
| Table 11: EN 301 549 Chapter 4 - Functional Performance Statements | 38 |
| Table 12: EN 301 549 Chapter 12 - Documentation and Support Services | 44 |

Esri Accessibility Conformance Report

Product Information

Product Name/Version: ArcGIS Pro (version 2.8)

Report Template: Revised Section 508 Edition (based on VPAT® version 2.4)

Product Release Date: May 13, 2021

Report Date: December 14, 2021

Product Description: ArcGIS Pro is a desktop application on the ArcGIS platform that includes tools for authoring, managing, analyzing, and sharing maps, data, and reports. ArcGIS Pro supports data visualization; advanced analysis; and authoritative data maintenance in 2D, 3D, and 4D.

Notes: This report applies to both the use of, and authoring of content within, the ArcGIS Pro application.

Evaluation Methods Used: The product was tested by certified accessibility professionals on a selection of representative user-interface and functionality within of ArcGIS Pro using, among other assistive technologies, JAWS 2020 and Microsoft Accessibility Insights.

Contact Information: Environmental Systems Research Institute, Inc. (Esri)

For more information regarding Esri accessibility and Section 508, visit https://www.esri.com/en-us/legal/accessibility.

Specific inquiries may be emailed to EsriAccessibility@esri.com, or mailed to Esri, Contracts and Legal Department, 380 New York Street, Redlands, California 92373.

Table 1: Applicable Standards and Guidelines

| Standards / Guidelines | Included In Report |
|--|--------------------|
| | |
| Web Content Accessibility Guidelines 2.0 | Level A (Yes) |
| | Level AA (Yes) |
| | Level AAA (No) |
| | , |
| Web Content Accessibility Guidelines 2.1 | Level A (Yes) |
| · | Level AA (Yes) |
| | Level AAA (No) |
| | Level 70 01 (110) |
| Revised Section 508 Standards | (Yes) |
| Nevised Section 500 Standards | (103) |
| EN 301 549 V3.1.1 | (Yes) |
| FIA 201 242 A2:T'T | (103) |

Table 2: Record of Changes

| Version | Date | Description of Changes |
|---------|------------|--|
| 1.0 | 11/30/2021 | Evaluation results and explanations updated by Level Access |
| 2.0 | 12/14/2020 | Updated to 2.4 VPAT® template and Esri ACR format |
| 2.1 | 12/14/2020 | Evaluation results and explanations updated by Esri internal |

Purpose

The Voluntary Product Accessibility Template (VPAT®) – used to create Esri Accessibility Conformance Reports – is a template used to document a product's conformance with accessibility standards and guidelines. The purpose of the VPAT® is to assist customers and buyers in making preliminary assessments regarding the availability of commercially-available Information and Communication Technology (ICT) products and services with features that support accessibility.

Background

On March 20, 2017, the Architectural and Transportation Barriers Compliance Board (Access Board) revised, updated, and combined standards for ICT developed, procured, maintained, or used by federal agencies covered by Section 508 of the Rehabilitation Act of 1973 and Section 255 of the Communications Act of 1934. The revisions and updates to these standards are intended to ensure that electronic media is accessible to and usable by individuals with disabilities.

Terms

The terms used in the 'Conformance Level' information are defined as follows:

Table 3: Conformance Level Definitions

| Conformance Level | Definition |
|--------------------|--|
| Supports | The functionality of the product has at least one method that meets the criterion or meets with equivalent facilitation. |
| Partially Supports | Product does not entirely meet the letter and intent of the criterion, but does provide some level of access. |
| | OR |
| | Product provides alternative methods to meet the intent of the criterion. |
| Does Not Support | The majority of product functionality does not meet the criterion. |
| Not Applicable | The criterion is not relevant to the product. |
| Not Evaluated | The product has not been evaluated against the criterion. |

Revised Section 508 Considerations

Application and Administration

Information and Communication Technology (ICT) that is procured, developed, maintained, or used by agencies shall conform to these requirements. Section 508 of the Rehabilitation Act (29 U.S.C. 794d) applies to federal departments and agencies, including the U.S. Postal Service. The term "agency" is defined in Section E103 to include the United States Postal Service and other federal agencies and departments as specified in 44 U.S.C. 3502. That section of the U.S.C. defines agency to mean any executive department, military department, Government corporation, Government controlled corporation, or other establishment in the executive branch of the Government (including the Executive Office of the President), or any independent regulatory agency, but does not include (a) the General Accounting Office; (b) Federal Election Commission; (c) the governments of the District of Columbia and of the territories and possessions of the United States, and their various subdivisions; or (d) Government-owned contractor-operated facilities, including laboratories engaged in national defense research and production activities.

All sections of the technical standards may apply to this product and are individually addressed in the following sections.

Scoping Requirements

Section 508 Chapter 2 addresses application and scoping of the Revised 508 Standards, including exceptions. Multiple significant changes were made to this chapter, including:

- Adding a category to E205.3, official agency communications that are non-public facing electronic covered content;
- Clarifying the application of WCAG 2.0 to non-Web documents and software; and
- Made corresponding changes to E205.4 and E207.2, including adding E205.4.1 and E207.3, which specify the word substitution necessary to apply WCAG 2.0 to non-Web content.

207.2 WCAG Conformance. User interface components and content of platforms and applications shall conform to Level A and Level AA Success Criteria and Conformance Requirements specified for webpages in WCAG 2.0.

Functional Performance Criteria

301.1 Scope. The requirements of Chapter 3 shall apply to ICT where required by 508 Chapter 2 (Scoping Requirements), 255 Chapter 2 (Scoping Requirements), and where otherwise referenced in any other chapter of the Revised 508 Standards or Revised 255 Guidelines.

Hardware

401.1 Scope. The requirements of Chapter 4 shall apply to ICT that is hardware where required by 508 Chapter 2 (Scoping Requirements), 255 Chapter 2 (Scoping Requirements), and where otherwise referenced in any other chapter of the Revised 508 Standards or Revised 255 Guidelines.

EXCEPTION: Hardware that is assistive technology shall not be required to conform to the requirements of this chapter. This applies to the majority of ArcGIS software, services, and solutions.

402.1 General. ICT with closed functionality shall be operable without requiring the user to attach or install assistive technology other than personal headsets or other audio couplers, and shall conform to 402.

Software

501.1 Scope. The requirements of Chapter 5 shall apply to software where required by 508 Chapter 2 (Scoping Requirements), 255 Chapter 2 (Scoping Requirements), and where otherwise referenced in any other chapter of the Revised 508 Standards or Revised 255 Guidelines.

EXCEPTION: Where Web applications do not have access to platform accessibility services and do not include components that have access to platform accessibility services, they shall not be required to conform to 502 or 503 provided that they conform to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1).

502.1 General. Software shall interoperate with assistive technology and shall conform to 502.

502.2 Documented Accessibility Features. Software with platform features defined in platform documentation as accessibility features shall conform to 502.2.

Support Documentation and Services

602.1 General. Documentation that supports the use of ICT shall conform to 602.

Web Content Accessibility Guidelines (WCAG) Report

WCAG Principle 1: Perceivable

Information and user interface components must be presentable to users in ways they can perceive. Criteria also apply to Revised Section 508 standards for Web and Software (501), Author Tools (504.2), and Support Documentation (602.3). Report contains Level A and AA only (Revised Section 508 does not apply to AAA).

Table 4: WCAG Principle 1 Success Criteria - Perceivable

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|--|
| 1.1.1 Non-text Content (Level A) | Partially Supports | Users may find some challenges with working with |
| All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except for the situations listed below. | | symbolizing map layers. In the Symbology Pane, for several symbology options, the histograms shown do not include an alternative text description. |
| Controls, Input: If non-text content is a control or accepts user input, then it has a name that describes its purpose. | | |
| Time-Based Media: If non-text content is time-based media, then text alternatives at least provide descriptive identification of the non-text content. | | |
| Test: If non-text content is a test or exercise that would be invalid if presented in text, then text alternatives at least provide descriptive identification of the non-text content. | | |
| Sensory: If non-text content is primarily intended to create a specific sensory experience, then text alternatives at least provide descriptive identification of the non-text content. | | |
| CAPTCHA: If the purpose of non-text content is to confirm that content is being accessed by a person rather than a computer, then text alternatives that identify and describe the purpose of the non-text content | | |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| are provided, and alternative forms of CAPTCHA using output modes for different types of sensory perception are provided to accommodate different disabilities. | | |
| Decoration, Formatting, Invisible: If non-text content is pure decoration, is used only for visual formatting, or is not presented to users, then it is implemented in a way that it can be ignored by assistive technology. | | |
| 1.2.1 Audio-only and Video-only (Prerecorded) (Level A) | Not Applicable | The product does not contain audio-only or video- |
| For prerecorded audio-only and prerecorded video-only media, the following are true, except when the audio or video is a media alternative for text and is clearly labeled as such: | | only contents. |
| Prerecorded Audio-only: An alternative for time-based media is provided that presents equivalent information for prerecorded audio-only content. | | |
| Prerecorded Video-only: Either an alternative for time- based media or an audio track is provided that presents equivalent information for prerecorded video-only content. | | |
| 1.2.2 Captions (Prerecorded) (Level A) | Not Applicable | The product does not contain prerecorded content requiring synchronized captions. |
| Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such. | | |
| 1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) | Not Applicable | The product does not contain prerecorded content requiring synchronized audio description. |
| An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such. | | |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| 1.2.4 Captions (Live) (Level AA)Captions are provided for all live audio content in synchronized media. | Not Applicable | The product does not have any live audio content. |
| 1.2.5 Audio Description (Prerecorded) (Level AA) Audio description is provided for all prerecorded video content in synchronized media. | Not Applicable | The product does not have any prerecorded video content. |
| 1.3.1 Info and Relationships (Level A) Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text. | Partially Supports | In the History Pane, identifying the folder button for "Current Workspace" and "Scratch Workspace" may present challenges since the relationship of these is unclear in relation to the folder icon. |
| available in text. | | When making a "New Layout" for a project, there may be challenges in identifying the labels associated or grouped with some controls control that receive focus, such as the controls indicating "Portrait" or "Landscape" orientations. |
| | | In the Contents Pane, the screen reader does not identify properly the table in the Feature Layer - Data - Table - Attribute Table. There may also be challenges when navigating the table as the "Parameter" and "Value" columns are not read aloud. |
| 1.3.2 Meaningful Sequence (Level A) When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined. | Partially Supports | In the "Options" Dialog box for a Project, under the "Navigation" tab, the sequential order of the content in "set options for navigating maps and scenes" is inconsistent with other sections where similar keyboard operations, such as using the up/down arrows, should occur. A similar challenge may be experienced by a screen reader user when navigating the "Geoprocessing" tab options. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|--|
| 1.3.3 Sensory Characteristics (Level A) | Supports | |
| Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound. | | |
| 1.3.4 Orientation (Level AA – WCAG 2.1 only) | Supports | |
| Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential. | | |
| 1.3.5 Identify Input Purpose (Level AA – WCAG 2.1 only) | Partially Supports | After opening a project and loading the Content Pane, some user input fields in the "Layer Properties" present challenges via screen-reader. Similarly, in the Attributes pane, the table showing the attributes of a selection do not show clear instructions or relation about the possible user |
| The purpose of each input field collecting information about the user can be programmatically determined when: | | |
| The input field serves a purpose identified in the Input Purposes for User Interface Components section; and | | |
| The content is implemented using technologies with support for identifying the expected meaning for form input data. | | inputs. |
| 1.4.1 Use of Color (Level A) | Supports | |
| Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element. | | |
| 1.4.2 Audio Control (Level A) | Not Applicable | The product does not contain any audio component |
| If any audio on a Webpage plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level. | | that plays automatically for more than 3 seconds. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| 1.4.3 Contrast (Minimum) (Level AA) | Supports | |
| The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for the following: | | |
| Large Text: Large-scale text and images of large-scale text have a contrast ratio of at least 3:1; | | |
| Incidental: Text or images of text that are part of an inactive user interface component, that are pure decoration, that are not visible to anyone, or that are part of a picture that contains significant other visual content, have no contrast requirement. | | |
| Logotypes: Text that is part of a logo or brand name has no minimum contrast requirement. | | |
| 1.4.4 Resize text (Level AA) | Supports | |
| Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality. | | |
| 1.4.5 Images of Text (Level AA) | Supports | Text is used to convey information rather than |
| If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text except for the following: | | images of text. |
| Customizable: The image of text can be visually customized to the user's requirements; | | |
| Essential: A particular presentation of text is essential to the information being conveyed. | | |
| Note: Logotypes (text that is part of a logo or brand name) are considered essential. | | |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| 1.4.10 Reflow (Level AA – WCAG 2.1 only) | Not Evaluated | Exception made for parts of the content which |
| Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions | | require two-dimensional layout for usage or meaning. |
| for: | | Examples of content which require two-dimensional |
| Vertical scrolling content at a width equivalent to 320 CSS pixels | | layout are images, maps, diagrams, video, presentations, data tables, and interfaces where it is necessary to keep toolbars in view while |
| Horizontal scrolling content at a height equivalent to 256 CSS pixels | | manipulating content. |
| 1.4.11 Non-text Contrast (Level AA – WCAG 2.1 only) | Supports | |
| The visual presentation of the following have a contrast ratio of at least 3:1 against adjacent color(s). | | |
| 1.4.12 Text Spacing (Level AA – WCAG 2.1 only) | Not Applicable | |
| In content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property: | | |
| Line height (line spacing) to at least 1.5 times the font size | | |
| Spacing following paragraphs to at least 2 times the font size | | |
| Letter spacing (tracking) to at least 0.12 times the font size | | |
| Word spacing to at least 0.16 times the font size. | | |

Criteria Conformance Level Remarks and Explanations

Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden, the following are true:

- Dismissible: A mechanism is available to dismiss the additional content without moving pointer hover or keyboard focus, unless the additional content communicates an input error or does not obscure or replace other content
- Hoverable: If pointer hover can trigger the additional content, then the pointer can be moved over the additional content without the additional content disappearing
- Persistent: The additional content remains visible until the hover or focus trigger is removed, the user dismisses it, or its information is no longer valid.

WCAG Principle 2: Operable

User interface components and navigation must be operable. Criteria also apply to Revised Section 508 standards for Web and Software (501), Author Tools (504.2), and Support Documentation (602.3). Report contains Level A and AA only (Revised Section 508 does not apply to AAA).

Table 5: WCAG Principle 2 Success Criteria - Operable

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|--|
| 2.1.1 Keyboard (Level A) All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints. Note 1: This exception relates to the underlying function, not the input technique. For example, if using handwriting to enter text, the input technique (handwriting) requires path-dependent input but the underlying function (text input) does not. Note 2: This does not forbid and should not discourage providing mouse input or other input methods in addition to keyboard operation. | Partially Supports | Most of the application supports keyboard-only navigation, except for some parts of certain features and options that may present challenges when working on a project, including the Contents Pane, the Geoprocessing Pane, the Catalog View in the Client Area, the Options dialog box for project settings (Selection tab, Device Location tab, Raster and Imagery tab, Text and Graphics tab), when creating a New Layout, the Analysis ribbon tab for Environments History, when working with Feature Classes Iterator tool, the Attributes Pane, the Graphics tab when working on a map, the Symbology Pane and Feature Layer ribbon when working with map layers. |
| 2.1.2 No Keyboard Trap (Level A) If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away. | Partially Supports | Most of the application supports this functionality. However, when working with the Metadata tab under Toolboxes in the Catalog View, users may present challenges navigating through the tabs. |
| 2.1.4 Character Key Shortcuts (Level A – WCAG 2.1 only) | Supports | |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| If a keyboard shortcut is implemented in content using only letter (including upper- and lower-case letters), punctuation, number, or symbol characters, then at least one of the following is true: | | |
| Turn off: A mechanism is available to turn the shortcut off | | |
| Remap: A mechanism is available to remap the shortcut to use one or more non-printable keyboard characters (e.g. Ctrl, Alt, etc.) | | |
| Active only on focus: The keyboard shortcut for a user interface component is only active when that component has focus. | | |
| 2.2.1 Timing Adjustable (Level A) | Not Applicable | The product does not have time limit content. |
| For each time limit that is set by the content, at least one of the following is true: | | |
| Turn off: The user is allowed to turn off the time limit before encountering it; or | | |
| Adjust: The user is allowed to adjust the time limit before encountering it over a wide range that is at least ten times the length of the default setting; or | | |
| Extend: The user is warned before time expires and given at least 20 seconds to extend the time limit with a simple action (for example, "press the space bar"), and the user is allowed to extend the time limit at least ten times; or | | |
| Real-time Exception: The time limit is a required part of a real-time event (for example, an auction), and no alternative to the time limit is possible; or | | |

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------|---|
| Essential Exception: The time limit is essential and extending it would invalidate the activity; or | | |
| 20 Hour Exception: The time limit is longer than 20 hours. | | |
| Note: This success criterion helps ensure that users can complete tasks without unexpected changes in content or context that are a result of a time limit. This success criterion should be considered in conjunction with Success Criterion 3.2.1, which puts limits on changes of content or context as a result of user action. | | |
| 2.2.2 Pause, Stop, Hide (Level A) | Supports | |
| For moving, blinking, scrolling, or auto-updating information, all of the following are true: | | |
| Moving, blinking, scrolling: For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds, and (3) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential; and | | |
| Auto-updating: For any auto-updating information that (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential. | | |
| 2.3.1 Three Flashes or Below Threshold (Level A) | Partially Supports | The Flicker button in the Feature Layer ribbon under the Appearance tab may be challenging for some users, as the flicker function can be configured manually by the user to increase the flashes of the |

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------|---|
| Webpages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds. | | flicker on a map. Users should check and adjust this setting. |
| Note: Since any content that does not meet this success criterion can interfere with a user's ability to use the whole page, all content on the Webpage (whether it is used to meet other success criteria or not) must meet this success criterion. See Conformance Requirement 5: Non-Interference. | | |
| 2.4.1 Bypass Blocks (Level A) | Not Applicable | This product does not repeat contain content on |
| A mechanism is available to bypass blocks of content that are repeated on multiple Webpages. | | multiple web pages. |
| 2.4.2 Page Titled (Level A) | Supports | |
| Webpages have titles that describe topic or purpose. | | |
| 2.4.3 Focus Order (Level A) If a Webpage can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability. | Partially Supports | Some functionalities may present challenges when navigating focusable components following a logical, sequential pattern, such as the Geoprocessing Pane, the Options dialog box for project settings (Navigation tab, Selection tab, Geoprocessing tab, and Full Video Motion tab), the Layers tab in the Attributes Pane, and in the Symbology Pane when working with map layers. |
| 2.4.4 Link Purpose (In Context) (Level A) The purpose of each link can be determined from the link text | Supports | |
| alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general. | | |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| 2.4.5 Multiple Ways (Level AA) More than one way is available to locate a Webpage within a set of Webpages except where the Webpage is the result of, or a step in, a process. | Not Applicable | |
| 2.4.6 Headings and Labels (Level AA) Headings and labels describe topic or purpose. | Partially Supports | In some functionalities, the screen-reader does not announce certain headings nor show consistency with visible labels providing information to the user, including labels in the Layer Properties dialog box, in the Options dialog box for project settings (Navigation tab, Selection tab, Editing tab, Device Location tab, Raster and Imagery tab, Full Motion Video tab, and Text and Graphics tab), when navigating the settings for a new portal, when sharing a Map Package, in the Attributes Pane, and when working with map layers the Feature Layer ribbon and the Attribute Table in Client Area. |
| | | Some buttons do not have a label to indicate the purpose of the control, including buttons in the Catalog View in the Client Area, in the Geoprocessing Pane, in the Catalog Pane, the Attributes Pane, in the Options dialog box for project settings (Full Motion Video tab, Editing tab), in the Layer Properties, and in the Attribute table and Symbology Pane when symbolizing map layers. |
| 2.4.7 Focus Visible (Level AA) Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible. | Partially Supports | When opening a New Project, operating some controls with keyboard-only navigation may present challenges because the focus in not visible. Additionally when navigating different content blocks in the Options dialog box for project settings, there text fields that do not show a visible focus, including |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|---|
| | | the Current Settings tab, the Units tab, and Metadata tab. |
| | | When exporting a Layout, navigating the History Pane, creating a Feature Class, and when selecting "Sequential Numbering" in the Edit tab may present challenges to the user as well. |
| 2.5.1 Pointer Gestures (Level A – WCAG 2.1 only) | Not Applicable | The product can be used without multipoint or path- based gestures for operation. |
| All functionality that uses multipoint or path-based gestures for operation can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential. | | |
| 2.5.2 Pointer Cancellation (Level A – WCAG 2.1 only) | Not Applicable | |

2.5.2 Pointer Cancellation (Level A – WCAG 2.1 only)

For functionality that can be operated using a single pointer, at least one of the following is true:

- **No Down-Event**: The down-event of the pointer is not used to execute any part of the function
- Abort or Undo: Completion of the function is on the upevent, and a mechanism is available to abort the function before completion or to undo the function after completion
- Up Reversal: The up-event reverses any outcome of the preceding down-event
- **Essential**: Completing the function on the down-event is essential

Not Applicable

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| 2.5.3 Label in Name (Level A – WCAG 2.1 only) For user interface components with labels that include text or images of text, the name contains the text that is presented visually. | Partially Supports | Some components throughout the Layer Properties dialog box, the Options dialog box for project settings (Navigation tab, Selection tab, Editing tab, Device Location tab, Raster and Imagery tab, Full Motion Video tab, and Text and Graphics tab), the settings for a new portal, and in the Attributes Pane may present challenges understanding the announced label versus the visible text label due to inconsistencies. |
| 2.5.4 Motion Actuation (Level A – WCAG 2.1 only) Functionality that can be operated by device motion or user motion can also be operated by user interface components and responding to the motion can be disabled to prevent accidental actuation, except when: Supported Interface: The motion is used to operate functionality through an accessibility supported interface Essential: The motion is essential for the function and doing so would invalidate the activity | Not Applicable | The product does not provide functionality that can be operated by device motion or user motion. |

WCAG Principle 3: Understandable

Information and the operation of user interface must be understandable. Criteria also apply to Revised Section 508 standards for Web and Software (501), Author Tools (504.2), and Support Documentation (602.3). Report contains Level A and AA only (Revised Section 508 does not apply to AAA).

Table 6: WCAG Principle 3 Success Criteria - Understandable

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------|--|
| 3.1.1 Language of Page (Level A) The default human language of each Webpage can be programmatically determined. | Supports | |
| 3.1.2 Language of Parts (Level AA) The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text. | Supports | |
| 3.2.1 On Focus (Level A) When any component receives focus, it does not initiate a change of context. | Partially Supports | The focus changes context when selecting the icons to open the dialog boxes for "Calculate Field" and "Select by Attributes" in the Attributes Table when users work with symbolizing map layers. Similarly, when "Charts" is selected as the primary symbology option, the focus changes context when indicating different options under the "Shape_Length" field in the table. |
| 3.2.2 On Input (Level A) Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component. | Partially Supports | When the user is within the modal "Layer Properties: National Geographic World Map", the screen reader does not announce a change in the content caused by a selection of a control. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| | | In the Feature Class tool, the user is not informed of the change in context when some options are on focus. Similar challenges may be present when interacting with some Layer Properties in the Content Pane, and with the Offline Help tree view. |
| 3.2.3 Consistent Navigation (Level AA) Navigational mechanisms that are repeated on multiple Webpages within a set of Webpages occur in the same relative | Partially Supports | In the Catalog Pane, the description informing the user about whether items have loaded, if any, is not being shown consistently. |
| order each time they are repeated, unless a change is initiated by the user. | | When using the Layer Properties dialog box, the Attributes Pane, and the Attributes Table in Client Area, the user may have challenges because some UI components do not announce a consistent form of navigating similar controls, for example up/down arrow options to increase/decrease values show inconsistencies, as well as UI controls using the spacebar to expand/collapse an item on a list. |
| 3.2.4 Consistent Identification (Level AA) | Partially Supports | In the Options dialog box for project settings, some |
| Components that have the same functionality within a set of Webpages are identified consistently. | | textbox UI components are described as radio buttons by the screen reader, which may cause when selecting the appropriate input options. |
| 3.3.1 Error Identification (Level A) | Partially Supports | When working with symbolizing map layers in the |
| If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text. | | Attributes Table options, some error messages are not announced by the screen reader when the user makes changes to text fields such as "Input Table". |
| 3.3.2 Labels or Instructions (Level A) | Partially Supports | Some functionalities have labels not associated with their controls, nor provide helpful instructions to a |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|---|
| Labels or instructions are provided when content requires user input. | | screen reader user for better understanding how to interact with certain controls. These challenges may be present in the Content Pane, in the Layer Properties dialog box, when working with Feature Classes, when using the tables in the Attributes Pane, and when symbolizing map layers using the Attributes Table and Symbology Pane. |
| 3.3.3 Error Suggestion (Level A) | Supports | |
| If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content. | | |
| 3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) | Not Applicable | The product does not cause legal commitments or |
| For Webpages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true: | | financial transactions for the user to occur, does not modify or delete user-controllable data in data storage systems, and does not submit user test responses, unless submissions are reversible, checked, and/or confirmed by the user. |
| Reversible: Submissions are reversible. | | oncoked, and/or committed by the door. |
| Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them. | | |
| Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission. | | |
| | | |

WCAG Principle 4: Robust

Content must be robust enough that it can be interpreted reliably by a wide variety of user agents, including assistive technologies. Criteria also apply to Revised Section 508 standards for Web and Software (501), Author Tools (504.2), and Support Documentation (602.3). Report contains Level A and AA only (Revised Section 508 does not apply to AAA).

Table 7: WCAG Principle 4 Success Criteria - Robust

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| 4.1.1 Parsing (Level A) | Not Applicable | |
| In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features. | | |
| Note: Start and end tags that are missing a critical character in their formation, such as a closing angle bracket or a mismatched attribute value quotation mark are not complete. | | |
| 4.1.2 Name, Role, Value (Level A) | Does Not Support | Some controls do not indicate properties with the |
| For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be | | appropriate Name for the screen reader to read; also others do not indicate status changes in the Role of the control, such as announcing "expanded /collapsed" when some buttons are selected. |
| programmatically set; and notification of changes to these items is available to user agents, including assistive technologies. | | Additionally, hints or prefixes to provide additional information about the function of a control are not |
| Note: This success criterion is primarily for Web authors who develop or script their own user interface components. For example, standard HTML controls already meet this success criterion when used according to specification. | | indicated consistently, such as the number of options in a list (like 1 of 3). These challenges may be present in the Content Pane, in the Catalog View of the Client Area, in the Map Properties dialog box, in the Share Web Map Pane, in the Options dialog box for project settings, in the Layout Insert ribbon, when exporting a Layout, in the Analysis tab ribbon, when creating a Feature Class, in the Portal settings page, |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| | | visualizing a Raster, with the offline Help system, in the Attributes Pane, in the Modify Features Pane, in the on-screen navigator Scene View, in the Package Map Pane; and in the Attribute table in the Client Area, the Symbology Pane, and the Feature Layer ribbon when symbolizing map layers. |
| 4.1.3 Status Messages (Level AA – WCAG 2.1 only) In content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus. | Partially Supports | Some functions do not indicate status messages announced by the screen reader informing the user about modal changes. Examples include, not announcing the results after running a search in the Content Pane, whether an action was successful or not when Authoring a Map; in the Indexes tab under the Content Pane, the message showing the status of a recalculation is not announced; no message indicates the status changes in several tabs under the Options dialog box; whether an exported layout has been completed successfully or not; and in the Portals settings, several status messages are not announced, such as when selecting "Set as active portal", "Test availability", and "Remove portal connection". Some areas and user actions in the Symbology pane would benefit from adding status messages, including actions after changing chart types, or applying style settings to symbology options. |

Revised Section 508 Report

Chapter 3: Functional Performance Criteria

Table 8: Revised Section 508 Chapter 3 - Functional Performance Criteria

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------|--|
| 302.1 Without Vision Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that does not require user vision. | Partially Supports | This product is partly usable by people without vision. A rating of Partially Supports has been given for the following reasons: |
| | | Users without vision will have some difficulty using the product, as described in WCAG criteria: |
| | | 1.1.1 Non-text Content |
| | | 1.3.1 Info and Relationships |
| | | 2.1.1 Keyboard |
| | | 2.1.2 No Keyboard Trap |
| | | 2.4.3 Focus order |
| | | 2.4.6 Headings and labels |
| | | • 3.2.2 On Input |
| | | 4.1.2 Name, role, value |
| 302.2 With Limited Vision | Partially Supports | This product is partly usable by people with limited |
| Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited vision. | | vision. A rating of Partially Supports has been given for the following reasons: |
| | | Users with limited vision will have some difficulty using the product, as described in WCAG criteria: |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| | | 1.1.1 Non-text Content 1.3.1 Info and Relationships 2.1.1 Keyboard 2.1.2 No Keyboard Trap 2.4.2 Page Titled 2.4.3 Focus order 2.4.6 Headings and labels 3.2.2 On Input 4.1.2 Name, role, value |
| 302.3 Without Perception of Color Where a visual mode of operation is provided, ICT shall provide at least one visual mode of operation that does not require user perception of color. | Supports | The product features allow users without perception of color to access the product. |
| 302.4 Without Hearing Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that does not require user hearing. | Supports | The product features allow users without hearing to access the product. |
| 302.5 With Limited Hearing Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited hearing. | Supports | The product features allow users without hearing to access the product. |
| 302.6 Without Speech | Supports | The product features allow users without speech to access the product. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|--|
| Where speech is used for input, control, or operation, ICT shall provide at least one mode of operation that does not require user speech. | | |
| 302.7 With Limited Manipulation | Partially Supports | A rating of Partially Supports has been given for the |
| Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that does not require fine motor control or simultaneous manual operations. | | following reasons: Users with limited manipulation will have some |
| | | difficulty using the product, as described in WCAG criteria: |
| | | 2.1.1 Keyboard |
| | | 2.1.2 No Keyboard Trap |
| | | 2.4.3 Focus order |
| | | 2.4.6 Headings and labels |
| | | 4.1.2 Name, role, value |
| 302.8 With Limited Reach and Strength Where a manual mode of operation is provided, ICT shall | Supports | The product features can be operated by people with limited reach and strength. |
| provide at least one mode of operation that is operable with limited reach and limited strength. | | |
| 302.9 With Limited Language, Cognitive, and Learning Abilities | Partially Supports | A rating of Partially Supports has been given for the following reasons: |
| ICT shall provide features making its use by individuals with limited cognitive, language, and learning abilities simpler and easier. | | Users with limited language, cognitive, and learning abilities will have some difficulty using the product, as described in WCAG criteria: |
| | | 1.1.1 Non-text Content |
| | | 1.3.1 Info and Relationships |

| Criteria | Conformance Level | Remarks and Explanations |
|----------|-------------------|---|
| | | 2.1.1 Keyboard |
| | | 2.1.2 No Keyboard Trap |
| | | • 2.4.3 Focus order |
| | | 2.4.6 Headings and labels |
| | | • 3.2.2 On Input |
| | | 4.1.2 Name, role, value |

<u>Chapter 4</u>: Hardware

ArcGIS Pro is not impacted by Chapter 4: Hardware. This section has been removed from the report.

<u>Chapter 5</u>: Software

Table 9: Revised Section 508 Chapter 5 - Software

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------|---|
| 501.1 Scope – Incorporation of WCAG 2.0 AA | | See information in WCAG 2.1 report sections |
| 502 Interoperability with Assistive Technology | | |
| 502.2.1 User Control of Accessibility Features | Not Applicable | The product is not platform software. |
| Platform software shall provide user control over platform features that are defined in the platform documentation as accessibility features. | | |
| 502.2.2 No Disruption of Accessibility Features | Supports | The product does not disrupt platform accessibility features. |
| Software shall not disrupt platform features that are defined in the platform documentation as accessibility features. | | |
| 502.3 Accessibility Services | | |
| 502.3.1 Object Information | Partially Supports | As noted in 1.3.1 Info and Relationships and 4.1.2 Name, Role, Value, most objects in the product do not expose name, role, or state information to assistive technology. |
| The object role, state(s), properties, boundary, name, and description shall be programmatically determinable. | | |
| 502.3.2 Modification of Object Information | Partially Supports | As noted in 1.3.1 Info and Relationships and 4.1.2 Name, Role, Value, most objects in the product do not expose name, role, or state information to assistive technology many objects cannot be modified by keyboard. |
| States and properties that can be set by the user shall be capable of being set programmatically, including through assistive technology. | | |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|--|
| 502.3.3 Row, Column, and Headers | Partially Supports | As noted in 1.3.1 Info and Relationships, many table |
| If an object is in a data table, the occupied rows and columns, and any headers associated with those rows or columns, shall be programmatically determinable. | | elements do not provide programmatic information about structure and relationships. |
| 502.3.4 Values | Does Not Support | As noted in 4.1.2 Name, Role, Value, many values are not perceivable. |
| Any current value(s), and any set or range of allowable values associated with an object, shall be programmatically determinable. | | |
| 502.3.5 Modification of Values | Partially Supports | As noted in 2.1.1 Keyboard and 4.1.2 Name, Role, |
| Values that can be set by the user shall be capable of being set programmatically, including through assistive technology. | | Value, many values cannot be modified by keyboard users. |
| 502.3.6 Label Relationships | Partially Supports | As noted in 1.3.1 Info and Relationships and 4.1.2 |
| Any relationship that a component has as a label for another component, or of being labeled by another component, shall be programmatically determinable. | | Name, Role, Value, some elements are not properly labelled. |
| 502.3.7 Hierarchical Relationships | Partially Supports | As noted in 1.3.1 Info and Relationships and 4.1.1 Parsing, some structural hierarchical elements are not properly implemented. |
| Any hierarchical (parent-child) relationship that a component has as a container for, or being contained by, another component shall be programmatically determinable. | | |
| 502.3.8 Text | Partially Supports | As noted in 1.1.1 Non-text Content, 1.3.1 Info and |
| The content of text objects, text attributes, and the boundary of text rendered to the screen, shall be programmatically determinable. | | Relationships, and 4.1.2 Name, Role, Value, many text headings are only visually presented and many controls are not properly implemented. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------|---|
| 502.3.9 Modification of Text | Partially Supports | As noted in 2.1.1 Keyboard and 4.1.2 Name, Role, Value, some inputs do not provide accessible names to modify input. |
| Text that can be set by the user shall be capable of being set programmatically, including through assistive technology. | | |
| 502.3.10 List of Actions | Does Not Support | As noted in 3.3.2 Labels or Instructions and 4.1.2 Name, Role, Value, many custom controls are missing roles, names and values/states. |
| A list of all actions that can be executed on an object shall be programmatically determinable. | | |
| 502.3.11 Actions on Objects | Partially Supports | As noted in 2.1.1 Keyboard and 4.1.2 Name, Role, Value, many custom controls are missing roles, names and values/states. |
| Applications shall allow assistive technology to programmatically execute available actions on objects. | | |
| 502.3.12 Focus Cursor | Partially Supports | As noted in 2.4.7 Focus Visible and 4.1.2 Name, Role, Value, some elements lack support for focus cursor visibility. |
| Applications shall expose information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components. | | |
| 502.3.13 Modification of Focus Cursor | Partially Supports | As noted in 2.1.1 Keyboard and 4.1.2 Name, Role, Value, many controls are not in the focus order. |
| Focus, text insertion point, and selection attributes that can be set by the user shall be capable of being set programmatically, including through the use of assistive technology. | | |
| 502.3.14 Event Notification | Does Not Support | As noted in 2.1.1 Keyboard, 2.1.2 No Keyboard Trap and 4.1.2 Name, Role, Value, dynamically changing content is not communicated to assistive technologies. |
| Notification of events relevant to user interactions, including but not limited to, changes in the component's state(s), value, name, description, or boundary, shall be available to assistive technology. | | |
| 502.4 Platform Accessibility Features | Not Applicable | The product is not platform software. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--------------------------|
| 503 Applications | | |
| 503.2 User Preferences | Not Applicable | |
| Applications shall permit user preferences from platform settings for color, contrast, font type, font size, and focus cursor. EXCEPTION: Applications that are designed to be isolated from their underlying platform software, including Web applications, shall not be required to conform to 503.2. | | |
| 503.3 Alternative User Interfaces | Not Applicable | |
| Where an application provides an alternative user interface that functions as assistive technology, the application shall use platform and other industry standard accessibility services. | | |
| 503.4 User Controls for Captions and Audio Description | | |
| 503.4.1 Caption Controls | Not Applicable | |
| Where user controls are provided for volume adjustment, ICT shall provide user controls for the selection of captions at the same menu level as the user controls for volume or program selection. | | |
| 503.4.2 Audio Description Controls | Not Applicable | |
| Where user controls are provided for program selection, ICT shall provide user controls for the selection of audio descriptions at the same menu level as the user controls for volume or program selection. | | |

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------|---|
| 504 Authoring Tools | | |
| 504.2 Content Creation or Editing | Partially Supports | See information throughout WCAG report. |
| Authoring tools shall provide a mode of operation to create or edit content that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) for all supported features and, as applicable, to file formats supported by the authoring tool. Authoring tools shall permit authors the option of overriding information required for accessibility. | | |
| Exception: Authoring tools shall not be required to conform to 504.2 when used to directly edit plain text source code. | | |
| 504.2.1 Preservation of Information Provided for Accessibility in Format Conversion | Not Applicable | See information throughout WCAG report. |
| Authoring tools shall, when converting content from one format to another or saving content in multiple formats, preserve the information required for accessibility to the extent that the information is supported by the destination format. | | |
| 504.2.2 PDF Export | Partially Supports | See information throughout WCAG report. |
| Authoring tools capable of exporting PDF files that conform to ISO 32000–1:2008 (PDF 1.7) shall also be capable of exporting PDF files that conform to ANSI/AIIM/ISO 14289–1:2016 (PDF/UA– 1) (incorporated by reference, see 702.3.1). | | |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| 504.3 Prompts | Partially Supports | See information throughout WCAG report. |
| Authoring tools shall provide a mode of operation that prompts authors to create content that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) for supported features and, as applicable, to file formats supported by the authoring tool. | | |
| 504.4 Templates | Partially Supports | See information throughout WCAG report. |
| Where templates are provided, templates allowing content creation that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1) shall be provided for a range of template uses for supported features and, as applicable, to file formats supported by the authoring tool. | | |

<u>Chapter</u> 6: Support Documentation and Services

The language included in this section is based on an internal evaluation of the ArcGIS Pro support documentation and services.

Table 10: Revised Section 508 Chapter 6 - Support Documentation and Services

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| 602 Support Documentation | | |
| 602.2 Accessibility and Compatibility Features Documentation shall list and explain how to use the accessibility and compatibility features required by Chapters 4 and 5. Documentation shall include accessibility features that are builtin and accessibility features that provide compatibility with assistive technology. | Partially Supports | Web-based electronic support documentation is available for this product. Some information pertaining accessibility features or assistive technology compatibility with built-in features found in Chapter 5: Software are not included in documentation. |
| 602.3 Electronic Support Documentation Documentation in electronic format, including Web-based self-service support, shall conform to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 (incorporated by reference, see 702.10.1). | Supports | Web-based electronic support documentation is available for this product. |
| 602.4 Alternate Formats for Non-Electronic Support Documentation Where support documentation is only provided in non-electronic formats, alternate formats usable by individuals with disabilities shall be provided upon request. | Not Applicable | Web-based electronic support documentation is available for this product. |

| Criteria | Conformance Level | Remarks and Explanations |
|----------------------|-------------------|--------------------------|
| 603 Support Services | | |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| 603.2 Information on Accessibility and Compatibility Features | Supports | Technical support is available directly to the user for this product, and Esri Accessibility contact information is provided in this report. |
| ICT support services shall include information on the accessibility and compatibility features required by 602.2. | | |
| 603.3 Accommodation of Communication Needs | Supports | Technical support is available directly to the user for |
| Support services shall be provided directly to the user or through a referral to a point of contact. Such ICT support services shall accommodate the communication needs of individuals with disabilities. | | this product, and Esri Accessibility contact information is provided in this report. |

EN 301 549 Report

Chapter 4: Functional Performance Statements (FPS)

Table 11: EN 301 549 Chapter 4 - Functional Performance Statements

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------|--|
| 4.2.1 Usage Without Vision Where ICT provides visual modes of operation, the ICT provides at least one mode of operation that does not require vision. This | Partially Supports | This product is partly usable by people without vision. A rating of Partially Supports has been given for the following reasons: |
| is essential for users without vision and benefits many more users in different situations. | | Users without vision will have some difficulty using the product, as described in WCAG criteria: |
| | | 1.1.1 Non-text Content |
| | | 1.3.1 Info and Relationships |
| | | 2.1.1 Keyboard |
| | | 2.1.2 No Keyboard Trap |
| | | 2.4.3 Focus order |
| | | 2.4.6 Headings and labels |
| | | • 3.2.2 On Input |
| | | • 4.1.2 Name, role, value |
| 4.2.2 Usage With Limited Vision | Partially Supports | This product is partly usable by people with limited |
| Where ICT provides visual modes of operation, the ICT provides features that enable users to make better use of their limited vision. This is essential for users with limited vision and benefits many more users in different situations. | | vision. A rating of Partially Supports has been given for the following reasons: |
| | | Users with limited vision will have some difficulty using the product, as described in WCAG criteria: |
| | | • 1.1.1 Non-text Content |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| | | 1.3.1 Info and Relationships 2.1.1 Keyboard 2.1.2 No Keyboard Trap 2.4.2 Page Titled 2.4.3 Focus order 2.4.6 Headings and labels 3.2.2 On Input 4.1.2 Name, role, value |
| 4.2.3 Usage Without Perception of Color Where ICT provides visual modes of operation, the ICT provides a visual mode of operation that does not require user perception of color. This is essential for users with limited color perception and benefits many more users in different situations. | Supports | The product features allow users without perception of color to access the product. |
| 4.2.4 Usage Without Hearing Where ICT provides auditory modes of operation, the ICT provides at least one mode of operation that does not require hearing. This is essential for users without hearing and benefits many more users in different situations. | Supports | The product features allow users without hearing to access the product. |
| 4.2.5 Usage With Limited Hearing Where ICT provides auditory modes of operation, the ICT provides enhanced audio features. This is essential for users with limited hearing and benefits many more users in different situations. | Supports | The product features allow users without hearing to access the product. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|--|
| 4.2.6 Usage With No or Limited Vocal Capacity Where ICT requires vocal input from users, the ICT provides at least one mode of operation that does not require them to generate vocal output. This is essential users with no or limited vocal capability and benefits many more users in different situations. | Supports | The product features allow users without vocal capacity to access the product. |
| 4.2.7 Usage With Limited Manipulation or Strength Where ICT requires manual actions, the ICT provides features that enable users to make use of the ICT through alternative actions not requiring manipulation, simultaneous action or hand strength. This is essential for users with limited manipulation or strength and benefits many more users in different situations. | Partially Supports | A rating of Partially Supports has been given for the following reasons: Users with limited manipulation or strength will have some difficulty using the product, as described in WCAG criteria: • 2.1.1 Keyboard • 2.1.2 No Keyboard Trap • 2.4.3 Focus order • 2.4.6 Headings and labels • 4.1.2 Name, role, value |
| 4.2.8 Usage With Limited Reach Where ICT products are free-standing or installed, all the elements required for operation will need to be within reach of all users. This is essential for users with limited reach and benefits many more users in different situations. 4.2.9 Minimize Photosensitive Seizure Triggers Where ICT provides visual modes of operation, the ICT provides | Supports | The product features can be operated by people with limited reach. The product allow people who are sensitive to flashing to access and adjust the product. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|--|
| triggering photosensitive seizures. This is essential for users with photosensitive seizure triggers. | | |
| 4.2.10 Usage With Limited Cognition, Language, or Learning | Partially Supports | A rating of Partially Supports has been given for the following reasons: |
| The ICT provides features and/or presentation that makes it simpler and easier to understand, operate and use. This is essential for users with limited cognition, language or learning, | | Users with limited language, cognitive, and learning abilities will have some difficulty using the product, as described in WCAG criteria: |
| and benefits many more users in different situations. | | 1.1.1 Non-text Content |
| | | 1.3.1 Info and Relationships |
| | | 2.1.1 Keyboard |
| | | 2.1.2 No Keyboard Trap |
| | | 2.4.3 Focus order |
| | | 2.4.6 Headings and labels |
| | | • 3.2.2 On Input |
| | | • 4.1.2 Name, role, value |
| 4.2.11 Privacy Where ICT provides features for accessibility, the ICT maintains the privacy of users of these features at the same level as other users. | Supports | The product respects the privacy of assistive technology users. |

Chapter 5: Generic Requirements

ArcGIS Pro is not impacted by Chapter 5: Generic Requirements. This section has been removed from the report.

Chapter 6: ICT with Two-Way Voice Communication

ArcGIS Pro is not impacted by Chapter 6: ICT with Two-Way Voice Communication. This section has been removed from the report.

<u>Chapter 7</u>: ICT with Video Capabilities

ArcGIS Pro is not impacted by Chapter 7: ICT with Voice Capabilities. This section has been removed from the report.

Chapter 8: Hardware

ArcGIS Pro is not impacted by Chapter 8: Hardware. This section has been removed from the report.

Chapter 9: Web (see WCAG section)

This section has been removed from the report.

Chapter 10: Non-Web Documents

ArcGIS Pro is not impacted by Chapter 10: Non-Web Documents. This section has been removed from the report.

<u>Chapter 11</u>: Software (see Revised Section 508 section – Chapter 5: Software)

This section has been removed from the report.

<u>Chapter 12</u>: Documentation and Support Services

This chapter was not evaluated under the scope of this accessibility evaluation effort, so the language included in this section is based on an internal evaluation of the ArcGIS [product] support documentation and services.

Table 12: EN 301 549 Chapter 12 - Documentation and Support Services

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| 12.1 Product Documentation | | |
| 12.1.1 Accessibility and Compatibility Features Product documentation provided with the ICT whether provided separately or integrated within the ICT shall list and explain how to use the accessibility and compatibility features of the ICT. | Partially Supports | Web-based electronic support documentation is available for this product. Some information pertaining accessibility features or assistive technology compatibility with built-in features found in Chapter 5: Software are not included in documentation. |
| 12.1.2 Accessible Documentation Product documentation provided with the ICT shall be made available in at least one of the following electronic formats: web or non-web. | Supports | Web-based electronic support documentation is available for this product. |
| 12.2 Support Services | | |
| 12.2.2 Information on Accessibility and Compatibility Features ICT support services shall provide information on the accessibility and compatibility features that are mentioned in the product documentation. | Supports | Technical support is available directly to the user for this product, and Esri Accessibility contact information is provided in this report. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| 12.2.3 Effective Communication | Supports | Technical support is available directly to the user for this product, and Esri Accessibility contact information is provided in this report. |
| ICT support services shall accommodate the communication needs of individuals with disabilities either directly or through a referral point. | | |
| 12.2.4 Accessible Documentation | Supports | Web-based electronic support documentation is |
| Documentation provided by support services shall be made available in at least one of the following electronic formats: web or non-web. | | available for this product. |