

Table 1. Continued.

27	PA27	Pine Ave	HS	74.25542	31.37631	174	150	0.293	0.047	77	16	0
28	RR28	Lahore Ring Road	RD	74.25779	31.37153	150	130	0.221	0.042	77	16	0
29	RR29	Lahore Ring Road	RD	74.26416	31.36871	145	127	0.207	0.045	77	16	0
30	RR30	Lahore Ring Road	RD	74.25307	31.36947	163	139	0.219	0.04	75	16	5
31	RR31	Lahore Ring Road	RD	74.24883	31.3699	163	140	0.965	0.04	75	16	5
32	RR32	Lahore Ring Road	RD	74.24015	31.37011	175	152	1.22	0.042	75	16	5
33	RR33	Lahore Ring Road	RD	74.23481	31.36965	228	199	2.944	0.041	72	17	5
34	EP34	Edenabad Park	PR	74.24923	31.37584	25	23	0.286	0.006	38	27	0
35	ES35	Edenabad Society	HS	74.24868	31.37417	26	23	0.402	0.011	38	27	0
36	FS36	Fazaia Housing Society	HS	74.24365	31.37313	26	22	0.305	0.02	38	27	0
37	FS37	Fazaia Housing Society	HS	74.24072	31.37271	20	18	0.613	0.025	38	26	0
38	FS38	Fazaia Housing Society	HS	74.23717	31.37575	37	33	0.786	0.022	40	26	18
39	FS39	Fazaia Housing	HS	74.24346	31.37658	25	22	0.251	0.021	40	26	18
40	CM40	Supper Mart	MK	74.25257	31.37542	33	30	0.715	0.013	40	26	11
41	KS41	Khayaban-e-Amin	HS	74.26059	31.37431	146	127	0.092	0	76	17	8
42	KS42	Khayaban-e-Amin	HS	74.2676	31.37085	157	134	0.04	0.005	76	17	8
43	KS43	Khayaban-e-Amin	HS	74.27041	31.3741	140	121	0.06	0.003	76	17	8
44	CS44	Cricket Stadium	SP	74.25896	31.38068	162	139	0.183	0.019	76	17	8
45	HD45	Hudiara Drain	DR	74.25803	31.38288	164	144	0.219	0.07	76	17	8
46	HD46	Hudiara Drain	DR	74.26296	31.38217	161	136	0.251	0.049	76	17	8
47	KS47	Khayaban-e-Amin	HS	74.26313	31.38041	172	146	0.368	0.023	76	17	8
48	KS48	Khayaban-e-Amin	HS	74.26663	31.38131	167	144	0.537	0.051	76	17	8
49	KS49	Khayaban-e-Amin	HS	74.26754	31.3779	169	150	0.229	0.02	76	17	8
50	KS50	Khayaban-e-Amin	HS	74.27047	31.38203	176	153	0.598	0.188	76	17	8
		Minimum				19	17	0.003	0	31	15	0
		Maximum				228	199	9.659	0.476	77	28	24
		Average				95.48	82.92	1.24174	0.0514	54.22	22.26	10.54
		Standard Deviation				63.016	54.437	2.046	0.079	17.537	4.690	7.368

