

The Pulsar Signal Simulator: A Python package for simulating radio signal data from pulsars

Jeffrey S. Hazboun¹, Brent Shapiro-Albert^{2, 3}, Paul T. Baker⁴, Amelia M. Henkel⁵, Cassidy M. Wagner⁶, Jacob Hesse¹, Paul R. Brook^{2, 3}, Michael T. Lam^{7, 8}, Maura A. McLaughlin^{2, 3}, and Nathan Garver-Daniels^{2, 3}

1 Physical Sciences Division, University of Washington Bothell, 18115 Campus Way NE, Bothell, WA 98011, USA **2** Department of Physics and Astronomy, West Virginia University, P.O. Box 6315, Morgantown, WV 26506, USA **3** Center for Gravitational Waves and Cosmology, West Virginia University, Chestnut Ridge Research Building, Morgantown, WV 26505, USA **4** Department of Physics and Astronomy, Widener University, One University Place, Chester, PA 19013, USA **5** University of New Hampshire **6** Department of Astronomy, University of Illinois, 1002 West Green Street, Urbana IL 61802, USA **7** School of Physics and Astronomy, Rochester Institute of Technology, Rochester, NY 14623, USA **8** Laboratory for Multiwavelength Astrophysics, Rochester Institute of Technology, Rochester, NY 14623, USA

DOI: [10.21105/joss.02757](https://doi.org/10.21105/joss.02757)

Software

- [Review ↗](#)
- [Repository ↗](#)
- [Archive ↗](#)

Editor: Monica Bobra ↗

Reviewers:

- [@JBorrow](#)
- [@arjunsavel](#)

Submitted: 15 October 2020

Published: 14 February 2021

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

In partnership with



This article and software are linked with research article DOI [10.3847/1538-4357/abdc29](https://doi.org/10.3847/1538-4357/abdc29), published in the *Astrophysical Journal*.

Summary

Pulsar observations have been a hallmark of radio astronomy since Jocelyn Bell Burnell discovered the repeating signal from PSR B1919+21 in 1967 ([Hewish et al., 1968](#)). Today, most radio frequency observatories include dedicated equipment for observations of pulsars, e.g., [Roshi et al. \(2019\)](#), [Lynch et al. \(2019\)](#), [Stairs et al. \(2019\)](#), [Bailes et al. \(2020\)](#). The phenomenal precision of pulsar rotational periods has allowed for many notable observations stemming from strong field general relativity, including a Nobel Prize for the discovery of the first binary neutron star ([Hulse & Taylor, 1975](#)), which led to the first evidence for gravitational waves ([Taylor & Weisberg, 1982](#)).

Pulsars continue to be used as probes of gravity as the constituents of pulsar timing arrays (PTAs). PTAs are collections of highly precise millisecond pulsars regularly monitored for shifts in their pulse arrival times indicative of gravitational waves in the nanohertz regime. See [Ransom et al. \(2019\)](#), [Hobbs & Dai \(2017\)](#) and [Burke-Spolaor & others \(2019\)](#) for a review of pulsar timing arrays and the astrophysics of nanohertz gravitational waves.

Statement of Need

In order to use neutron stars as a galactic-scale gravitational wave observatory, it is important to understand the noise that affects the timing of radio pulses. The pulse times of arrival are modeled deterministically using aspects of the pulse profile, intrinsic flux, orbital parameters of the pulsar (if in a binary system), proper motion across the sky, effects of the interstellar medium (ISM), position of the observatory with respect to the solar system barycenter and various aspects of the telescope and backend processing. Additionally, stochastic noise processes affect the times of arrival.

A number of c/c++-based packages exist which have pulsar signal simulation capabilities. The *SigProc* package ([Lorimer, 2011](#)) has long been publicly available for processing radio-based pulsar observation data and has a simulation module that uses a timing model to reproduce

data in its native `fb` data structure. PSRCHIVE ([Hotan et al., 2004; van Straten et al., 2012](#)), another popular software package for processing radio data of pulsars, has the ability to produce simulated pulsar profiles, but not as part of a full simulation pipeline. There are timing packages ([Hobbs & Edwards, 2012; Luo et al., 2019](#)) that can simulate noise/signals in the times of arrival of pulses, for instance to simulate gravitational wave signals, but these are a derivative data product making the injection of some noise processes and signals more difficult. The end-to-end simulation of `PsrSigSim` provides a way to study the covariances of the timing model and noise terms in a physically motivated and controlled manner using the basal data product output from radio observations.

`PsrSigSim` is the first Python package for general-purpose simulation of radio telescope data from pulsar timing observations, based on the formalism presented in ([Shapiro-Albert et al., 2020](#)). It uses standard Python packages, such as NumPy ([van der Walt et al., 2011](#)) and Astropy ([Astropy Collaboration et al., 2018](#)), to simulate radio pulses from a neutron star and the effects of the interstellar material on the signal propagation. Signal objects are passed to Pulsar objects and Telescope objects to build a realistic pulsar signal from scratch. ISM objects use various signal-processing techniques, such as the Fourier shift theorem and convolution of pulse profiles with decaying exponentials, in order to simulate the frequency-dependent effects of the interstellar medium on pulse arrival times. `PsrSigSim` interfaces with various pulsar data standards, such as PSRFITS ([Hotan et al., 2004](#)), to build data products that can be passed to existing data-processing pipelines.

The modularity of the simulation allows enumerable options for investigating the processing of pulsar signals using the built-in features. It also allows users to add new physical effects with ease. The signals from different pulsars can be treated by the same telescope in order to investigate how various pulsars would look using a particular telescope configuration. A user can either use a provided telescope/backend, or build one with their own specifications. This modularity also makes `PsrSigSim` an excellent tool for educating students about the physics of pulsar signals and how they are observed and processed.

The generic functionality, modularity and the ability to add user-defined signals/noise make `PsrSigSim` an useful tool for all pulsar researchers.

Acknowledgements

JSH, BJS, PTB, PRB, MAM and MTL acknowledge subawards from the NSF NANOGrav Physics Frontier Center (NSF PFC-1430284). BJS acknowledges support from West Virginia University through the STEM Mountains of Excellence Fellowship. Finally, we thank Richard Prestage, Joseph D. Romano, Tim T. Pennucci and Paul B. Demorest for useful discussions.

References

- Astropy Collaboration, Price-Whelan, A. M., Sipőcz, B. M., Günther, H. M., Lim, P. L., Crawford, S. M., Conseil, S., Shupe, D. L., Craig, M. W., Dencheva, N., Ginsburg, A., VanderPlas, J. T., Bradley, L. D., Pérez-Suárez, D., de Val-Borro, M., Aldcroft, T. L., Cruz, K. L., Robitaille, T. P., Tollerud, E. J., ... Astropy Contributors. (2018). The Astropy Project: Building an Open-science Project and Status of the v2.0 Core Package. *156*, 123. <https://doi.org/10.3847/1538-3881/aabc4f>
- Bailes, M., Jameson, A., Abbate, F., Barr, E. D., Bhat, N. D. R., Bondonneau, L., Burgay, M., Buchner, S. J., Camilo, F., Champion, D. J., Cognard, I., Demorest, P. B., Freire, P. C., Gautam, T., Geyer, M., Griessmeier, J.-M., Guillemot, L., Hu, H., Jankowski, F., ... Welz, M. G. (2020). The MeerKAT telescope as a pulsar facility: System verification and early science results from MeerTime. *37*, e028. <https://doi.org/10.1017/pasa.2020.19>

- Burke-Spolaor, S., & others. (2019). The Astrophysics of Nanohertz Gravitational Waves. *Astron. Astrophys. Rev.*, 27(1), 5. <https://doi.org/10.1007/s00159-019-0115-7>
- Hewish, A., Bell, S. J., Pilkington, J. D. H., Scott, P. F., & Collins, R. A. (1968). Observation of a Rapidly Pulsating Radio Source. 217(5130), 709–713. <https://doi.org/10.1038/217709a0>
- Hobbs, G., & Dai, S. (2017). Gravitational wave research using pulsar timing arrays. *Natl. Sci. Rev.*, 4(5), 707–717. <https://doi.org/10.1093/nsr/nwx126>
- Hobbs, G., & Edwards, R. (2012). *Tempo2: Pulsar Timing Package* (p. ascl:1210.015).
- Hotan, A. W., van Straten, W., & Manchester, R. N. (2004). PSRCHIVE and PSRFITS: An Open Approach to Radio Pulsar Data Storage and Analysis. 21(3), 302–309. <https://doi.org/10.1071/AS04022>
- Hulse, R. A., & Taylor, J. H. (1975). Discovery of a pulsar in a binary system. 195, L51–L53. <https://doi.org/10.1086/181708>
- Lorimer, D. R. (2011). *SIGPROC: Pulsar Signal Processing Programs* (p. ascl:1107.016). <http://sigproc.sourceforge.net/>
- Luo, J., Ransom, S., Demorest, P., van Haasteren, R., Ray, P., Stovall, K., Bachetti, M., Archibald, A., Kerr, M., Colen, J., & Jenet, F. (2019). *PINT: High-precision pulsar timing analysis package* (p. ascl:1902.007).
- Lynch, R., Armentrout, W. P., Bonsall, A., Butterfield, N., Frayer, D. T., Ghigo, F., Ghosh, T., Lockman, F. J., Maddalena, R. J., Minter, A., Morgan, L., O'Neil, K. L., Salter, C., Seymour, A., & Skipper, J. (2019). Advanced Capabilities for the Green Bank Telescope. *Bulletin of the American Astronomical Society*, 51, 151.
- Ransom, S., Brazier, A., Chatterjee, S., Cohen, T., Cordes, J. M., DeCesar, M. E., Demorest, P. B., Hazboun, J. S., Lam, M. T., Lynch, R. S., McLaughlin, M. A., Ransom, S. M., Siemens, X., Taylor, S. R., & Vigeland, S. J. (2019). The NANOGrav Program for Gravitational Waves and Fundamental Physics. *Bulletin of the American Astronomical Society*, 51, 195. <http://arxiv.org/abs/1908.05356>
- Roshi, A., Anderson, L. D., Araya, E., Balser, D., Brisken, W., Brum, C., Campbell, D., Chatterjee, S., Churchwell, E., Condon, J., Cordes, J., Cordova, F., Fernandez, Y., Gago, J., Ghosh, T., Goldsmith, P. F., Heiles, C., Hickson, D., Jeffs, B., ... Zambrano-Marin, L. F. (2019). Arecibo Observatory in the Next Decade. *Bulletin of the American Astronomical Society*, 51, 244. <http://arxiv.org/abs/1907.06052>
- Shapiro-Albert, B. J., Hazboun, J. S., McLaughlin, M. A., & Lam, M. T. (2020). A study in frequency-dependent effects on precision pulsar timing parameters with the pulsar signal simulator. *arXiv*. <http://arxiv.org/abs/2010.07301>
- Stairs, I., Kaspi, V., Demorest, P., Dobbs, M., Halpern, M., Hinshaw, G., Land ecker, T., Pen, U.-L., Ransom, S., Smith, K., Vanderlinde, K., van Kerkwijk, M., Fonseca, E., Luo, J., Meyers, B., Michilli, D., Naidu, A., Ng, C., Scholz, P., ... Taylor, S. (2019). Pulsar Timing Arrays: Gravitational Waves from Supermassive Black Holes and More. *Canadian Long Range Plan for Astronomy and Astrophysics White Papers*, 2020, 16. <https://doi.org/10.5281/zenodo.3756164>
- Taylor, J. H., & Weisberg, J. M. (1982). A new test of general relativity: Gravitational radiation and the binary pulsar PS R 1913+16. *Astrophys. J.*, 253, 908–920. <https://doi.org/10.1086/159690>
- van der Walt, S., Colbert, S. C., & Varoquaux, G. (2011). The NumPy array: A structure for efficient numerical computation. *Computing in Science Engineering*, 13(2), 22–30. <https://doi.org/10.1109/MCSE.2011.37>

van Straten, W., Demorest, P., & Oslowski, S. (2012). Pulsar Data Analysis with PSRCHIVE. *Astronomical Research and Technology*, 9, 237–256. <http://arxiv.org/abs/1205.6276>