

Development of Decision Support System for Effective COVID-19 Management

Shuvrangshu Jana¹, Rudrashis Majumder², Aashay Bhise³, Nobin Paul⁴,
Stuti Garg⁵, and Debasish Ghose⁶

¹*Post-doctoral Fellow, Department of Aerospace Engineering, Indian Institute of Science,
Bangalore, shuvrangshuj@iisc.ac.in*

²*Ph.D. Student, Department of Aerospace Engineering, Indian Institute of Science, Bangalore,
rudrashism@iisc.ac.in*

³*Project Associate, Department of Aerospace Engineering, Indian Institute of Science,
Bangalore, meetaashay3@gmail.com*

⁴*Ph.D. Student, Department of Aerospace Engineering, Indian Institute of Science, Bangalore,
nobinpaul@iisc.ac.in*

⁵*Project Assistant, Department of Aerospace Engineering, Indian Institute of Science,
Bangalore, stutigarg9@gmail.com*

⁶*Professor, Department of Aerospace Engineering, Indian Institute of Science, Bangalore,
dghose@iisc.ac.in*

Abstract

This paper discusses a Decision Support System (DSS) for cases prediction, allocation of resources, and lockdown management for managing COVID-19 at different levels of a government authority. Algorithms incorporated in the DSS are based on a data-driven modeling approach and independent of physical parameters of the region, and hence the proposed DSS is applicable to any area. Based on predicted active cases, the demand of lower-level units and total availability, allocation, and lockdown decision is made. A MATLAB-based GUI is developed based on the proposed DSS and could be implemented by the local authority.

Keywords: COVID-19; Decision Support System; GUI; Resource allocation; Lockdown management; Prediction

1 Introduction

Management of COVID-19 involves optimal lockdown planning, estimation and arrangement of critical medical resources, and allocation of resources among the units in an optimal manner. The human intervention for this set of activities is sometimes not optimal because of bias and other inaccuracies. Hence, building an autonomous decision support system (DSS) to handle all the activities related to disaster management can address the problems arising from the situation more effectively.

In the past, developing DSS has been given much importance by disaster researchers. Some early works of literature mainly focus on designing the decision support system for the influenza pandemic response. [Jenvald et al. \(2007\)](#) propose a simulation framework to simulate the pandemic environment and relate it to the decision support system (DSS) for influenza preparedness and response. [Fair et al., 2007](#) developed another simulation setup to model the time-dependent evolution of influenza. [Arora et al., 2012](#) focus on the complexities associated with the decision-making during the outbreak of influenza pandemic. [Araz et al., 2013](#) design a DSS to take decisions on the closure and reopening of schools to minimize influenza infection. [Araz, 2013](#) present a general multi-criteria decision-making framework to make preparedness plans with DSS in order to integrate the estimation of important epidemiological parameters. [Fogli and Guida, 2013](#) develops a decision system for emergency response during a pandemic. [Shearer et al., 2020](#) incorporates dynamic information about the pandemic from the situational awareness framework and integrates it into the broader DSS for pandemic response. Authors in [Phillips-Wren et al., 2020](#) mainly focus on decision-making during the stressful outbreak of COVID-19. [Currion et al., 2007](#) talk about the significance of an open-source software model for disaster management. A brief introduction to Sahana software is also given in this paper. [Iyer and Mastorakis, 2006](#) discuss the important elements of disaster management and the development of a software tool to facilitate disaster DSS. Several other papers like [Li et al., 2013](#); [Shukla and Asundi, 2012](#) also focus on the software modeling for emergency and disaster management.

Researchers of different fields focused on developing DSS to mitigate the effect of the COVID-19 pandemic outbreak in 2020. [Güler and Geçici, 2020](#) find the solution for the problem of shift scheduling of the physicians by using mixed-integer programming and then using it in a DSS. In [Sharma et al., 2020](#), a multi-agent intelligent system is

developed for decision-making to assist the patients. (Hashemkhani Zolfani et al., 2020) address hospital location selection problem for COVID-19 patients using gray-based DSS. The paper (Govindan et al., 2020) develops a practical decision support system depending on the health practitioners' knowledge and fuzzy information system to break the chain of COVID infection. (Marques et al., 2021) uses AI-based prediction model for decision making in COVID-19 situation.

The DSS related to COVID-19 reported in the literature is mostly focused on specific activities related to resource management by medical personnel in a hospital environment. However, an integrated DSS covering estimation, allocation, and lockdown management for government authority will help efficient disaster management. This paper describes autonomous DSS that addresses prediction, allocation, and optimal lockdown management for efficient management of COVID-19 in India. The algorithms incorporated in DSS are scalable and flexible, and thus it applies to any level of a government authority. The algorithms are based on a short-term prediction of COVID-19 cases using the time series data of reported cases. A graphical GUI is developed for decision making and the GUI inputs are demand/availability of critical items and total cases, recovered cases, and deceased cases. The proposed DSS could help the authorities to take crucial allocation and lockdown decisions in an optimal manner.

The rest of the paper is described as follows: Section 2 describes the current status of the decision-making process in COVID-19 and the requirement of DSS. The overview of the algorithms incorporated in DSS is presented in Section 3. The description of the GUI of DSS is shown in Section 4.

2 COVID-19 management

The important tasks of a COVID management authority are the prediction of COVID-19, computation of demand, allocation and distribution of critical items, and decision making for the level of lockdown. In general, COVID-19 is managed through different hierarchical levels of authorities, and each level has different responsibilities. COVID-19 management structure in the context of India is shown in Fig. 1. In this case, COVID management is performed through centre, state, district, and block hierarchy. Different responsibilities at each level are also mentioned. At centre level critical resources

like oxygen and ventilator are allocated to different states, and those items are further distributed to district authorities to be distributed to the hospital. Clearly, the allocation of critical resources is performed at different levels, and the allocation factor is not the same at each level. The allocation should generally depend on the parameters related to active cases, total cases, test positive ratio, and existing resources. At the initial stages of the pandemic, the decision for the lockdown was taken only at the top level; however, at later stages, the local authorities also took the drastic decision of lockdown. The primary factors behind the resource allocation and lockdown decision are the prediction of total cases and active cases. Currently, different physical models are adopted by different authorities; however, there is no standardized model approved by the government authority. Also, modeling the dynamics of the pandemic is complex, and its parameter needs to be calibrated for each new area. Therefore, sometimes the factors behind the allocation are not justifiable in a quantitative sense.

2.1 Decision Support System for COVID-19

COVID-19 management at the government level is a complex task to ensure proper estimation of demand, optimal allocation of resources, and optimal lockdown management. The critical decision needs to be taken considering economic, medical, and complex social factors. Also, the decision-making criteria need to be formulated using quantitative tools rather than qualitative factors for fair and optimal allocation. As decision-making has to be performed at each level, it might not be possible for each allocation authority to model these factors quantitatively. Currently, a COVID management authority has no standard tool to ensure optimal allocation and lockdown. Clearly, it is not easy to always make optimal decisions by a COVID-19 management authority without access to high-level technical expertise. A DSS for taking the decision of allocation and lockdown could help the government authorities in the optimal decision and avoid catastrophic failure.

In general, a decision support software should be able to integrate the information from the multiple layers of spatial and statistical databases and aid in decision making. In the case of COVID-19 management, DSS should be designed such that it could take the decision of estimation, allocation, and lockdown management from the observed cases of total cases recovered cases and deceased cases without the requirement of complex algorithm parameters. Apart from allocation and lockdown analysis, the prediction of




Figure 1: COVID management at different level

COVID-19 should be available to authorities for decision-making. The prediction module should be integrated into suitable external information sources for the early prediction of disaster.

3 Algorithms

In this section, the overview of algorithms for decision-making is discussed. Algorithms need to be designed, keeping in mind that they should be scalable and flexible. The scalability is required to ensure that DSS is applicable at lower levels consisting of the population in millions to higher-level consist of the population in tens of millions. Flexibility is required so that the algorithms are mostly independent of the region. The three

important algorithms for prediction, allocation, and lockdown management is discussed.

3.1 COVID-19 prediction

The various COVID-19 prediction models are available in literature based on physical modeling, data-driven modeling, and a hybrid approach that combines physical and data-driven modeling. The physical and hybrid models will require transmission parameters for each region; however, the data-driven model will need only the observed values of total cases, recovered cases, and deceased cases. Physical modeling tries to model the actual dynamics of the pandemic, but most of the pandemic-related government decisions are taken based on the reported cases. Public perception of COVID management is mostly based on the reported cases rather than the actual COVID cases. The data-driven model will satisfy the flexible criteria and also be simple for lower-level authorities. We have considered a data-driven adaptive short-term model reported by [Jana and Ghose \(2020\)](#) for the development of DSS. In this case, case prediction is developed using time series data of previous observations. The prediction function is adaptively updated based on weighted least square functions to track the current dynamics of COVID-19. The total cases, active cases, deceased cases, and active cases could be predicted using the previous observations, and the prediction is found to be reasonable up to 2-3 weeks. As the function is adaptive and the decision frequency of administration will not be generally higher than two weeks, this algorithm could be integrated into DSS.

3.2 Allocation

Disaster management authorities allocate the lower units based on resources available from the upper administrative level and the demand requirement for the lower administrative level. The resource allocation module should be able to allocate optimally among the lower level using their demand and severity ([Jana et al., 2021a](#)). The allocation mechanism in COVID-19 is complex as the unit demand of each critical item might vary from region to region based on region-specific medical and social factors. For example, the amount of oxygen to be provided to the patient could differ depending on the medical protocol developed by the individual region. So, the demand for medical items of low-level units is difficult to compare because of variation in protocol and unavailability of data of existing resources. So, for this, algorithms need to be selected which can incor-

porate those uncertain factors. In this case, we have considered an optimization model which considers the demand of lower units and demand based on their active cases (Jana et al. (2021b)). For allocation of each item, the inputs are the demand of each item and the maximum value of the active cases over the next seven days. This prediction of active cases is performed using the prediction algorithm described earlier. This algorithm provides a closed-form solution, and it is scalable for any number of units.

3.3 Lockdown management

The decision for lockdown allows less medical load, but it has a detrimental effect on the economy and various social factors. However, it is difficult to incorporate all these factors accurately in the decision-making process as modeling of this factor is not possible at each level. To develop a simple DSS, it should be independent of those factors. Since ensuring the availability of the medical items is the main criteria for lockdown, we have adopted a lockdown algorithm for DSS, proposed by Jana and Ghose (2021) to ensure that there is no scarcity of medical items. In this algorithm, the demand of each item over the next 14 days is checked, and lockdown is recommended if the availability of any of the critical items is lower than the demand at any point. The demand for the next 14 days of each item is calculated as a function of predicted active cases.

4 Graphical user interface design

Graphical user interface to be designed so that it is easily implementable at lowest lower level of authorities with limited access to technical resources. Tentative input and output of the DSS is shown in Fig. 2. Clearly, user needs to enter the COVID statistic and the demand of critical items for decision making process and no specific parameter related to a particular area is needed.

Generally, statistics of COVID cases are available in a specific format, and GUI has to be designed so that the output is obtained with limited manual intervention. The input data could be linked with the database of COVID-19 to reflect the automatic change in the status. Currently, We have developed the DSS in MATLAB specific to the Indian context; however, it is easily adaptable for different countries. The snapshots of the different tabs of GUI are shown in Figs. 3 -8. GUI has three tabs: prediction, allocation,




Figure 2: Input-output block diagram of GUI

and lockdown. GUI is currently developed for the central government of India, and few states are considered for demonstration of GUI. The prediction tab selects cases history from the CSV file, and the prediction graph is generated. In the case of India, this file is directly available from the “<https://api.covid19india.org/>”. Based on the states and type of graph tab, the predicted graph is generated. The snapshots related to the prediction tab are shown in Fig. 3 - Fig. 5. The GUI is currently run using the data up to 10 May 2021, and the graph in Fig. 5 shows the prediction of active cases of Karnataka for the next 14 days.

In the allocation tab (Fig. 6), the user can select the items to be allocated and the corresponding units for allocation. In this case, we have demonstrated for four states. The user only needs to enter the corresponding demand of each state and the total amount. The back-end algorithm predicts the active cases and incorporates that in the allocation algorithm. An allocation scenario is considered to demonstrate the effective integration of the allocation algorithm with GUI. As shown in Fig. 6, the allocation of oxygen is performed considering four states, and their individual demands are 2000, 1000, 1200, 300 MT. The total available oxygen for allocation is 3200 MT. The final allocation is shown in Fig. 7. The allocation algorithm considered the prediction of active cases of states on the back-end side. The final allocation is shown to be 1072, 789.8, 1185, 152.9 MT. In the lockdown tab (Fig. 7) user only needs to enter the available values of the critical items.

The back-end checks using predicted demand and recommend the lockdown requirement.




Figure 3: Prediction Tab (a)




Figure 4: Prediction Tab (b)




Figure 5: Prediction Tab (c)

Figure 6: Allocation Tab (a)

COVID 19 DECISION SUPPORT SOFTWARE

Prediction Allocation Lock Down

Number of States

Variable Total amount

State	Demand	Allocation
State 1: Maharashtra	<input type="text" value="2000"/>	<input type="text" value="1072"/>
State 2: Kerala	<input type="text" value="1000"/>	<input type="text" value="789.8"/>
State 3: Karnataka	<input type="text" value="1200"/>	<input type="text" value="1185"/>
State 4: Delhi	<input type="text" value="300"/>	<input type="text" value="152.9"/>

Allocate

Figure 7: Allocation Tab (b)

COVID 19 DECISION SUPPORT SOFTWARE

Prediction Allocation Lock Down

Drop Down

Resource	Available	Demand	Status
Ventilator	<input type="text" value="2000"/>	<input type="text" value="1800"/>	●
Oxygen	<input type="text" value="1000"/>	<input type="text" value="1570"/>	●
Medicine	<input type="text" value="30000"/>	<input type="text" value="25000"/>	●

Check **LockDown**

Figure 8: Lockdown Tab

5 Conclusions

In this paper, a decision support system to aid in the decision-making of authorities for the management of COVID-19 is presented. The proposed DSS consists of the prediction of COVID-19, optimal allocation, and lockdown management. The backend algorithms for the DSS are developed based on a data-driven approach so that the proposed DSS is applicable for any region. A MATLAB GUI is developed incorporating the proposed DSS. Authorities could use the developed DSS for managing the allocation and lockdown-related tasks related to COVID-19.

References

- Araz, O. M. (2013). Integrating complex system dynamics of pandemic influenza with a multi-criteria decision making model for evaluating public health strategies. *Journal of Systems Science and Systems Engineering*, 22(3):319–339.
- Araz, O. M., Lant, T., Fowler, J. W., and Jehn, M. (2013). Simulation modeling for pandemic decision making: A case study with bi-criteria analysis on school closures. *Decision Support Systems*, 55(2):564–575.
- Arora, H., Raghu, T., and Vinze, A. (2012). Decision support for containing pandemic propagation. *ACM Transactions on Management Information Systems (TMIS)*, 2(4):1–25.
- Currion, P., Silva, C. d., and Van de Walle, B. (2007). Open source software for disaster management. *Communications of the ACM*, 50(3):61–65.
- Fair, J. M., LeClaire, R. J., Wilson, M. L., Turk, A. L., DeLand, S. M., Powell, D. R., Klare, P. C., Ewers, M., Dauelsberg, L., and Izraelevitz, D. (2007). An integrated simulation of pandemic influenza evolution, mitigation and infrastructure response. In *2007 IEEE Conference on Technologies for Homeland Security*, pages 240–245. IEEE.
- Fogli, D. and Guida, G. (2013). Knowledge-centered design of decision support systems for emergency management. *Decision Support Systems*, 55(1):336–347.
- Govindan, K., Mina, H., and Alavi, B. (2020). A decision support system for demand management in healthcare supply chains considering the epidemic outbreaks: A case

- study of coronavirus disease 2019 (COVID-19). *Transportation Research Part E: Logistics and Transportation Review*, 138:101967.
- Güler, M. G. and Geçici, E. (2020). A decision support system for scheduling the shifts of physicians during COVID-19 pandemic. *Computers & Industrial Engineering*, 150:106874.
- Hashemkhani Zolfani, S., Yazdani, M., Ebadi Torkayesh, A., and Derakhti, A. (2020). Application of a gray-based decision support framework for location selection of a temporary hospital during COVID-19 pandemic. *Symmetry*, 12(6):886.
- Iyer, V. and Mastorakis, N. E. (2006). Important elements of disaster management and mitigation and design and development of a software tool. *WSEAS Transactions on Environment and Development*, 2(4):263–282.
- Jana, S. and Ghose, D. (2020). Adaptive short term COVID-19 prediction for india. *MedRxiv*.
- Jana, S. and Ghose, D. (2021). Optimal lockdown management using short term COVID-19 prediction model (submitted). *World Congress on Disaster Management(WCDM)*.
- Jana, S., Majumder, R., Menon, P. P., and Ghose, D. (2021a). Decision support system (DSS) for hierarchical allocation of resources and tasks for disaster management. Presented at *5th International Conference on Dynamics Of Disasters (DOD)*, Athens, Greece.
- Jana, S., Rudrashis, M., and Ghose, D. (2021b). Critical medical resource allocation during COVID-19 pandemic (submitted). *World Congress on Disaster Management(WCDM)*.
- Jenvald, J., Morin, M., Timpka, T., and Eriksson, H. (2007). Simulation as decision support in pandemic influenza preparedness and response. *Proceedings ISCRAM2007*, pages 295–304.
- Li, J. P., Chen, R., Lee, J., and Rao, H. R. (2013). A case study of private–public collaboration for humanitarian free and open source disaster management software deployment. *Decision Support Systems*, 55(1):1–11.

- Marques, J. A. L., Gois, F. N. B., Xavier-Neto, J., and Fong, S. J. (2021). Prediction for decision support during the COVID-19 pandemic. In *Predictive Models for Decision Support in the COVID-19 Crisis*, pages 1–13. Springer.
- Phillips-Wren, G., Pomerol, J.-C., Neville, K., and Adam, F. (2020). Supporting decision making during a pandemic: Influence of stress, analytics, experts, and decision aids. *The Business of Pandemics: The COVID-19 Story*, page 183.
- Sharma, A., Bahl, S., Bagha, A. K., Javaid, M., Shukla, D. K., Haleem, A., et al. (2020). Multi-agent system applications to fight COVID-19 pandemic. *Apollo Medicine*, 17(5):41.
- Shearer, F. M., Moss, R., McVernon, J., Ross, J. V., and McCaw, J. M. (2020). Infectious disease pandemic planning and response: Incorporating decision analysis. *PLoS medicine*, 17(1):e1003018.
- Shukla, M. M. and Asundi, J. (2012). Considering emergency and disaster management systems from a software architecture perspective. *International Journal of System of Systems Engineering* 4, 3(2):129–141.