



Search for low-mass resonances decaying into two jets and produced in association with a photon or a jet at $\sqrt{s} = 13$ TeV with the ATLAS detector

The ATLAS Collaboration

A search is performed for localized excesses in the low-mass dijet invariant mass distribution, targeting a hypothetical new particle decaying into two jets and produced in association with either a high transverse momentum photon or a jet. The search uses the full Run 2 data sample from LHC proton–proton collisions collected by the ATLAS experiment at a center-of-mass energy of 13 TeV during 2015–2018. Two variants of the search are presented for each type of initial-state radiation: one that makes no jet flavor requirements and one that requires both of the jets to have been identified as containing b -hadrons. No excess is observed relative to the Standard Model prediction, and the data are used to set upper limits on the production cross-section for a benchmark Z' model and, separately, for generic, beyond the Standard Model scenarios which might produce a Gaussian-shaped contribution to dijet invariant mass distributions. The results extend the current constraints on dijet resonances to the mass range between 200 and 650 GeV.

1 Introduction

The Standard Model of particle physics (SM) successfully describes a wide range of phenomena across many orders of magnitude of energy at colliders, astrophysical observatories, and other experiments [1]. Nevertheless it fails to account for many observed phenomena, such as the presence of dark matter (DM) [2–4] and the imbalance of matter over antimatter in the observable universe [5]. While there are a wide range of proposed models of physics beyond the SM (BSM) to explain these effects [6–17], this paper focuses on a search for a hadronically decaying resonance.

Z' bosons are hypothetical spin-1 vector bosons that are singlets under electric and color charge [1], predicted in a variety of BSM models as a potential mediator to dark matter particles [14, 17–22]. Direct Z' searches have shown to be an effective way of constraining BSM models [19–21]. Searches at the Large Hadron Collider (LHC) for Z' decays into pairs of charged leptons set strong constraints [21, 23], but may be eluded by choosing the couplings of the Z' such that it is *leptophobic*, meaning it does not couple to SM leptons. However, constraints from searches for hadronically decaying Z' resonances cannot be avoided in this way, since the same Z' - q - q decay vertex would also be responsible for Z' production at the LHC for any kind of resonance or search for topologies with a single reconstructed object recoiling against a large missing transverse energy. Additionally, the Z' - q - q vertex would be necessary for the dark matter self-annihilation cross-section that drives the relic-density for weakly interacting massive particles [2].

The ATLAS and CMS Collaborations at the LHC have published several searches that are sensitive to hadronic Z' production using a variety of strategies. Searches for excesses in the invariant mass of the two jets with the highest transverse momentum (p_T) in the event constrain Z' production at high masses [24–38]. The lower reach of these searches are limited by the bandwidth available to single- and multijet triggers, and so different strategies must be used to gain sensitivity to Z' masses below around twice the p_T threshold where these triggers become fully efficient, around 1 TeV. One strategy is to record only minimal information, but at a higher rate than the standard triggers, enabling lower trigger thresholds [31, 39]. A complementary approach, explored in this paper, relies on the production of high- p_T initial-state-radiation (ISR), such as a jet or a photon, which recoils against the Z' , enabling access to lower dijet masses without trigger bias. This type of search was performed by the ATLAS and CMS Collaborations in topologies where the two Z' decay products can be resolved as individual jets [40, 41] and the case where the decay products are sufficiently boosted to be reconstructed into a single large-radius jet [42–46].

This paper explores the resolved case, where the resonance decay products are reconstructed into two jets, covering a resonance mass range of 200 GeV to 650 GeV. In total, four different channels are studied, based on the type of ISR particle and the flavor composition of the Z' decay products. The first channel, γjj , selects events in which the ISR is a photon and applies an inclusive selection on the jets that form the Z' . The second channel, γbb , focuses on the case where the ISR is a photon and both jets are identified as containing b -hadrons (b -tagged). The third and fourth channels focus on the case where the ISR is a jet, both in the inclusive case (jjj), and the case where both jets from the candidate resonance decay are b -tagged (jbb). While b -tagging requirements impose assumptions on the Z' decay products, they also provide significant background suppression, resulting in a more powerful search for some models. The cross-sections for the jjj and jbb processes are higher than for γjj and γbb . However, the jjj channel has the additional challenge of identifying which jets might correspond to the Z' decay products, and which correspond to the ISR. Furthermore, different trigger thresholds apply for recorded events triggered by a photon or a jet. Hence a different kinematic acceptance is imposed on the ISR object for the various channels. The two channels where the ISR is a photon are collectively called the *photon* channels, while the two where the ISR is a jet are referred to as the *trijet* channels.

In addition to the increased luminosity, this analysis features several improvements over the previous analysis targeting the same signature [40], including a better b -tagging algorithm that reduces the background and the inclusion of the trijet channels. The dominant backgrounds for this search are multijet and single-photon production, which are estimated from data using a functional form fit to the m_{jj} distribution. For each channel, estimates for background and signal are combined into a likelihood function, where the signal yields are controlled by a free multiplicative parameter. The signal is interpreted as either a Z' boson or a generic narrow resonance producing a Gaussian-shaped bump in the measured mass spectrum.

The paper is organized as follows. The ATLAS detector at the LHC and the data and simulated samples used in this search are described in Sections 2–3. The object and event selection for the four channels are summarized in Section 4. The methodology of the search is introduced in Section 5 and the systematic uncertainties are discussed in Section 6. The results are presented in Section 7 and conclusions are drawn in Section 8.

2 The ATLAS detector

The ATLAS detector [47] at the LHC covers nearly the entire solid angle around the collision point.¹ It consists of an inner tracking detector surrounded by a thin superconducting solenoid, electromagnetic and hadron calorimeters, and a muon spectrometer incorporating three large superconducting air-core toroidal magnets.

The inner-detector system is immersed in a 2 T axial magnetic field and provides charged-particle tracking in the range of $|\eta| < 2.5$. The high-granularity silicon pixel detector covers the vertex region and typically provides four measurements per track, the first hit normally being in the insertable B-layer installed before Run 2 [48, 49]. It is followed by the silicon microstrip tracker, which usually provides eight measurements per track. These silicon detectors are complemented by the transition radiation tracker (TRT), which enables radially extended track reconstruction up to $|\eta| = 2.0$. The TRT also provides electron identification information based on the fraction of hits (typically 30 in total) above a higher energy-deposit threshold corresponding to transition radiation.

The calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. Within the region $|\eta| < 3.2$, electromagnetic calorimetry is provided by barrel and endcap high-granularity lead/liquid-argon (LAr) calorimeters, with an additional thin LAr presampler covering $|\eta| < 1.8$ to correct for energy loss in material upstream of the calorimeters. Hadron calorimetry is provided by the steel/scintillator-tile calorimeter, segmented into three barrel structures within $|\eta| < 1.7$, and two copper/LAr hadron endcap calorimeters. The solid angle coverage is completed with forward copper/LAr and tungsten/LAr calorimeter modules optimized for electromagnetic and hadronic energy measurements respectively.

The muon spectrometer comprises separate trigger and high-precision tracking chambers measuring the deflection of muons in a magnetic field generated by the superconducting air-core toroidal magnets. The field integral of the toroids ranges between 2.0 and 6.0 Tm across most of the detector. Three layers

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the center of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the center of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta y)^2 + (\Delta\phi)^2}$, where $y = (1/2)[(E + p_z)/(E - p_z)]$ is the object's rapidity defined by its energy and longitudinal momentum.

of precision chambers, each consisting of layers of monitored drift tubes, cover the region $|\eta| < 2.7$, complemented by cathode-strip chambers in the forward region, where the background is highest. The muon trigger system covers the range $|\eta| < 2.4$ with resistive-plate chambers in the barrel, and thin-gap chambers in the endcap regions.

Interesting events are selected by the first-level trigger system implemented in custom hardware, followed by selections made by algorithms implemented in software in the high-level trigger [50]. The first-level trigger accepts events from the 40 MHz bunch crossings at a rate below 100 kHz, which the high-level trigger further reduces to record events to disk at about 1 kHz.

An extensive software suite [51] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3 Data and Monte Carlo simulated samples

This analysis is performed using data from proton–proton (pp) collisions at $\sqrt{s} = 13$ TeV at the LHC, collected during 2015–2018 with the ATLAS detector. The total integrated luminosity of this data sample is 140 fb^{-1} [52], obtained using the LUCID-2 detector [53] for the primary luminosity measurements. Due to the high instantaneous luminosity and the large total inelastic pp cross-section, there are, on average, 33.7 collisions in each bunch crossing. The additional collisions not selected as the hard-scatter process are referred to as pileup collisions. Data in this analysis are required to satisfy standard quality requirements [54].

Samples of Monte Carlo (MC) simulated signal and background events are used in this analysis for optimization, estimate of possible signal contributions, and validation of background estimation strategies.

The main benchmark model is a simplified leptophobic Z' axial-vector mediator signal, which is used to test the sensitivity to potential resonant signals. The choice of this benchmark signal is motivated by the role that dijet resonance searches play in constraining possible interactions between dark matter and SM particles. This simplified model considers an s -channel mediator with axial-vector interactions, as described in Refs. [18, 55]. Two relevant parameters of this model in the dijet search are the Z' mass, and the coupling of the Z' to quarks (g_q), which affect the intrinsic width of the resonance. The mass of the dark matter fermion is set to be much heavier than the Z' mass, such that the decay width into dark matter is zero. In all channels, signal samples are generated for Z' masses between 200 GeV and 650 GeV, with the coupling of the mediator to non-top-quarks set to 0.2, regardless of the quark flavor. Such a choice for the coupling value is a benchmark model already used in other analyses [40]. Also, given the Z' intrinsic width for $g_q = 0.2$ is much smaller than the experimental resolution, such a sample is adequate to also model the shape of signals with slightly different or smaller g_q values. Signal samples are generated separately for a Z' decaying into u, d, s and c quark flavors and Z' decaying into b -quarks, in order to enhance the signal statistical precision for the b -tagged channels.

The signal samples are simulated using the MADGRAPH generator [56] at leading-order (LO) in perturbative quantum chromodynamics (QCD) with the NNPDF2.3_{LO} parton distribution function (PDF) set [57]. The events are interfaced to PYTHIA8.244 [58, 59] to model the parton shower, hadronization, and underlying event, with parameter values set according to the A14 tune [60]. EvtGen [61] is used to model decays of heavy flavor hadrons. To further increase statistical precision in the γjj channel, a generator-level filter is applied on the photon p_T . Two sets of samples are produced: one set with this filter defined to be $p_{T,\gamma} \geq 130$ GeV and a second with the filter at $p_{T,\gamma} \geq 65$ GeV. For the trijet channels, a generator-level jet

filter of 370 GeV is applied on the leading- p_T $R = 0.4$ jet, which is fully efficient for the reconstructed jet p_T threshold. The generator-level filters are chosen based on the triggers used in the two different analyses, to ensure high statistical precision for each mass point without introducing kinematic biases.

While the final background estimate is performed using a data-driven approach, background multijet and photon-plus-jets samples are used to optimize the event selection and validate the background estimation strategy. For the photon channels, prompt single-photon production is simulated with the SHERPA 2.2 [62] generator. In this arrangement and thanks to the Comix [63] and OPENLOOPS [64–66] libraries, matrix elements for up to two partons are calculated to next-to-leading-order (NLO) accuracy, while matrix elements for up to four partons are calculated at LO in QCD. They are matched with the SHERPA parton shower [67] using the MEPS@NLO prescription [68–71] with a dynamic merging scale cut [72] of 20 GeV. Photons are required to be isolated according to a smooth-cone isolation criterion [73]. Samples are simulated using the NNPDF3.0_{NNLO} PDF set [74], along with the dedicated set of tuned parton-shower parameters developed by the SHERPA authors.

For the trijet channels, background samples of simulated multijet processes are generated using PYTHIA 8.230 with the $2 \rightarrow 2$ matrix element, and additional jets are produced through the parton shower. Events are simulated using the A14 tune [60], the Lund string hadronization model and the NNPDF2.3_{LO} PDF set. The PYTHIA parton shower algorithm uses a dipole-style p_T -ordered evolution, and its renormalisation and factorisation scales are set to the geometric mean of the squared transverse masses of the outgoing particles.

The generated background and signal events are passed through a detailed detector simulation [75] based on GEANT4 [76]. Additional minimum-bias interactions simulated using PYTHIA8 with the A3 tune [77] and the NNPDF2.3_{LO} PDF set [57] are overlaid to the background and signal events, to model pileup interactions. The distribution of the average number of pileup interactions in simulation is reweighted during data analysis to match that observed in Run 2 data.

4 Event reconstruction and selection

4.1 Object reconstruction

While the four different channels use different combinations of objects, the object reconstruction is standardized across all of the different channels. Three different objects are used: jets, b -tagged jets, and photons.

Selected events are required to contain a primary vertex with at least two associated tracks with transverse momentum $p_T > 0.5$ GeV [78]. The vertex with the highest sum of p_T^2 of the associated tracks is taken as the primary vertex.

Jets in this analysis are reconstructed from particle flow objects [79] using the anti- k_r algorithm [80] as implemented in FASTJET [81], using a jet radius parameter $R = 0.4$. The ATLAS particle flow algorithm combines measurements from the ATLAS inner detector and calorimeter systems [82] to improve the jet energy resolution, reduce sensitivity to pileup effects, and improve jet reconstruction efficiency, especially at low jet p_T . The jet energy scale of particle flow jets is calibrated with a combination of simulation-based and *in situ* corrections [83]. Calibrated jets are required to have a $p_T > 25$ GeV and satisfy $|\eta| < 2.5$. To reduce the effects of pileup, jets with $p_T < 60$ GeV and $|\eta| < 2.4$ are required to satisfy the “tight” working point of the jet vertex tagger criteria [84], which selects jets originating from the selected primary vertex.

A set of quality criteria is also applied to reject events containing at least one jet arising from non-collision sources or detector noise [85].

Reconstructed jets are b -tagged using the DL1r multivariate algorithm [86]. Jets are considered b -tagged if they satisfy the 77% b -tag efficiency working point, as measured in inclusive $t\bar{t}$ events. The corresponding rejection factors for gluon/light-quark jets and charm-quark jets are approximately 200 and 5, respectively. This working point was found to result in optimal signal sensitivity for both the γbb and jbb channels.

Photons are reconstructed from energy deposits in the electromagnetic calorimeter [87]. Reconstructed photon candidates are required to have $p_T > 25$ GeV, and only central photons with $|\eta| < 2.5$ are considered, excluding the barrel/endcap calorimeter transition region ($1.37 < |\eta| < 1.52$). Only photons that satisfy the *tight* identification requirement are considered, and additional tight isolation requirements are imposed to further suppress contamination from jets [87].

An overlap removal procedure is applied to avoid any double-counting between the reconstructed photons and jets, by removing any jet with an angular distance $\sqrt{\Delta\eta^2 + \Delta\phi^2} < 0.4$ to any photon.

4.2 Photon channel selection

The two photon channels (γjj and γbb) are required to satisfy the single-photon trigger [88] with the lowest threshold where all events passing it are saved (unprescaled), and a single photon with $p_T > 150$ GeV is required in order for the trigger selection to be fully efficient. In addition, the event is required to have two reconstructed jets passing the selection in Section 4.1, and the two highest- p_T (leading) jets are used to reconstruct the resonance candidate. Several dijet and γ -jet kinematic variables were studied to enhance the $Z' \rightarrow q\bar{q}$ signal over the expected background, and the strongest discriminating variable was found to be the asymmetry $y^* = \frac{|y_1 - y_2|}{2}$, where y_1 and y_2 are the rapidities of the two selected jets. It is expected that a signal from Z' production produces isotropic jets while forward jets are more common in background events, causing the signal to have smaller values of y^* than the background. The shape of the y^* variable is found to be well described by the background simulation, with maximum differences of a few percent. A cut of $y^* < 0.825$ is applied to maximize the signal sensitivity across the different mass ranges. For the γbb channel, in addition to satisfying the selection for the γjj channel, the two leading jets in the event are required to satisfy the b -tagging requirements described in Section 4.1.

4.3 Trijet channel selection

In both the jjj and jbb channels, events are required to have at least three reconstructed jets, where the leading jet is required to be above 475 GeV to be fully efficient for the lowest unprescaled single jet trigger [89]. When considering only the three leading- p_T jets in a given event, there are three possible choices to assign two jets as corresponding to the resonance decay product candidates.² In the case where the resonance decays into two b -quarks, the combinatorial problem can be in principle trivially solved by identifying the two b -tagged-jets in the event. While possible, this causes challenges in background modeling, and so this trivial solution is not used. To illustrate the combinatorial problem more clearly, Figure 1 shows the particle-level dijet mass spectrum of different jet pairs for three different Z' signal samples. Each jet is assigned a number based on its p_T ordering, e.g., m_{12} is the dijet mass distribution

² While a fourth jet can contribute, it is typically not the dominant contribution, and so it is not considered, to simplify the combinatorics.




Figure 1: Distributions of particle-level dijet mass in simulated $Z' \rightarrow qq$ events corresponding to different combinations of two jets, where jets 1,2 and 3 correspond to the leading, sub-leading and third-leading jets. Signal events generated with (a) $m_{Z'} = 250$ GeV, (b) $m_{Z'} = 450$ GeV and (c) $m_{Z'} = 650$ GeV are shown.

(m_{jj}) of the leading and subleading jets. For lower Z' mass, the m_{23} contribution clearly peaks near the Z' mass, while at higher Z' mass, contributions from m_{13} become more important.

The combinatorial challenge is further complicated by the background estimate, which relies on a functional fit to a smoothly falling m_{jj} spectrum, meaning that any additional selection to solve the combinatorial problem must also result in a smooth m_{jj} spectrum. The dominant background for these channels may be simplistically modeled as balanced high- p_T dijet events where one jet emits a softer jet, resulting in a trijet event. Since the emitting jet loses some energy to its emission, the three jets are roughly p_T ordered from low to high as the emitted jet, the emitting jet, and the non-emitting jet, it is possible to roughly map m_{23} to $m_{\text{emitted,emitting}}$, m_{13} to $m_{\text{non-emitting,emitted}}$ and m_{12} to $m_{\text{non-emitting,emitting}}$. In reality, this description of the background does not fully describe the observed background. Multiple emissions may occur, and various detector effects can spoil the p_T balance of the reconstructed jets, meaning that the assumption that m_{23} corresponds to the mass of the emitting and emitted jet may not hold in some events.

The mass spectra of the three possible pairings have different shapes, since different underlying physics contributes to each of them. This is illustrated in Figure 2(a), which shows the m_{jj} distribution for m_{12} , m_{13} , and m_{23} distributions. Any generic combination of the different pairings will result in non-smoothness in




Figure 2: (a) Distributions of reconstructed dijet mass in simulated background events corresponding to different combinations of two jets, where jets 1,2 and 3 correspond to the leading, sub-leading and third-leading jets, and (b) comparison of the shape of the normalized selected dijet m_{jj} spectra in the case where the selected jets are the second and third leading jets ($m_{\min|\Delta\phi|} = m_{23}$), the first and third leading jets ($m_{\min|\Delta\phi|} = m_{13}$), or the first and second leading jets ($m_{\min|\Delta\phi|} = m_{12}$). Events are simulated with PYTHIA.

the spectrum, roughly corresponding to the turn-ons in these different pairings. Hence instead of pairing jets based solely on p_T -ordering, a different pairing method based on the kinematics of the three leading jets need to be used in the analysis.

Three similar options for choosing the dijet pairing were compared to determine which one results in the smoothest spectrum, each roughly corresponding to the mass of the emitting and emitted jet: the second- and third-leading jets (as described above), the jet pair with the minimum $|\Delta\phi|$, and the pair of jets with the lowest mass. The smoothness of the m_{jj} spectrum at low masses determines the fit range therefore limiting the lowest Z' mass reach covered by the search. The signal efficiencies of these three m_{jj} selection options are similar. However, selecting jet pairs with the minimum $|\Delta\phi|$ between them results in the smoothest low-mass spectrum in studies of multijet MC simulation.

One final aspect to consider is that in dijet-like topologies, where one of the high- p_T jets radiates a low- p_T gluon reconstructed as a jet, the gluon radiation tends to happen at small angles, while the two high- p_T jets are produced back-to-back. This means that the $|\Delta\phi|$ selection tends to identify the radiating jet and the gluon. Depending on which jet radiates the gluon, this selection can identify either the second- and third-leading jets or the first- and third-leading jets. In a small fraction of events, the $|\Delta\phi|$ selection identifies the two leading jets in the events as trijets, but where the underlying topological assumptions break down. These events, comprising around 0.2% of background events, do not produce a smooth m_{jj} spectrum, as shown in Figure 2(b). Based on this, events where the $|\Delta\phi|$ selection identifies the two leading jets are rejected to avoid biasing the fit.

To summarize, the algorithm selected to identify the Z' decay candidates takes the jet pair with the minimum $|\Delta\phi|$ between them and rejects the event if such jets correspond to the two p_T -leading jets. The pair of jets passing such requirements are referred to as the *selected jets* and, as explained above, produces the smoothest low-mass spectrum in studies of multijet MC simulation. No additional background suppression is applied, since cuts on observables such as y^* can sculpt the background distribution. For the jbb channel, in addition to passing the same jet requirements as the jjj channel, the two jets with the minimum $|\Delta\phi|$ between them are also required to be b -tagged.




Figure 3: Distributions of reconstructed dijet mass in simulated $Z' \rightarrow qq$ events with different $m_{Z'}$ values in the (a) γjj , (b) γbb , (c) jjj , and (d) jbb channels after full event selection.

The resulting signal m_{jj} distributions after the event selection are shown for each channel in Figure 3. The jjj channel, at higher masses, has a clear tail in the m_{jj} distribution resulting from the incorrect selection of the dijet pair. This tail is less pronounced for the jbb channel, owing to the additional b -tagging requirement imposed on the selected jets. The signal efficiency for the jbb selection gets smaller at high masses, as the selected dijet pair is often not b -tagged there. Such an effect is considered less relevant than obtaining a smoothly falling m_{jj} distribution for the background at lower m_{jj} values, as the more energetic part of the m_{jj} spectrum is better studied by other analyses [31, 39].

5 Methodology

The numbers of signal and background events are estimated channel-by-channel by binned profile likelihood fits of a signal-plus-background model to the measured m_{jj} distributions. The number of selected events as a function of m_{jj} is parameterized in the fit as:

$$n_{\text{tot}}(m_{jj}) = n_S \times f_S(m_{jj}) + n_B \times f_B(m_{jj}) \quad ,$$

where n_S and n_B are the number of signal and background events, respectively, and $f_S(m_{jj})$ and $f_B(m_{jj})$ are their probability distribution functions. All the distributions entering the fit are binned finely in bins of 1 GeV width, to minimize the loss of information and the typical biases of binned likelihood fits [90].

5.1 Signal templates

The likelihood fit results are interpreted using model-independent and model-dependent strategies. For the model-independent limits, the signal probability distribution functions are taken as Gaussian distributions, with a mean equal to the resonance mass, with widths ranging from 5% to 15%. The upper end of the template width is determined based on the results of the spurious signal test and signal injection test described in Section 5.2.

For the model-dependent limits, the shape of the m_{jj} distributions from simulated samples are used directly. Signal samples are produced with a limited set of signal masses, and these templates are used as inputs to an interpolation between mass points to provide a finer signal grid using the method described in Ref. [91].

5.2 Background estimate

The selected jets in non-resonant QCD processes, which constitute the SM background for this search, result in dijet systems with smoothly-falling invariant mass distributions. In order to estimate this background in the search regions, a class of parametric functions is fit to the m_{jj} distributions:

$$f_B(x) = p_1(1-x)^{p_2}x^{p_3+p_4\ln(x)+p_5\ln^2(x)+p_6\ln^3(x)},$$

where $x = m_{jj}/\sqrt{s}$, and p_1, p_2, p_3, p_4, p_5 , and p_6 are the fitted parameters. For an N -parameter fit, only the first N parameters are allowed to vary, while the higher- N terms are fixed to zero. Such functions were successfully used by a wide variety of dijet and multijet resonance searches by the CDF, CMS, and ATLAS Collaborations [25, 27, 32, 34, 92–97].

The data-driven background fitting procedure employs a 5-parameter function and was validated using several cross-checks, including spurious signal tests and signal injection tests. These tests were performed using simulated samples, with a subset of checks performed on a partial data sample.

The spurious signal test evaluates whether the fitting procedure is biased such that it produces a non-zero extracted signal when fitting a data sample with no true signal. This test is performed using many pseudodata distributions which are generated from background-only fits to the simulated m_{jj} distribution with a 6-parameter function, which has more flexibility than the final fit function. Each distribution is tested by performing signal+background fits with a 5-parameter fit function and various signal hypotheses. Gaussian-shaped signals with widths ranging from 5 to 15% of the signal mean are tested, as well as using the signal templates from the Z' simulated samples directly. For each pseudodata distribution and signal hypothesis n_S is determined, and the median value and standard deviation of the n_S distribution are taken to be S_{spur} and σ_{spur} respectively. To satisfy the spurious signal requirements, $S_{\text{spur}}/\sigma_{\text{spur}}$ is required to be less than 0.5 for every signal hypothesis mass point. This requirement is satisfied for all channels for Z' masses between 250 GeV and 650 GeV. While the fits extend to m_{jj} values beyond 650 GeV, higher signal masses do not always satisfy the spurious signal tests, and are not considered further. In addition, for the jjj channel, the signal shape degrades significantly at higher signal masses, since the selected jets often do not correspond to the resonance decay products. Finally, the jbb channel passes this requirement

for resonance masses down to 200 GeV, which is possible since the m_{jj} spectrum in this channel is smooth down to lower masses than the other channels.

The signal injection test is performed to ensure that the fit is able to extract a signal component with the expected signal strength. Simulated signal models, with both Gaussian shapes and in a range of widths and signal templates, are included in the fitted background distribution with a given signal cross-section selected to be in the range $0 - 5\sigma$, where $\sigma = n_S/\sqrt{n_B}$ and the number of signal and background events are determined using a 2σ window around the injected signal peak in each test. The injected signals in this study were extracted for pseudodata distributions, with the requirement that the median of the extracted significances is within 0.5σ of the injected significance, for all the signal hypotheses and mass points individually. These tests were satisfied for all channels for the same range of resonance masses and widths as with the spurious signal tests, while they failed for Gaussian-shaped signals with widths above 15%.

The fitted m_{jj} region is determined separately for each channel. For the chosen range, the fit quality, spurious signal, and signal injection tests are must be satisfied for the MC simulation. The fitted m_{jj} region is chosen to prioritize a fit that starts as low in m_{jj} as possible while maintaining a wide enough fit range to study the relevant signal models. The lowest part of the m_{jj} spectrum does not have a smoothly falling shape because of trigger inefficiency and analysis selection effects, such as the y^* cut, and such a behavior cannot be fit by the class of functions considered. The γjj and γbb channels are found to have a smoothly falling behavior starting from $m_{jj} = 200$ GeV, while the jjj and jbb channels from $m_{jj} = 225$ GeV and $m_{jj} = 160$ GeV respectively. The upper fit ranges are defined from the edges of bins defined by the m_{jj} resolution, and are taken to be the highest among those where the background fit functions to the simulated m_{jj} distributions have a $\chi^2 p$ -value above 0.05. The procedure to determine the fit range is repeated on the measured data, to ensure the fit ranges estimated from the MC simulation are adequate. If they are not, the upper limit of the fit range is reduced by one m_{jj} resolution bin, and all the tests are repeated.

For the γbb channel, the background estimate is further validated using an ABCD method with simulated samples, following the strategy of Ref. [40]. Such method allows a test of the background estimate in the γbb channel with a higher statistical precision than available in the existing simulated sample and also serves as a test for potential biases in the m_{jj} spectrum introduced by b -tagging. The ABCD re-weighting method defines different regions based on whether events satisfy or fail to meet the y^* selection and the b -tagging requirements, providing an estimate for the b -tagged spectrum which is based on the un-tagged distribution. The ABCD-reweighted m_{jj} spectrum is found to be compatible with the one obtained by applying the γbb event selection, within the statistical precision of the re-weighted and high-statistics spectrum. Given the level of agreement, no uncertainty related to b -tagging is considered to affect the background fit. The resulting distribution is found to satisfy the spurious signal and signal injection tests described above, providing further confirmation of the fit strategy. Since this method relies on the y^* selection, the technique cannot easily be applied to the jbb channel, but the conclusions on the possible b -tagging biases from γbb apply to the jbb channel as well.

6 Systematic uncertainties

When interpreting the analysis in terms of candidate signal models, the impact of various experimental and theoretical sources of uncertainty is considered.

Luminosity. The uncertainty in the combined 2015–2018 integrated luminosity is 0.83% [52], obtained using the LUCID-2 detector [53] for the primary luminosity measurements. It is treated as a single normalization uncertainty applied as a scale factor to the signal models.

Jets. Systematic uncertainties in the $R = 0.4$ jet energy scale and resolution are evaluated using a series of *in situ* measurements and simulation-based techniques, thoroughly documented in Ref. [83]. The most significant source of uncertainty in the JES originates from uncertainties on the flavor of the jet. Uncertainties on the JVT are also included, but are negligible, since the uncertainties are applied only to the signal. For the photon channels, these uncertainties have a negligible impact on the efficiency, and around a 2% impact on the location of the Z' mass. For the trijet channels, the impact on the location of the Z' mass is around 1%, while the impact on the selection efficiency is around 3%.

Photons. The systematic uncertainties in the photon identification and isolation efficiencies are estimated following the prescriptions in Ref. [87]. They are evaluated by varying the correction factors for photon selection efficiencies in simulation by the corresponding uncertainties and affect the diphoton selection efficiency. The experimental uncertainties in the photon energy scale and resolution are obtained from Ref. [87], and are only applied to the γjj and γbb channels. These systematic uncertainties primarily impact the selection efficiency of the signal events, with a total impact on the efficiency of around 2%.

B-tagging. For final states with requirements on the number of b -tagged jets, additional systematic uncertainties are applied. The systematic uncertainty in the b -tagging efficiency is measured using data enriched in $t\bar{t}$ events for jet $p_T < 400$ GeV and extrapolated to higher p_T regions using a method similar to the one described in Ref. [98]. The impact of this systematic uncertainty in the efficiency of the event selection of signal events ranges from 2–3%.

Parton distribution functions. The theoretical uncertainty envelope associated with the NNPDF2.3LO PDF set is propagated through the analysis, where their impact is primarily on the normalisation of the signal events. The change in analysis selection efficiency is recalculated for each provided PDF variation, and the standard deviation of all such variations is taken as a measure of the systematic uncertainty due to PDFs. This uncertainty affects signal samples and ranges from 1–5% across the different channels, with larger effects on the photon channels than on the dijet channels.

Background modeling A systematic uncertainty to cover potential biases in modeling the background shape is accounted for using the spurious signal S_{modeling} . The value of S_{modeling} is determined as the envelope of $|S_{\text{spur}}|$ over m_{jj} and is considered to cover features of the m_{jj} background spectrum which are not modeled by the background parametrisation chosen. This is implemented in the likelihood fit as an additional signal contribution, such that

$$N_{\text{signal}}(m_{Z'}) = \sigma \times A \times BR \times \mathcal{L} + S_{\text{modeling}}(m_{Z'})\theta_{\text{modeling}},$$

where $N_{\text{signal}}(m_{Z'})$ is the number of extracted signal events at a given $m_{Z'}$, σ , A , BR , and \mathcal{L} are the signal cross-section, acceptance, signal branching ratio, and integrated luminosity, respectively; and θ_{modeling} is a nuisance parameter associated with the background modeling uncertainty. The signal acceptance is defined as the fraction of simulated events at detector level that pass the analysis selection cuts.

The spurious signal uncertainty is found to be, together with the statistical uncertainty, the leading source of uncertainty on the extracted number of signal events.




Figure 4: Dijet invariant mass distributions data compared to the fitted background estimates for the (a) γjj , (b) γbb , (c) jjj , and (d) jbb channels. Bottom panel shows the fit residuals in terms of standard deviations (σ). The distributions are shown here with the m_{jj} resolution binning.

7 Results

The dijet invariant mass distributions in data, together with the corresponding fitted background estimates, are shown in Figure 4 for all four channels. The data are well described by the 5-parameter fit function in all channels, and the global χ^2 p -value ranges from 0.10 to 0.42 for the different channels. Fit ranges are chosen such that the fits satisfy the tests explained in Section 5.2. For the photon channels, the background fit spans the m_{jj} range of 200 GeV to 875 GeV for the γjj channel and of 200 GeV to 854 GeV for the γbb channel, while for the jjj and jbb channels, the fit spans 225 GeV to 1000 GeV and 160 GeV to 700 GeV respectively.

The BUMP HUNTER [99, 100] algorithm, as implemented in PYBUMP HUNTER [101, 102], is used to measure the statistical significance of localized excesses of the measured data relative to the estimated background in the m_{jj} distributions, which could be due to the presence of resonant signals. This is done using mass bins with a bin width determined by the mass resolution of m_{jj} as a function of the mass, where the mass resolution is determined using a Gaussian function fit to the m_{jj} response distribution. Windows are allowed

to have a width of up to three mass-resolution bins, hence corresponding to three times the m_{jj} resolution, and for each scanned window `BUMPHUNTER` evaluates the statistical significance of the observed difference between the data distribution and the background fit. The `BUMPHUNTER` p -value is defined as the smallest observed probability for the data in a given window to deviate from the background prediction by the observed amount due to a Poissonian fluctuation of the background, using pseudoexperiments generated from the background prediction, and without considering systematic uncertainties. The most significant localized excesses identified by the `BUMPHUNTER` algorithm are found at 348 GeV with a local significance of 1.9σ for the γjj channel, at 380 GeV with a local significance of 1.8σ for the γbb channel, at 404 GeV with a local significance of 1.8σ for the jjj channel and at 522 GeV with a local significance of 1.5σ for the jbb channel.

As no significant deviation from the background expectation is observed, upper limits are set on the signal production rate as a function of the hypothesized resonance mass. The numbers of signal and background events are estimated from maximum-likelihood fits of the signal-plus-background models to the corresponding m_{jj} distributions. Systematic uncertainties described in Section 6 are included in the fits via nuisance parameters constrained by Gaussian-distributed penalty terms. Systematic uncertainties affecting the signal shape have only a small impact on the result, and the dominant uncertainties arise from the statistical and spurious signal uncertainties. The p -value is determined from a profile-likelihood-ratio-test statistic [103]. The local p -value for compatibility with the background-only hypothesis when testing a given signal hypothesis (p_0) is evaluated based on the asymptotic approximation [103]. Global significance values are computed from background-only pseudo-experiments to account for the trial factors due to scanning both the signal mass and the width hypotheses. The expected and observed 95% confidence level (CL) exclusion limits on the product of the cross-section, branching ratio, and acceptance are computed using a modified frequentist-approach [104], in an asymptotic approximation to the test-statistic distribution [103].

Figure 5 shows the 95% CL upper limits on the $\sigma \times A \times \text{BR}$ of the Z' axial-vector dark-matter mediator as a function of its mass, derived using the signal templates. Results are interpolated linearly in the log of the cross-section. Similar results are shown in Figure 6 for generic signals with Gaussian function shapes with 5%, 7%, 10%, 12%, and 15% signal widths.

Given the relation between couplings and cross-section, the limits on the Z' cross-sections can be translated to constraints on the g_q coupling, by taking into account the values of the simulated sample cross-sections and the analysis acceptance. A comparison of the limits on the g_q coupling as a function of the Z' mass for all channels is shown in Figure 7. For the flavor-inclusive channels, the cross-section combines the contributions from the signal samples where the Z' decays are restricted to light flavors with the samples where the Z' decay products decay into b -quarks. While the limits on $\sigma \times A \times \text{BR}$ are much stronger for the γbb and jbb channels than for the γjj and jjj channels, the cross-sections and branching ratios are much lower, meaning that the limits on g_q are more similar across channels. Overall, the jjj and γjj channels set the strongest limits on the g_q coupling.

The limits on the g_q coupling obtained from the γjj and jjj channels are similar in value and there is only a small overlap in the selected events across the two categories. Hence a combination of the two channels can further strengthen the constraints on g_q . No combination of the b -tagged channel is considered, as the constraints on g_q from such channels are weaker than the flavor-inclusive ones.

Events passing both the γjj and jjj selections are removed from the jjj channel, to have two statistically independent measurements. Such double-counted events amount to 0.2% of all the jjj -selected events and their impact on the jjj channel fits were found to be negligible. A combined likelihood function, which




Figure 5: Expected and observed 95% CL upper limits on the product of the cross-section, acceptance and branching ratio ($\sigma \times A \times BR$) as a function of the Z' mass for the (a) γjj , (b) γbb , (c) jjj , and (d) jbb channels with the background and signal contributions modeled by a 5-parameter fit function and templates from the signal samples, respectively. Observed limits are indicated with markers and a solid line, and expected limits are indicated with a dashed line. The shaded bands around the expected limit indicates the (darker band) 1σ and (lighter band) 2σ uncertainty range. The dotted line represents the expected $\sigma \times A \times BR$ assuming $g_q = 0.1$, as obtained from the MADGRAPH signal samples.




Figure 6: Expected and observed 95% CL upper limits on the product of the cross-section, acceptance and branching ratio ($\sigma \times A \times BR$) for the (a) γjj , (b) γbb , (c) jjj , and (d) jbb channels with the background and signal contributions modeled by a 5-parameter fit function and Gaussian distributed signal templates with a mass m_G and width σ_G , respectively. Observed limits are indicated with markers and a solid line, and expected limits are indicated with a dashed line. Observed and expected limits corresponding to different choices of template widths (5%, 7%, 10%, 12% and 15%) are indicated as different sets of markers or line styles, respectively. The shaded bands around the expected limit for templates with 5% width indicate the (darker band) 1σ and (lighter band) 2σ uncertainty range.




Figure 7: Expected and observed 95% CL upper limits on the g_q coupling as a function of the Z' mass on the γjj , γbb , jjj , and jbb channels with the background and signal contributions modeled by a 5-parameter fit function and templates from the signal samples, respectively. Observed limits are indicated with markers and a solid line, and expected limits are indicated with a dashed line.




Figure 8: Expected and observed 95% CL upper limits on the g_q coupling as a function of the Z' mass on the γjj channel, the jjj channel and the combination of the two. The background and signal contributions are modeled by a 5-parameter fit function and templates from the signal samples, respectively. Observed limits are indicated with markers and a solid line, and expected limits are indicated with a dashed line. The shaded bands indicate the (darker band) 1σ and (lighter band) 2σ uncertainty range on the combined result.

is the product of the γjj and jjj likelihood functions, is used to obtain 95% CL upper limits on g_q . In the combined likelihood, the jet and luminosity systematic uncertainties are taken as correlated among the channels. Spurious signal and PDF systematic uncertainties are instead taken as uncorrelated, as the background fit functions and production mechanisms of the two processes are independent across channels. Photon systematic uncertainties only affect the γjj part of the combined likelihood. The combination improves the limits on g_q relative to the individual channels, as shown in Figure 8, with both the expected and observed limits excluding coupling values down to 0.05–0.07.

8 Conclusion

Dijet resonances with a width up to 15% of the mass, produced in association with a photon or jet, were searched for in 140 fb^{-1} of LHC pp collisions recorded by the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$. This search expands on previous similar searches by using the full Run 2 data samples, and by including the case where the initial-state radiation is a jet. It considers the cases where no flavor requirements are placed on the resonance decay products, and the case where both of the decay products are required to be b -tagged, resulting in four channels, depending on the type of initial-state radiation and the flavor requirements. In all four channels, the observed m_{jj} distribution is well-described by a smooth functional fit without contributions from such resonances. No significant excess of events beyond the Standard Model expectation is observed, and so upper limits are set on two models: Z' axial-vector dark-matter mediators and Gaussian-shape signal contributions for resonant masses between 200 GeV and 650 GeV. Relative to already published results using a similar analysis technique, this search improves the limits on the Z' - q - q coupling g_q by up to 50%, with the most stringent limits on g_q set by the jjj channel for lower Z' candidate masses and by the γjj channel for higher Z' masses. A further combination of the jjj and γjj channels is performed, which set limits on g_q down to 0.05–0.07.

Acknowledgements

We thank CERN for the very successful operation of the LHC and its injectors, as well as the support staff at CERN and at our institutions worldwide without whom ATLAS could not be operated efficiently.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF/SFU (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [105].

We gratefully acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRf and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benozio Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taipei; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America.

Individual groups and members have received support from BCKDF, CANARIE, CRC and DRAC, Canada; CERN-CZ, PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT

Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

In addition, individual members wish to acknowledge support from CERN: European Organization for Nuclear Research (CERN PNAS); Chile: Agencia Nacional de Investigación y Desarrollo (FONDECYT 1190886, FONDECYT 1210400, FONDECYT 1230812, FONDECYT 1230987); China: Chinese Ministry of Science and Technology (MOST-2023YFA1605700), National Natural Science Foundation of China (NSFC - 12175119, NSFC 12275265, NSFC-12075060); Czech Republic: PRIMUS Research Programme (PRIMUS/21/SCI/017); EU: H2020 European Research Council (ERC - 101002463); European Union: European Research Council (ERC - 948254, ERC 101089007), Horizon 2020 Framework Programme (MUCCA - CHIST-ERA-19-XAI-00), European Union, Future Artificial Intelligence Research (FAIR-NextGenerationEU PE00000013), Italian Center for High Performance Computing, Big Data and Quantum Computing (ICSC, NextGenerationEU); France: Agence Nationale de la Recherche (ANR-20-CE31-0013, ANR-21-CE31-0013, ANR-21-CE31-0022), Investissements d’Avenir Labex (ANR-11-LABX-0012); Germany: Baden-Württemberg Stiftung (BW Stiftung-Postdoc Eliteprogramme), Deutsche Forschungsgemeinschaft (DFG - 469666862, DFG - CR 312/5-2); Italy: Istituto Nazionale di Fisica Nucleare (ICSC, NextGenerationEU); Japan: Japan Society for the Promotion of Science (JSPS KAKENHI JP21H05085, JSPS KAKENHI JP22H01227, JSPS KAKENHI JP22H04944, JSPS KAKENHI JP22KK0227); Netherlands: Netherlands Organisation for Scientific Research (NWO Veni 2020 - VI.Veni.202.179); Norway: Research Council of Norway (RCN-314472); Poland: Polish National Agency for Academic Exchange (PPN/PPO/2020/1/00002/U/00001), Polish National Science Centre (NCN 2021/42/E/ST2/00350, NCN OPUS nr 2022/47/B/ST2/03059, NCN UMO-2019/34/E/ST2/00393, UMO-2020/37/B/ST2/01043, UMO-2021/40/C/ST2/00187, UMO-2022/47/O/ST2/00148); Slovenia: Slovenian Research Agency (ARIS grant J1-3010); Spain: BBVA Foundation (LEO22-1-603), Generalitat Valenciana (Artemisa, FEDER, IDIFEDER/2018/048), Ministry of Science and Innovation (MCIN & NextGenEU PCI2022-135018-2, MICIN & FEDER PID2021-125273NB, RYC2019-028510-I, RYC2020-030254-I, RYC2021-031273-I, RYC2022-038164-I), PROMETEO and GenT Programmes Generalitat Valenciana (CIDEGENT/2019/023, CIDEGENT/2019/027); Sweden: Swedish Research Council (VR 2018-00482, VR 2022-03845, VR 2022-04683, VR grant 2021-03651), Knut and Alice Wallenberg Foundation (KAW 2017.0100, KAW 2018.0157, KAW 2018.0458, KAW 2019.0447, KAW 2022.0358); Switzerland: Swiss National Science Foundation (SNSF - PCEFP2_194658); United Kingdom: Leverhulme Trust (Leverhulme Trust RPG-2020-004), Royal Society (NIF-R1-231091); United States of America: U.S. Department of Energy (ECA DE-AC02-76SF00515), Neubauer Family Foundation.

References

- [1] Particle Data Group, P. Zyla, et al., *Review of Particle Physics*, *Prog. Theor. Exp. Phys.* **2020** (2020) 083C01.
- [2] G. Bertone, D. Hooper, and J. Silk, *Particle dark matter: Evidence, candidates and constraints*, *Phys. Rept.* **405** (2005) 279, arXiv: [hep-ph/0404175](https://arxiv.org/abs/hep-ph/0404175).
- [3] L. Bergström, *Non-baryonic dark matter: observational evidence and detection methods*, *Rept. Prog. Phys.* **63** (2000) 793, arXiv: [hep-ph/0002126](https://arxiv.org/abs/hep-ph/0002126).
- [4] D. Clowe et al., *A Direct Empirical Proof of the Existence of Dark Matter*, *Astrophys. J. Lett.* **648** (2006) L109, arXiv: [astro-ph/0608407](https://arxiv.org/abs/astro-ph/0608407).

- [5] L. Canetti, M. Drewes, and M. Shaposhnikov, *Matter and Antimatter in the Universe*, *New J. Phys.* **14** (2012) 095012, arXiv: [1204.4186 \[hep-ph\]](#).
- [6] S. P. Martin, *A Supersymmetry primer*, *Adv. Ser. Direct. High Energy Phys.* **18** (1998) 1, ed. by G. L. Kane, arXiv: [hep-ph/9709356](#).
- [7] J. A. Aguilar-Saavedra, *Identifying top partners at LHC*, *JHEP* **11** (2009) 030, arXiv: [0907.3155 \[hep-ph\]](#).
- [8] G. F. Giudice, Y. Kats, M. McCullough, R. Torre, and A. Urbano, *Clockwork/linear dilaton: structure and phenomenology*, *JHEP* **06** (2018) 009, arXiv: [1711.08437 \[hep-ph\]](#).
- [9] M. J. Strassler and K. M. Zurek, *Echoes of a hidden valley at hadron colliders*, *Phys. Lett. B* **651** (2007) 374, arXiv: [hep-ph/0604261](#).
- [10] J. Fan, M. Reece, and J. T. Ruderman, *Stealth Supersymmetry*, *JHEP* **11** (2011) 012, arXiv: [1105.5135 \[hep-ph\]](#).
- [11] D. Ghosh, R. Godbole, M. Guchait, K. Mohan, and D. Sengupta, *Looking for an Invisible Higgs Signal at the LHC*, *Phys. Lett. B* **725** (2013) 344, arXiv: [1211.7015 \[hep-ph\]](#).
- [12] P. Konar, K. T. Matchev, M. Park, and G. K. Sarangi, *How to Look for Supersymmetry under the LHC Lamppost*, *Phys. Rev. Lett.* **105** (2010) 221801, arXiv: [1008.2483 \[hep-ph\]](#).
- [13] A. Flórez et al., *Anapole Dark Matter via Vector Boson Fusion Processes at the LHC*, *Phys. Rev. D* **100** (2019) 016017, arXiv: [1902.01488v1 \[hep-ph\]](#).
- [14] J. Abdallah et al., *Simplified Models for Dark Matter Searches at the LHC*, *Phys. Dark Univ.* **9-10** (2015) 8, arXiv: [1506.03116 \[hep-ph\]](#).
- [15] N. Bernal, M. Heikinheimo, T. Tenkanen, K. Tuominen, and V. Vaskonen, *The Dawn of FIMP Dark Matter: A Review of Models and Constraints*, *Int. J. Mod. Phys. A* **32** (2017) 1730023, arXiv: [1706.07442 \[hep-ph\]](#).
- [16] P. Arias et al., *WISPy Cold Dark Matter*, *JCAP* **06** (2012) 013, arXiv: [1201.5902 \[hep-ph\]](#).
- [17] F. Kahlhoefer, K. Schmidt-Hoberg, T. Schwetz, and S. Vogl, *Implications of unitarity and gauge invariance for simplified dark matter models*, *JHEP* **02** (2016) 016, arXiv: [1510.02110 \[hep-ph\]](#).
- [18] D. Abercrombie et al., *Dark Matter benchmark models for early LHC Run-2 Searches: Report of the ATLAS/CMS Dark Matter Forum*, *Phys. Dark Univ.* **27** (2020) 100371, ed. by A. Boveia, C. Doglioni, S. Lowette, S. Malik, and S. Mrenna, arXiv: [1507.00966 \[hep-ex\]](#).
- [19] F. Kahlhoefer, *Review of LHC Dark Matter Searches*, *Int. J. Mod. Phys. A* **32** (2017) 1730006, arXiv: [1702.02430 \[hep-ph\]](#).
- [20] M. Fairbairn, J. Heal, F. Kahlhoefer, and P. Tunney, *Constraints on Z' models from LHC dijet searches and implications for dark matter*, *JHEP* **09** (2016) 018, arXiv: [1605.07940 \[hep-ph\]](#).
- [21] ATLAS Collaboration, *Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector*, *JHEP* **05** (2019) 142, arXiv: [1903.01400 \[hep-ex\]](#).

- [22] O. Buchmuller, M. J. Dolan, and C. McCabe, *Beyond Effective Field Theory for Dark Matter Searches at the LHC*, *JHEP* **01** (2014) 025, arXiv: [1308.6799 \[hep-ph\]](#).
- [23] ATLAS Collaboration, *Dark matter summary plots for s-channel, 2HDM+a and Dark Higgs models*, ATL-PHYS-PUB-2023-018, 2023, URL: <https://cds.cern.ch/record/2865335>.
- [24] ATLAS Collaboration, *Search for new physics in the dijet mass distribution using 1 fb^{-1} of pp collision data at $\sqrt{s} = 7\text{ TeV}$ collected by the ATLAS detector*, *Phys. Lett. B* **708** (2012) 37, arXiv: [1108.6311 \[hep-ex\]](#).
- [25] ATLAS Collaboration, *Search for new phenomena in the dijet mass distribution using pp collision data at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector*, *Phys. Rev. D* **91** (2015) 052007, arXiv: [1407.1376 \[hep-ex\]](#).
- [26] CMS Collaboration, *Search for Dijet Resonances in 7 TeV pp Collisions at CMS*, *Phys. Rev. Lett.* **105** (2010) 211801, arXiv: [1010.0203 \[hep-ex\]](#).
- [27] CMS Collaboration, *Search for Resonances in the Dijet Mass Spectrum from 7 TeV pp Collisions at CMS*, *Phys. Lett. B* **704** (2011) 123, arXiv: [1107.4771 \[hep-ex\]](#).
- [28] CMS Collaboration, *Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at $\sqrt{s} = 7\text{ TeV}$* , *JHEP* **01** (2013) 013, arXiv: [1210.2387 \[hep-ex\]](#).
- [29] CMS Collaboration, *Search for narrow resonances using the dijet mass spectrum in pp collisions at $\sqrt{s} = 8\text{ TeV}$* , *Phys. Rev. D* **87** (2013) 114015, arXiv: [1302.4794 \[hep-ex\]](#).
- [30] CMS Collaboration, *Search for resonances and quantum black holes using dijet mass spectra in proton–proton collisions at $\sqrt{s} = 8\text{ TeV}$* , *Phys. Rev. D* **91** (2015) 052009, arXiv: [1501.04198 \[hep-ex\]](#).
- [31] CMS Collaboration, *Search for Narrow Resonances in Dijet Final States at $\sqrt{s} = 8\text{ TeV}$ with the Novel CMS Technique of Data Scouting*, *Phys. Rev. Lett.* **117** (2016) 031802, arXiv: [1604.08907 \[hep-ex\]](#).
- [32] ATLAS Collaboration, *Search for new phenomena in dijet mass and angular distributions from pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector*, *Phys. Lett. B* **754** (2016) 302, arXiv: [1512.01530 \[hep-ex\]](#).
- [33] CMS Collaboration, *Search for narrow resonances decaying to dijets in proton–proton collisions at $\sqrt{s} = 13\text{ TeV}$* , *Phys. Rev. Lett.* **116** (2016) 071801, arXiv: [1512.01224 \[hep-ex\]](#).
- [34] CMS Collaboration, *Search for dijet resonances in proton–proton collisions at $\sqrt{s} = 13\text{ TeV}$ and constraints on dark matter and other models*, *Phys. Lett. B* **769** (2017) 520, arXiv: [1611.03568 \[hep-ex\]](#).
- [35] CMS Collaboration, *Search for narrow and broad dijet resonances in proton–proton collisions at $\sqrt{s} = 13\text{ TeV}$ and constraints on dark matter mediators and other new particles*, *JHEP* **08** (2018) 130, arXiv: [1806.00843 \[hep-ex\]](#).

- [36] CMS Collaboration, *Search for Narrow Resonances in the b -Tagged Dijet Mass Spectrum in Proton–Proton Collisions at $\sqrt{s} = 8$ TeV*, *Phys. Rev. Lett.* **120** (2018) 201801, arXiv: [1802.06149 \[hep-ex\]](#).
- [37] CMS Collaboration, *Search for high mass dijet resonances with a new background prediction method in proton–proton collisions at $\sqrt{s} = 13$ TeV*, *JHEP* **05** (2020) 033, arXiv: [1911.03947 \[hep-ex\]](#).
- [38] CMS Collaboration, *Search for narrow resonances in the b -tagged dijet mass spectrum in proton–proton collisions at $\sqrt{s} = 13$ TeV*, (2023), arXiv: [2205.01835 \[hep-ex\]](#).
- [39] ATLAS Collaboration, *Search for Low-Mass Dijet Resonances Using Trigger-Level Jets with the ATLAS Detector in pp Collisions at $\sqrt{s} = 13$ TeV*, *Phys. Rev. Lett.* **121** (2018) 081801, arXiv: [1804.03496 \[hep-ex\]](#).
- [40] ATLAS Collaboration, *Search for low-mass resonances decaying into two jets and produced in association with a photon using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Lett. B* **795** (2019) 56, arXiv: [1901.10917 \[hep-ex\]](#).
- [41] CMS Collaboration, *Search for dijet resonances using events with three jets in proton–proton collisions at $\sqrt{s} = 13$ TeV*, *Phys. Lett. B* **805** (2020) 135448, arXiv: [1911.03761 \[hep-ex\]](#).
- [42] CMS Collaboration, *Search for low-mass quark–antiquark resonances produced in association with a photon at $\sqrt{s} = 13$ TeV*, *Phys. Rev. Lett.* **123** (2019) 231803, arXiv: [1905.10331 \[hep-ex\]](#).
- [43] CMS Collaboration, *Search for low mass vector resonances decaying into quark–antiquark pairs in proton–proton collisions at $\sqrt{s} = 13$ TeV*, *Phys. Rev. D* **100** (2019) 112007, arXiv: [1909.04114 \[hep-ex\]](#).
- [44] CMS Collaboration, *Search for low mass vector resonances decaying into quark–antiquark pairs in proton–proton collisions at $\sqrt{s} = 13$ TeV*, *JHEP* **01** (2018) 097, arXiv: [1710.00159 \[hep-ex\]](#).
- [45] CMS Collaboration, *Search for low mass vector resonances decaying to quark–antiquark pairs in proton–proton collisions at $\sqrt{s} = 13$ TeV*, *Phys. Rev. Lett.* **119** (2017) 111802, arXiv: [1705.10532 \[hep-ex\]](#).
- [46] ATLAS Collaboration, *Search for light resonances decaying to boosted quark pairs and produced in association with a photon or a jet in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Lett. B* **788** (2019) 316, arXiv: [1801.08769 \[hep-ex\]](#).
- [47] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, *JINST* **3** (2008) S08003.
- [48] ATLAS Collaboration, *ATLAS Insertable B-Layer: Technical Design Report*, ATLAS-TDR-19; CERN-LHCC-2010-013, 2010, URL: <https://cds.cern.ch/record/1291633>, Addendum: ATLAS-TDR-19-ADD-1; CERN-LHCC-2012-009, 2012, URL: <https://cds.cern.ch/record/1451888>.
- [49] B. Abbott et al., *Production and integration of the ATLAS Insertable B-Layer*, *JINST* **13** (2018) T05008, arXiv: [1803.00844 \[physics.ins-det\]](#).
- [50] ATLAS Collaboration, *Performance of the ATLAS trigger system in 2015*, *Eur. Phys. J. C* **77** (2017) 317, arXiv: [1611.09661 \[hep-ex\]](#).

- [51] ATLAS Collaboration, *The ATLAS Collaboration Software and Firmware*, ATL-SOFT-PUB-2021-001, 2021, URL: <https://cds.cern.ch/record/2767187>.
- [52] ATLAS Collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC*, *Eur. Phys. J. C* **83** (2023) 982, arXiv: [2212.09379](https://arxiv.org/abs/2212.09379) [[hep-ex](#)].
- [53] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, *JINST* **13** (2018) P07017.
- [54] ATLAS Collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, *JINST* **15** (2020) P04003, arXiv: [1911.04632](https://arxiv.org/abs/1911.04632) [[physics.ins-det](#)].
- [55] A. Albert et al., *Recommendations of the LHC Dark Matter Working Group: Comparing LHC searches for dark matter mediators in visible and invisible decay channels and calculations of the thermal relic density*, *Phys. Dark Univ.* **26** (2019) 100377, arXiv: [1703.05703](https://arxiv.org/abs/1703.05703) [[hep-ex](#)].
- [56] J. Alwall et al., *The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations*, *JHEP* **07** (2014) 079, arXiv: [1405.0301](https://arxiv.org/abs/1405.0301) [[hep-ph](#)].
- [57] NNPDF Collaboration, R. D. Ball, et al., *Parton distributions with LHC data*, *Nucl. Phys. B* **867** (2013) 244, arXiv: [1207.1303](https://arxiv.org/abs/1207.1303) [[hep-ph](#)].
- [58] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159, arXiv: [1410.3012](https://arxiv.org/abs/1410.3012) [[hep-ph](#)].
- [59] T. Sjöstrand, S. Mrenna, and P. Skands, *PYTHIA 6.4 physics and manual*, *JHEP* **05** (2006) 026, arXiv: [hep-ph/0603175](https://arxiv.org/abs/hep-ph/0603175).
- [60] ATLAS Collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, ATL-PHYS-PUB-2014-021, 2014, URL: <https://cds.cern.ch/record/1966419>.
- [61] D. J. Lange, *The EvtGen particle decay simulation package*, *Nucl. Instrum. Meth. A* **462** (2001) 152.
- [62] E. Bothmann et al., *Event generation with Sherpa 2.2*, *SciPost Phys.* **7** (2019) 034, arXiv: [1905.09127](https://arxiv.org/abs/1905.09127) [[hep-ph](#)].
- [63] T. Gleisberg and S. Höche, *Comix, a new matrix element generator*, *JHEP* **12** (2008) 039, arXiv: [0808.3674](https://arxiv.org/abs/0808.3674) [[hep-ph](#)].
- [64] F. Buccioni et al., *OpenLoops 2*, *Eur. Phys. J. C* **79** (2019) 866, arXiv: [1907.13071](https://arxiv.org/abs/1907.13071) [[hep-ph](#)].
- [65] F. Cascioli, P. Maierhöfer, and S. Pozzorini, *Scattering Amplitudes with Open Loops*, *Phys. Rev. Lett.* **108** (2012) 111601, arXiv: [1111.5206](https://arxiv.org/abs/1111.5206) [[hep-ph](#)].
- [66] A. Denner, S. Dittmaier, and L. Hofer, *COLLIER: A fortran-based complex one-loop library in extended regularizations*, *Comput. Phys. Commun.* **212** (2017) 220, arXiv: [1604.06792](https://arxiv.org/abs/1604.06792) [[hep-ph](#)].
- [67] S. Schumann and F. Krauss, *A parton shower algorithm based on Catani–Seymour dipole factorisation*, *JHEP* **03** (2008) 038, arXiv: [0709.1027](https://arxiv.org/abs/0709.1027) [[hep-ph](#)].
- [68] S. Höche, F. Krauss, M. Schönherr, and F. Siegert, *A critical appraisal of NLO+PS matching methods*, *JHEP* **09** (2012) 049, arXiv: [1111.1220](https://arxiv.org/abs/1111.1220) [[hep-ph](#)].

- [69] S. Höche, F. Krauss, M. Schönherr, and F. Siegert, *QCD matrix elements + parton showers. The NLO case*, **JHEP** **04** (2013) 027, arXiv: [1207.5030 \[hep-ph\]](#).
- [70] S. Catani, F. Krauss, B. R. Webber, and R. Kuhn, *QCD Matrix Elements + Parton Showers*, **JHEP** **11** (2001) 063, arXiv: [hep-ph/0109231](#).
- [71] S. Höche, F. Krauss, S. Schumann, and F. Siegert, *QCD matrix elements and truncated showers*, **JHEP** **05** (2009) 053, arXiv: [0903.1219 \[hep-ph\]](#).
- [72] F. Siegert, *A practical guide to event generation for prompt photon production with Sherpa*, **J. Phys. G** **44** (2017) 044007, arXiv: [1611.07226 \[hep-ph\]](#).
- [73] S. Frixione, *Isolated photons in perturbative QCD*, **Phys. Lett. B** **429** (1998) 369, arXiv: [hep-ph/9801442](#).
- [74] NNPDF Collaboration, R. D. Ball, et al., *Parton distributions for the LHC run II*, **JHEP** **04** (2015) 040, arXiv: [1410.8849 \[hep-ph\]](#).
- [75] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, **Eur. Phys. J. C** **70** (2010) 823, arXiv: [1005.4568 \[physics.ins-det\]](#).
- [76] S. Agostinelli et al., *GEANT4 – a simulation toolkit*, **Nucl. Instrum. Meth. A** **506** (2003) 250.
- [77] ATLAS Collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie–Landshoff diffractive model*, ATL-PHYS-PUB-2016-017, 2016, URL: <https://cds.cern.ch/record/2206965>.
- [78] ATLAS Collaboration, *Vertex Reconstruction Performance of the ATLAS Detector at $\sqrt{s} = 13$ TeV*, ATL-PHYS-PUB-2015-026, 2015, URL: <https://cds.cern.ch/record/2037717>.
- [79] ATLAS Collaboration, *Jet reconstruction and performance using particle flow with the ATLAS Detector*, **Eur. Phys. J. C** **77** (2017) 466, arXiv: [1703.10485 \[hep-ex\]](#).
- [80] M. Cacciari, G. P. Salam, and G. Soyez, *The anti- k_t jet clustering algorithm*, **JHEP** **04** (2008) 063, arXiv: [0802.1189 \[hep-ph\]](#).
- [81] M. Cacciari, G. P. Salam, and G. Soyez, *FastJet user manual*, **Eur. Phys. J. C** **72** (2012) 1896, arXiv: [1111.6097 \[hep-ph\]](#).
- [82] ATLAS Collaboration, *Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1*, **Eur. Phys. J. C** **77** (2017) 490, arXiv: [1603.02934 \[hep-ex\]](#).
- [83] ATLAS Collaboration, *Jet energy scale and resolution measured in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, **Eur. Phys. J. C** **81** (2021) 689, arXiv: [2007.02645 \[hep-ex\]](#).
- [84] ATLAS Collaboration, *Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector*, **Eur. Phys. J. C** **76** (2016) 581, arXiv: [1510.03823 \[hep-ex\]](#).
- [85] ATLAS Collaboration, *Selection of jets produced in 13 TeV proton–proton collisions with the ATLAS detector*, ATL-CONF-2015-029, 2015, URL: <https://cds.cern.ch/record/2037702>.
- [86] ATLAS Collaboration, *ATLAS flavour-tagging algorithms for the LHC Run 2 pp collision dataset*, **Eur. Phys. J. C** **83** (2023) 681, arXiv: [2211.16345 \[physics.data-an\]](#).

- [87] ATLAS Collaboration, *Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data*, *JINST* **14** (2019) P12006, arXiv: [1908.00005 \[hep-ex\]](#).
- [88] ATLAS Collaboration, *Performance of electron and photon triggers in ATLAS during LHC Run 2*, *Eur. Phys. J. C* **80** (2020) 47, arXiv: [1909.00761 \[hep-ex\]](#).
- [89] ATLAS Collaboration, *The performance of the jet trigger for the ATLAS detector during 2011 data taking*, *Eur. Phys. J. C* **76** (2016) 526, arXiv: [1606.07759 \[hep-ex\]](#).
- [90] H. Dembinski, M. Schmelling, and R. Waldi, *Application of the iterated weighted least-squares fit to counting experiments*, *Nucl. Instrum. Meth. A* **940** (2019) 135, arXiv: [1807.07911 \[physics.data-an\]](#).
- [91] M. Baak, S. Gadatsch, R. Harrington, and W. Verkerke, *Interpolation between multi-dimensional histograms using a new non-linear moment morphing method*, *Nucl. Instrum. Meth. A* **771** (2015) 39, arXiv: [1410.7388 \[physics.data-an\]](#).
- [92] CDF Collaboration, *Search for new particles decaying into dijets in proton-antiproton collisions at $\sqrt{s} = 1.96$ TeV*, *Phys. Rev. D* **79** (2009) 112002, arXiv: [0812.4036 \[hep-ex\]](#).
- [93] ATLAS Collaboration, *Search for New Particles in Two-Jet Final States in 7 TeV Proton–Proton Collisions with the ATLAS Detector at the LHC*, *Phys. Rev. Lett.* **105** (2010) 161801, arXiv: [1008.2461 \[hep-ex\]](#).
- [94] ATLAS Collaboration, *Search for new phenomena in multi-body invariant masses in events with at least one isolated lepton and two jets using $\sqrt{s} = 13$ TeV proton–proton collision data collected by the ATLAS detector*, *JHEP* **07** (2023) 202, arXiv: [2211.08945 \[hep-ex\]](#).
- [95] ATLAS Collaboration, *Search for new resonances in mass distributions of jet pairs using 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *JHEP* **03** (2020) 145, arXiv: [1910.08447 \[hep-ex\]](#).
- [96] CMS Collaboration, *Search for resonant and nonresonant production of pairs of dijet resonances in proton–proton collisions at $\sqrt{s} = 13$ TeV*, *JHEP* **07** (2023) 161, arXiv: [2206.09997 \[hep-ex\]](#).
- [97] ATLAS Collaboration, *Pursuit of paired dijet resonances in the Run 2 dataset with ATLAS*, (2023), arXiv: [2307.14944 \[hep-ex\]](#).
- [98] ATLAS Collaboration, *Simulation-based extrapolation of b -tagging calibrations towards high transverse momenta in the ATLAS experiment*, ATL-PHYS-PUB-2021-003, 2021, URL: <https://cds.cern.ch/record/2753444>.
- [99] CDF Collaboration, *Global Search for New Physics with 2.0 fb^{-1} at CDF*, *Phys. Rev. D* **79** (2009) 011101, arXiv: [0809.3781 \[hep-ex\]](#).
- [100] G. Choudalakis, *On hypothesis testing, trials factor, hypertests and the BumpHunter*, 2011, arXiv: [1101.0390 \[physics.data-an\]](#).
- [101] L. Vaslin, S. Calvet, V. Barra, and J. Donini, *pyBumpHunter: A model independent bump hunting tool in Python for High Energy Physics analyses*, *SciPost Phys. Codebases* **15** (2023), arXiv: [2208.14760 \[hep-ex\]](#).
- [102] *pyBumpHunter*, <https://github.com/scikit-hep/pyBumpHunter>.

- [103] G. Cowan, K. Cranmer, E. Gross, and O. Vitells, *Asymptotic formulae for likelihood-based tests of new physics*, *Eur. Phys. J. C* **71** (2011) 1554, arXiv: [1007.1727](https://arxiv.org/abs/1007.1727) [[physics.data-an](#)], Erratum: *Eur. Phys. J. C* **73** (2013) 2501.
- [104] A. L. Read, *Presentation of search results: the CL_S technique*, *J. Phys. G* **28** (2002) 2693.
- [105] ATLAS Collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2023-001, 2023, URL: <https://cds.cern.ch/record/2869272>.

The ATLAS Collaboration

G. Aad ¹⁰³, E. Aakvaag ¹⁶, B. Abbott ¹²¹, K. Abeling ⁵⁵, N.J. Abicht ⁴⁹, S.H. Abidi ²⁹, M. Aboeela ⁴⁴, A. Aboulhorma ^{35e}, H. Abramowicz ¹⁵², H. Abreu ¹⁵¹, Y. Abulaiti ¹¹⁸, B.S. Acharya ^{69a,69b,1}, A. Ackermann ^{63a}, C. Adam Bourdarios ⁴, L. Adamczyk ^{86a}, S.V. Addepalli ²⁶, M.J. Addison ¹⁰², J. Adelman ¹¹⁶, A. Adiguzel ^{21c}, T. Auye ¹³⁵, A.A. Affolder ¹³⁷, Y. Afik ³⁹, M.N. Agaras ¹³, J. Agarwala ^{73a,73b}, A. Aggarwal ¹⁰¹, C. Agheorghiesei ^{27c}, A. Ahmad ³⁶, F. Ahmadov ^{38,y}, W.S. Ahmed ¹⁰⁵, S. Ahuja ⁹⁶, X. Ai ^{62e}, G. Aielli ^{76a,76b}, A. Aikot ¹⁶⁴, M. Ait Tamlihat ^{35e}, B. Aitbenchikh ^{35a}, I. Aizenberg ¹⁷⁰, M. Akbiyik ¹⁰¹, T.P.A. Åkesson ⁹⁹, A.V. Akimov ³⁷, D. Akiyama ¹⁶⁹, N.N. Akolkar ²⁴, S. Aktas ^{21a}, K. Al Houry ⁴¹, G.L. Alberghi ^{23b}, J. Albert ¹⁶⁶, P. Albicocco ⁵³, G.L. Albouy ⁶⁰, S. Alderweireldt ⁵², Z.L. Alegria ¹²², M. Aleksa ³⁶, I.N. Aleksandrov ³⁸, C. Alexa ^{27b}, T. Alexopoulos ¹⁰, F. Alfonsi ^{23b}, M. Algren ⁵⁶, M. Alhroob ¹⁴², B. Ali ¹³³, H.M.J. Ali ⁹², S. Ali ¹⁴⁹, S.W. Alibocus ⁹³, M. Aliev ^{33c}, G. Alimonti ^{71a}, W. Alkakhri ⁵⁵, C. Allaire ⁶⁶, B.M.M. Allbrooke ¹⁴⁷, J.F. Allen ⁵², C.A. Allendes Flores ^{138f}, P.P. Allport ²⁰, A. Aloisio ^{72a,72b}, F. Alonso ⁹¹, C. Alpigiani ¹³⁹, M. Alvarez Estevez ¹⁰⁰, A. Alvarez Fernandez ¹⁰¹, M. Alves Cardoso ⁵⁶, M.G. Alviggi ^{72a,72b}, M. Aly ¹⁰², Y. Amaral Coutinho ^{83b}, A. Ambler ¹⁰⁵, C. Amelung ³⁶, M. Amerl ¹⁰², C.G. Ames ¹¹⁰, D. Amidei ¹⁰⁷, K.J. Amirie ¹⁵⁶, S.P. Amor Dos Santos ^{131a}, K.R. Amos ¹⁶⁴, S. An ⁸⁴, V. Ananiev ¹²⁶, C. Anastopoulos ¹⁴⁰, T. Andeen ¹¹, J.K. Anders ³⁶, S.Y. Andrean ^{47a,47b}, A. Andreazza ^{71a,71b}, S. Angelidakis ⁹, A. Angerami ^{41,aa}, A.V. Anisenkov ³⁷, A. Annovi ^{74a}, C. Antel ⁵⁶, M.T. Anthony ¹⁴⁰, E. Antipov ¹⁴⁶, M. Antonelli ⁵³, F. Anulli ^{75a}, M. Aoki ⁸⁴, T. Aoki ¹⁵⁴, J.A. Aparisi Pozo ¹⁶⁴, M.A. Aparo ¹⁴⁷, L. Aperio Bella ⁴⁸, C. Appelt ¹⁸, A. Apyan ²⁶, S.J. Arbiol Val ⁸⁷, C. Arcangeletti ⁵³, A.T.H. Arce ⁵¹, E. Arena ⁹³, J-F. Arguin ¹⁰⁹, S. Argyropoulos ⁵⁴, J.-H. Arling ⁴⁸, O. Arnaez ⁴, H. Arnold ¹¹⁵, G. Artoni ^{75a,75b}, H. Asada ¹¹², K. Asai ¹¹⁹, S. Asai ¹⁵⁴, N.A. Asbah ³⁶, K. Assamagan ²⁹, R. Astalos ^{28a}, K.S.V. Astrand ⁹⁹, S. Atashi ¹⁶⁰, R.J. Atkin ^{33a}, M. Atkinson ¹⁶³, H. Atmani ^{35f}, P.A. Atlasiddha ¹²⁹, K. Augsten ¹³³, S. Auricchio ^{72a,72b}, A.D. Auriol ²⁰, V.A. Austrup ¹⁰², G. Avolio ³⁶, K. Axiotis ⁵⁶, G. Azuelos ^{109,ae}, D. Babal ^{28b}, H. Bachacou ¹³⁶, K. Bachas ^{153,p}, A. Bachiu ³⁴, F. Backman ^{47a,47b}, A. Badea ³⁹, T.M. Baer ¹⁰⁷, P. Bagnaia ^{75a,75b}, M. Bahmani ¹⁸, D. Bahner ⁵⁴, K. Bai ¹²⁴, J.T. Baines ¹³⁵, L. Baines ⁹⁵, O.K. Baker ¹⁷³, E. Bakos ¹⁵, D. Bakshi Gupta ⁸, V. Balakrishnan ¹²¹, R. Balasubramanian ¹¹⁵, E.M. Baldin ³⁷, P. Balek ^{86a}, E. Ballabene ^{23b,23a}, F. Balli ¹³⁶, L.M. Baltos ^{63a}, W.K. Balunas ³², J. Balz ¹⁰¹, E. Banas ⁸⁷, M. Bandieramonte ¹³⁰, A. Bandyopadhyay ²⁴, S. Bansal ²⁴, L. Barak ¹⁵², M. Barakat ⁴⁸, E.L. Barberio ¹⁰⁶, D. Barberis ^{57b,57a}, M. Barbero ¹⁰³, M.Z. Barel ¹¹⁵, K.N. Barends ^{33a}, T. Barillari ¹¹¹, M-S. Barisits ³⁶, T. Barklow ¹⁴⁴, P. Baron ¹²³, D.A. Baron Moreno ¹⁰², A. Baroncelli ^{62a}, G. Barone ²⁹, A.J. Barr ¹²⁷, J.D. Barr ⁹⁷, F. Barreiro ¹⁰⁰, J. Barreiro Guimarães da Costa ^{14a}, U. Barron ¹⁵², M.G. Barros Teixeira ^{131a}, S. Barsov ³⁷, F. Bartels ^{63a}, R. Bartoldus ¹⁴⁴, A.E. Barton ⁹², P. Bartos ^{28a}, A. Basan ¹⁰¹, M. Baselga ⁴⁹, A. Bassalat ^{66,b}, M.J. Basso ^{157a}, R. Bate ¹⁶⁵, R.L. Bates ⁵⁹, S. Batlamous ¹⁰⁰, B. Batool ¹⁴², M. Battaglia ¹³⁷, D. Battulga ¹⁸, M. Baucé ^{75a,75b}, M. Bauer ³⁶, P. Bauer ²⁴, L.T. Bazzano Hurrell ³⁰, J.B. Beacham ⁵¹, T. Beau ¹²⁸, J.Y. Beaucamp ⁹¹, P.H. Beauchemin ¹⁵⁹, P. Bechtel ²⁴, H.P. Beck ^{19,o}, K. Becker ¹⁶⁸, A.J. Beddall ⁸², V.A. Bednyakov ³⁸, C.P. Bee ¹⁴⁶, L.J. Beemster ¹⁵, T.A. Beermann ³⁶, M. Begalli ^{83d}, M. Begel ²⁹, A. Behera ¹⁴⁶, J.K. Behr ⁴⁸, J.F. Beirer ³⁶, F. Beisiegel ²⁴, M. Belfkir ^{117b}, G. Bella ¹⁵², L. Bellagamba ^{23b}, A. Bellerive ³⁴, P. Bellos ²⁰, K. Beloborodov ³⁷, D. Bencheekroun ^{35a}, F. Bendebba ^{35a}, Y. Benhammou ¹⁵²,

K.C. Benkendorfer ⁶¹, L. Beresford ⁴⁸, M. Beretta ⁵³, E. Bergeaas Kuutmann ¹⁶², N. Berger ⁴,
 B. Bergmann ¹³³, J. Beringer ^{17a}, G. Bernardi ⁵, C. Bernius ¹⁴⁴, F.U. Bernlochner ²⁴,
 F. Bernon ^{36,103}, A. Berrocal Guardia ¹³, T. Berry ⁹⁶, P. Berta ¹³⁴, A. Berthold ⁵⁰, S. Bethke ¹¹¹,
 A. Betti ^{75a,75b}, A.J. Bevan ⁹⁵, N.K. Bhalla ⁵⁴, M. Bhamjee ^{33c}, S. Bhatta ¹⁴⁶,
 D.S. Bhattacharya ¹⁶⁷, P. Bhattarai ¹⁴⁴, K.D. Bhide ⁵⁴, V.S. Bhopatkar ¹²², R.M. Bianchi ¹³⁰,
 G. Bianco ^{23b,23a}, O. Biebel ¹¹⁰, R. Bielski ¹²⁴, M. Biglietti ^{77a}, C.S. Billingsley ⁴⁴, M. Bindi ⁵⁵,
 A. Bingul ^{21b}, C. Bini ^{75a,75b}, A. Biondini ⁹³, C.J. Birch-sykes ¹⁰², G.A. Bird ³², M. Birman ¹⁷⁰,
 M. Biros ¹³⁴, S. Biryukov ¹⁴⁷, T. Bisanz ⁴⁹, E. Bisceglie ^{43b,43a}, J.P. Biswal ¹³⁵, D. Biswas ¹⁴²,
 I. Bloch ⁴⁸, A. Blue ⁵⁹, U. Blumenschein ⁹⁵, J. Blumenthal ¹⁰¹, V.S. Bobrovnikov ³⁷,
 M. Boehler ⁵⁴, B. Boehm ¹⁶⁷, D. Bogavac ³⁶, A.G. Bogdanchikov ³⁷, C. Bohm ^{47a},
 V. Boisvert ⁹⁶, P. Bokan ³⁶, T. Bold ^{86a}, M. Bomben ⁵, M. Bona ⁹⁵, M. Boonekamp ¹³⁶,
 C.D. Booth ⁹⁶, A.G. Borbély ⁵⁹, I.S. Bordulev ³⁷, H.M. Borecka-Bielska ¹⁰⁹, G. Borissov ⁹²,
 D. Bortoletto ¹²⁷, D. Boscherini ^{23b}, M. Bosman ¹³, J.D. Bossio Sola ³⁶, K. Bouaouda ^{35a},
 N. Bouchhar ¹⁶⁴, J. Boudreau ¹³⁰, E.V. Bouhova-Thacker ⁹², D. Boumediene ⁴⁰,
 R. Bouquet ^{57b,57a}, A. Boveia ¹²⁰, J. Boyd ³⁶, D. Boye ²⁹, I.R. Boyko ³⁸, J. Bracinik ²⁰,
 N. Brahimí ⁴, G. Brandt ¹⁷², O. Brandt ³², F. Braren ⁴⁸, B. Brau ¹⁰⁴, J.E. Brau ¹²⁴,
 R. Brenner ¹⁷⁰, L. Brenner ¹¹⁵, R. Brenner ¹⁶², S. Bressler ¹⁷⁰, D. Britton ⁵⁹, D. Britzger ¹¹¹,
 I. Brock ²⁴, G. Brooijmans ⁴¹, E. Brost ²⁹, L.M. Brown ¹⁶⁶, L.E. Bruce ⁶¹, T.L. Bruckler ¹²⁷,
 P.A. Bruckman de Renstrom ⁸⁷, B. Brüers ⁴⁸, A. Bruni ^{23b}, G. Bruni ^{23b}, M. Bruschi ^{23b},
 N. Bruscinò ^{75a,75b}, T. Buanes ¹⁶, Q. Buat ¹³⁹, D. Buchin ¹¹¹, A.G. Buckley ⁵⁹, O. Bulekov ³⁷,
 B.A. Bullard ¹⁴⁴, S. Burdin ⁹³, C.D. Burgard ⁴⁹, A.M. Burger ³⁶, B. Burghgrave ⁸,
 O. Burlayenko ⁵⁴, J.T.P. Burr ³², C.D. Burton ¹¹, J.C. Burzynski ¹⁴³, E.L. Busch ⁴¹,
 V. Büscher ¹⁰¹, P.J. Bussey ⁵⁹, J.M. Butler ²⁵, C.M. Buttar ⁵⁹, J.M. Butterworth ⁹⁷,
 W. Buttinger ¹³⁵, C.J. Buxo Vazquez ¹⁰⁸, A.R. Buzykaev ³⁷, S. Cabrera Urbán ¹⁶⁴,
 L. Cadamuro ⁶⁶, D. Caforio ⁵⁸, H. Cai ¹³⁰, Y. Cai ^{14a,14e}, Y. Cai ^{14c}, V.M.M. Cairo ³⁶,
 O. Cakir ^{3a}, N. Calace ³⁶, P. Calafiura ^{17a}, G. Calderini ¹²⁸, P. Calfayan ⁶⁸, G. Callea ⁵⁹,
 L.P. Caloba ^{83b}, D. Calvet ⁴⁰, S. Calvet ⁴⁰, M. Calvetti ^{74a,74b}, R. Camacho Toro ¹²⁸,
 S. Camarda ³⁶, D. Camarero Munoz ²⁶, P. Camarri ^{76a,76b}, M.T. Camerlingo ^{72a,72b},
 D. Cameron ³⁶, C. Camincher ¹⁶⁶, M. Campanelli ⁹⁷, A. Camplani ⁴², V. Canale ^{72a,72b},
 A.C. Canbay ^{3a}, E. Canonero ⁹⁶, J. Cantero ¹⁶⁴, Y. Cao ¹⁶³, F. Capocasa ²⁶, M. Capua ^{43b,43a},
 A. Carbone ^{71a,71b}, R. Cardarelli ^{76a}, J.C.J. Cardenas ⁸, F. Cardillo ¹⁶⁴, G. Carducci ^{43b,43a},
 T. Carli ³⁶, G. Carlino ^{72a}, J.I. Carlotto ¹³, B.T. Carlson ^{130,q}, E.M. Carlson ^{166,157a},
 L. Carminati ^{71a,71b}, A. Carnelli ¹³⁶, M. Carnesale ^{75a,75b}, S. Caron ¹¹⁴, E. Carquin ^{138f},
 S. Carrá ^{71a}, G. Carratta ^{23b,23a}, A.M. Carroll ¹²⁴, T.M. Carter ⁵², M.P. Casado ^{13,i},
 M. Caspar ⁴⁸, F.L. Castillo ⁴, L. Castillo Garcia ¹³, V. Castillo Gimenez ¹⁶⁴, N.F. Castro ^{131a,131e},
 A. Catinaccio ³⁶, J.R. Catmore ¹²⁶, T. Cavaliere ⁴, V. Cavaliere ²⁹, N. Cavalli ^{23b,23a},
 Y.C. Cekmecelioglu ⁴⁸, E. Celebi ^{21a}, S. Cella ³⁶, F. Celli ¹²⁷, M.S. Centonze ^{70a,70b},
 V. Cepaitis ⁵⁶, K. Cerny ¹²³, A.S. Cerqueira ^{83a}, A. Cerri ¹⁴⁷, L. Cerrito ^{76a,76b}, F. Cerutti ^{17a},
 B. Cervato ¹⁴², A. Cervelli ^{23b}, G. Cesarini ⁵³, S.A. Cetin ⁸², D. Chakraborty ¹¹⁶, J. Chan ^{17a},
 W.Y. Chan ¹⁵⁴, J.D. Chapman ³², E. Chapon ¹³⁶, B. Chargeishvili ^{150b}, D.G. Charlton ²⁰,
 M. Chatterjee ¹⁹, C. Chauhan ¹³⁴, Y. Che ^{14c}, S. Chekanov ⁶, S.V. Chekulaev ^{157a},
 G.A. Chelkov ^{38,a}, A. Chen ¹⁰⁷, B. Chen ¹⁵², B. Chen ¹⁶⁶, H. Chen ^{14c}, H. Chen ²⁹,
 J. Chen ^{62c}, J. Chen ¹⁴³, M. Chen ¹²⁷, S. Chen ¹⁵⁴, S.J. Chen ^{14c}, X. Chen ^{62c,136},
 X. Chen ^{14b,ad}, Y. Chen ^{62a}, C.L. Cheng ¹⁷¹, H.C. Cheng ^{64a}, S. Cheong ¹⁴⁴, A. Cheplakov ³⁸,
 E. Cheremushkina ⁴⁸, E. Cherepanova ¹¹⁵, R. Cherkaoui El Moursli ^{35e}, E. Cheu ⁷, K. Cheung ⁶⁵,
 L. Chevalier ¹³⁶, V. Chiarella ⁵³, G. Chiarelli ^{74a}, N. Chiedde ¹⁰³, G. Chiodini ^{70a},
 A.S. Chisholm ²⁰, A. Chitan ^{27b}, M. Chitishvili ¹⁶⁴, M.V. Chizhov ³⁸, K. Choi ¹¹, Y. Chou ¹³⁹,

E.Y.S. Chow ^{id114}, K.L. Chu ^{id170}, M.C. Chu ^{id64a}, X. Chu ^{id14a,14e}, J. Chudoba ^{id132},
 J.J. Chwastowski ^{id87}, D. Cieri ^{id111}, K.M. Ciesla ^{id86a}, V. Cindro ^{id94}, A. Ciocio ^{id17a}, F. Ciroto ^{id72a,72b},
 Z.H. Citron ^{id170}, M. Citterio ^{id71a}, D.A. Ciubotaru ^{id27b}, A. Clark ^{id56}, P.J. Clark ^{id52}, C. Clarry ^{id156},
 J.M. Clavijo Columbie ^{id48}, S.E. Clawson ^{id48}, C. Clement ^{id47a,47b}, J. Clercx ^{id48}, Y. Coadou ^{id103},
 M. Cobal ^{id69a,69c}, A. Coccaro ^{id57b}, R.F. Coelho Barrue ^{id131a}, R. Coelho Lopes De Sa ^{id104},
 S. Coelli ^{id71a}, B. Cole ^{id41}, J. Collot ^{id60}, P. Conde Muiño ^{id131a,131g}, M.P. Connell ^{id33c},
 S.H. Connell ^{id33c}, E.I. Conroy ^{id127}, F. Conventi ^{id72a,af}, H.G. Cooke ^{id20}, A.M. Cooper-Sarkar ^{id127},
 F.A. Corchia ^{id23b,23a}, A. Cordeiro Oudot Choi ^{id128}, L.D. Corpe ^{id40}, M. Corradi ^{id75a,75b},
 F. Corriveau ^{id105,w}, A. Cortes-Gonzalez ^{id18}, M.J. Costa ^{id164}, F. Costanza ^{id4}, D. Costanzo ^{id140},
 B.M. Cote ^{id120}, G. Cowan ^{id96}, K. Cranmer ^{id171}, D. Cremonini ^{id23b,23a}, S. Crépe-Renaudin ^{id60},
 F. Crescioli ^{id128}, M. Cristinziani ^{id142}, M. Cristoforetti ^{id78a,78b}, V. Croft ^{id115}, J.E. Crosby ^{id122},
 G. Crosetti ^{id43b,43a}, A. Cueto ^{id100}, H. Cui ^{id14a,14e}, Z. Cui ^{id7}, W.R. Cunningham ^{id59}, F. Curcio ^{id164},
 J.R. Curran ^{id52}, P. Czodrowski ^{id36}, M.M. Czurylo ^{id36}, M.J. Da Cunha Sargedas De Sousa ^{id57b,57a},
 J.V. Da Fonseca Pinto ^{id83b}, C. Da Via ^{id102}, W. Dabrowski ^{id86a}, T. Dado ^{id49}, S. Dahbi ^{id149},
 T. Dai ^{id107}, D. Dal Santo ^{id19}, C. Dallapiccola ^{id104}, M. Dam ^{id42}, G. D'amen ^{id29}, V. D'Amico ^{id110},
 J. Damp ^{id101}, J.R. Dandoy ^{id34}, M. Danninger ^{id143}, V. Dao ^{id36}, G. Darbo ^{id57b}, S.J. Das ^{id29,ag},
 F. Dattola ^{id48}, S. D'Auria ^{id71a,71b}, A. D'avanzo ^{id72a,72b}, C. David ^{id33a}, T. Davidek ^{id134},
 B. Davis-Purcell ^{id34}, I. Dawson ^{id95}, H.A. Day-hall ^{id133}, K. De ^{id8}, R. De Asmundis ^{id72a},
 N. De Biase ^{id48}, S. De Castro ^{id23b,23a}, N. De Groot ^{id114}, P. de Jong ^{id115}, H. De la Torre ^{id116},
 A. De Maria ^{id14c}, A. De Salvo ^{id75a}, U. De Sanctis ^{id76a,76b}, F. De Santis ^{id70a,70b}, A. De Santo ^{id147},
 J.B. De Vivie De Regie ^{id60}, D.V. Dedovich ^{id38}, J. Degens ^{id93}, A.M. Deiana ^{id44}, F. Del Corso ^{id23b,23a},
 J. Del Peso ^{id100}, F. Del Rio ^{id63a}, L. Delagrangé ^{id128}, F. Deliot ^{id136}, C.M. Delitzsch ^{id49},
 M. Della Pietra ^{id72a,72b}, D. Della Volpe ^{id56}, A. Dell'Acqua ^{id36}, L. Dell'Asta ^{id71a,71b}, M. Delmastro ^{id4},
 P.A. Delsart ^{id60}, S. Demers ^{id173}, M. Demichev ^{id38}, S.P. Denisov ^{id37}, L. D'Eramo ^{id40},
 D. Derendarz ^{id87}, F. Derue ^{id128}, P. Dervan ^{id93}, K. Desch ^{id24}, C. Deutsch ^{id24}, F.A. Di Bello ^{id57b,57a},
 A. Di Ciaccio ^{id76a,76b}, L. Di Ciaccio ^{id4}, A. Di Domenico ^{id75a,75b}, C. Di Donato ^{id72a,72b},
 A. Di Girolamo ^{id36}, G. Di Gregorio ^{id36}, A. Di Luca ^{id78a,78b}, B. Di Micco ^{id77a,77b}, R. Di Nardo ^{id77a,77b},
 M. Diamantopoulou ^{id34}, F.A. Dias ^{id115}, T. Dias Do Vale ^{id143}, M.A. Diaz ^{id138a,138b},
 F.G. Diaz Capriles ^{id24}, M. Didenko ^{id164}, E.B. Diehl ^{id107}, S. Díez Cornell ^{id48}, C. Diez Pardos ^{id142},
 C. Dimitriadi ^{id162,24}, A. Dimitrievska ^{id20}, J. Dingfelder ^{id24}, I-M. Dinu ^{id27b}, S.J. Dittmeier ^{id63b},
 F. Dittus ^{id36}, M. Divisek ^{id134}, F. Djama ^{id103}, T. Djobava ^{id150b}, C. Doglioni ^{id102,99}, A. Dohnalova ^{id28a},
 J. Dolejsi ^{id134}, Z. Dolezal ^{id134}, K.M. Dona ^{id39}, M. Donadelli ^{id83c}, B. Dong ^{id108}, J. Donini ^{id40},
 A. D'Onofrio ^{id72a,72b}, M. D'Onofrio ^{id93}, J. Dopke ^{id135}, A. Doria ^{id72a}, N. Dos Santos Fernandes ^{id131a},
 P. Dougan ^{id102}, M.T. Dova ^{id91}, A.T. Doyle ^{id59}, M.A. Draguet ^{id127}, E. Dreyer ^{id170},
 I. Drivas-koulouris ^{id10}, M. Drnevich ^{id118}, M. Drozdova ^{id56}, D. Du ^{id62a}, T.A. du Pree ^{id115},
 F. Dubinin ^{id37}, M. Dubovsky ^{id28a}, E. Duchovni ^{id170}, G. Duckeck ^{id110}, O.A. Ducu ^{id27b}, D. Duda ^{id52},
 A. Dudarev ^{id36}, E.R. Duden ^{id26}, M. D'uffizi ^{id102}, L. Duflost ^{id66}, M. Dührssen ^{id36}, I. Duminica ^{id27g},
 A.E. Dumitriu ^{id27b}, M. Dunford ^{id63a}, S. Dungs ^{id49}, K. Dunne ^{id47a,47b}, A. Duperrin ^{id103},
 H. Duran Yildiz ^{id3a}, M. Düren ^{id58}, A. Durglishvili ^{id150b}, B.L. Dwyer ^{id116}, G.I. Dyckes ^{id17a},
 M. Dyndal ^{id86a}, B.S. Dziedzic ^{id87}, Z.O. Earnshaw ^{id147}, G.H. Eberwein ^{id127}, B. Eckerova ^{id28a},
 S. Eggebrecht ^{id55}, E. Egidio Purcino De Souza ^{id128}, L.F. Ehrke ^{id56}, G. Eigen ^{id16}, K. Einsweiler ^{id17a},
 T. Ekelof ^{id162}, P.A. Ekman ^{id99}, S. El Farkh ^{id35b}, Y. El Ghazali ^{id35b}, H. El Jarrari ^{id36},
 A. El Moussaouy ^{id109}, V. Ellajosyula ^{id162}, M. Ellert ^{id162}, F. Ellinghaus ^{id172}, N. Ellis ^{id36},
 J. Elmsheuser ^{id29}, M. Elsayy ^{id117a}, M. Elsing ^{id36}, D. Emelianov ^{id135}, Y. Enari ^{id154}, I. Ene ^{id17a},
 S. Epari ^{id13}, P.A. Erland ^{id87}, M. Errenst ^{id172}, M. Escalier ^{id66}, C. Escobar ^{id164}, E. Etzion ^{id152},
 G. Evans ^{id131a}, H. Evans ^{id68}, L.S. Evans ^{id96}, A. Ezhilov ^{id37}, S. Ezzarqtouni ^{id35a}, F. Fabbri ^{id23b,23a},
 L. Fabbri ^{id23b,23a}, G. Facini ^{id97}, V. Fadeyev ^{id137}, R.M. Fakhruddinov ^{id37}, D. Fakoudis ^{id101},

S. Falciano ^{75a}, L.F. Falda Ulhoa Coelho ³⁶, P.J. Falke ²⁴, F. Fallavollita ¹¹¹, J. Faltova ¹³⁴,
 C. Fan ¹⁶³, Y. Fan ^{14a}, Y. Fang ^{14a,14e}, M. Fanti ^{71a,71b}, M. Faraj ^{69a,69b}, Z. Farazpay ⁹⁸,
 A. Farbin ⁸, A. Farilla ^{77a}, T. Farooque ¹⁰⁸, S.M. Farrington ⁵², F. Fassi ^{35e}, D. Fassouliotis ⁹,
 M. Faucci Giannelli ^{76a,76b}, W.J. Fawcett ³², L. Fayard ⁶⁶, P. Federic ¹³⁴, P. Federicova ¹³²,
 O.L. Fedin ^{37,a}, M. Feickert ¹⁷¹, L. Feligioni ¹⁰³, D.E. Fellers ¹²⁴, C. Feng ^{62b}, M. Feng ^{14b},
 Z. Feng ¹¹⁵, M.J. Fenton ¹⁶⁰, L. Ferencz ⁴⁸, R.A.M. Ferguson ⁹², S.I. Fernandez Luengo ^{138f},
 P. Fernandez Martinez ¹³, M.J.V. Fernoux ¹⁰³, J. Ferrando ⁹², A. Ferrari ¹⁶², P. Ferrari ^{115,114},
 R. Ferrari ^{73a}, D. Ferrere ⁵⁶, C. Ferretti ¹⁰⁷, F. Fiedler ¹⁰¹, P. Fiedler ¹³³, A. Filipčič ⁹⁴,
 E.K. Filmer ¹, F. Filthaut ¹¹⁴, M.C.N. Fiolhais ^{131a,131c,c}, L. Fiorini ¹⁶⁴, W.C. Fisher ¹⁰⁸,
 T. Fitschen ¹⁰², P.M. Fitzhugh ¹³⁶, I. Fleck ¹⁴², P. Fleischmann ¹⁰⁷, T. Flick ¹⁷², M. Flores ^{33d,ab},
 L.R. Flores Castillo ^{64a}, L. Flores Sanz De Acedo ³⁶, F.M. Follega ^{78a,78b}, N. Fomin ¹⁶,
 J.H. Foo ¹⁵⁶, A. Formica ¹³⁶, A.C. Forti ¹⁰², E. Fortin ³⁶, A.W. Fortman ^{17a}, M.G. Foti ^{17a},
 L. Fountas ^{9j}, D. Fournier ⁶⁶, H. Fox ⁹², P. Francavilla ^{74a,74b}, S. Francescato ⁶¹,
 S. Franchellucci ⁵⁶, M. Franchini ^{23b,23a}, S. Franchino ^{63a}, D. Francis ³⁶, L. Franco ¹¹⁴,
 V. Franco Lima ³⁶, L. Franconi ⁴⁸, M. Franklin ⁶¹, G. Frattari ²⁶, W.S. Freund ^{83b}, Y.Y. Frid ¹⁵²,
 J. Friend ⁵⁹, N. Fritzsche ⁵⁰, A. Froch ⁵⁴, D. Froidevaux ³⁶, J.A. Frost ¹²⁷, Y. Fu ^{62a},
 S. Fuenzalida Garrido ^{138f}, M. Fujimoto ¹⁰³, K.Y. Fung ^{64a}, E. Furtado De Simas Filho ^{83e},
 M. Furukawa ¹⁵⁴, J. Fuster ¹⁶⁴, A. Gabrielli ^{23b,23a}, A. Gabrielli ¹⁵⁶, P. Gadow ³⁶,
 G. Gagliardi ^{57b,57a}, L.G. Gagnon ^{17a}, S. Gaid ¹⁶¹, S. Galantzan ¹⁵², E.J. Gallas ¹²⁷,
 B.J. Gallop ¹³⁵, K.K. Gan ¹²⁰, S. Ganguly ¹⁵⁴, Y. Gao ⁵², F.M. Garay Walls ^{138a,138b}, B. Garcia ²⁹,
 C. García ¹⁶⁴, A. Garcia Alonso ¹¹⁵, A.G. Garcia Caffaro ¹⁷³, J.E. García Navarro ¹⁶⁴,
 M. Garcia-Sciveres ^{17a}, G.L. Gardner ¹²⁹, R.W. Gardner ³⁹, N. Garelli ¹⁵⁹, D. Garg ⁸⁰,
 R.B. Garg ^{144,m}, J.M. Gargan ⁵², C.A. Garner ¹⁵⁶, C.M. Garvey ^{33a}, P. Gaspar ^{83b}, V.K. Gassmann ¹⁵⁹,
 G. Gaudio ^{73a}, V. Gautam ¹³, P. Gauzzi ^{75a,75b}, I.L. Gavrilenko ³⁷, A. Gavrilyuk ³⁷, C. Gay ¹⁶⁵,
 G. Gaycken ⁴⁸, E.N. Gazis ¹⁰, A.A. Geanta ^{27b}, C.M. Gee ¹³⁷, A. Gekow ¹²⁰, C. Gemme ^{57b},
 M.H. Genest ⁶⁰, A.D. Gentry ¹¹³, S. George ⁹⁶, W.F. George ²⁰, T. Geralis ⁴⁶,
 P. Gessinger-Befurt ³⁶, M.E. Geyik ¹⁷², M. Ghani ¹⁶⁸, K. Ghorbanian ⁹⁵, A. Ghosal ¹⁴²,
 A. Ghosh ¹⁶⁰, A. Ghosh ⁷, B. Giacobbe ^{23b}, S. Giagu ^{75a,75b}, T. Giani ¹¹⁵, P. Giannetti ^{74a},
 A. Giannini ^{62a}, S.M. Gibson ⁹⁶, M. Gignac ¹³⁷, D.T. Gil ^{86b}, A.K. Gilbert ^{86a}, B.J. Gilbert ⁴¹,
 D. Gillberg ³⁴, G. Gilles ¹¹⁵, L. Ginabat ¹²⁸, D.M. Gingrich ^{2,ae}, M.P. Giordani ^{69a,69c},
 P.F. Giraud ¹³⁶, G. Giugliarelli ^{69a,69c}, D. Giugni ^{71a}, F. Giuli ³⁶, I. Gkialas ^{9j}, L.K. Gladilin ³⁷,
 C. Glasman ¹⁰⁰, G.R. Gledhill ¹²⁴, G. Glemža ⁴⁸, M. Glisic ¹²⁴, I. Gnesi ^{43b,f}, Y. Go ²⁹,
 M. Goblirsch-Kolb ³⁶, B. Gocke ⁴⁹, D. Godin ¹⁰⁹, B. Gokturk ^{21a}, S. Goldfarb ¹⁰⁶, T. Golling ⁵⁶,
 M.G.D. Gololo ^{33g}, D. Golubkov ³⁷, J.P. Gombas ¹⁰⁸, A. Gomes ^{131a,131b}, G. Gomes Da Silva ¹⁴²,
 A.J. Gomez Delegido ¹⁶⁴, R. Gonçalo ^{131a,131c}, L. Gonella ²⁰, A. Gongadze ^{150c}, F. Gonnella ²⁰,
 J.L. Gonski ¹⁴⁴, R.Y. González Andana ⁵², S. González de la Hoz ¹⁶⁴, R. Gonzalez Lopez ⁹³,
 C. Gonzalez Renteria ^{17a}, M.V. Gonzalez Rodrigues ⁴⁸, R. Gonzalez Suarez ¹⁶²,
 S. Gonzalez-Sevilla ⁵⁶, L. Goossens ³⁶, B. Gorini ³⁶, E. Gorini ^{70a,70b}, A. Gorišek ⁹⁴,
 T.C. Gosart ¹²⁹, A.T. Goshaw ⁵¹, M.I. Gostkin ³⁸, S. Goswami ¹²², C.A. Gottardo ³⁶,
 S.A. Gotz ¹¹⁰, M. Gouighri ^{35b}, V. Goumarre ⁴⁸, A.G. Goussiou ¹³⁹, N. Govender ^{33c},
 I. Grabowska-Bold ^{86a}, K. Graham ³⁴, E. Gramstad ¹²⁶, S. Grancagnolo ^{70a,70b}, C.M. Grant ^{1,136},
 P.M. Gravila ^{27f}, F.G. Gravili ^{70a,70b}, H.M. Gray ^{17a}, M. Greco ^{70a,70b}, C. Grefe ²⁴,
 I.M. Gregor ⁴⁸, K.T. Greif ¹⁶⁰, P. Grenier ¹⁴⁴, S.G. Grewe ¹¹¹, A.A. Grillo ¹³⁷, K. Grimm ³¹,
 S. Grinstein ^{13,s}, J.-F. Grivaz ⁶⁶, E. Gross ¹⁷⁰, J. Grosse-Knetter ⁵⁵, J.C. Grundy ¹²⁷,
 L. Guan ¹⁰⁷, C. Gubbels ¹⁶⁵, J.G.R. Guerrero Rojas ¹⁶⁴, G. Guerrieri ^{69a,69c}, F. Guescini ¹¹¹,
 R. Gugel ¹⁰¹, J.A.M. Guhit ¹⁰⁷, A. Guida ¹⁸, E. Guilloton ¹⁶⁸, S. Guindon ³⁶, F. Guo ^{14a,14e},
 J. Guo ^{62c}, L. Guo ⁴⁸, Y. Guo ¹⁰⁷, R. Gupta ⁴⁸, R. Gupta ¹³⁰, S. Gurbuz ²⁴, S.S. Gurdasani ⁵⁴,

G. Gustavino [id](#)³⁶, M. Guth [id](#)⁵⁶, P. Gutierrez [id](#)¹²¹, L.F. Gutierrez Zagazeta [id](#)¹²⁹, M. Gutsche [id](#)⁵⁰, C. Gutschow [id](#)⁹⁷, C. Gwenlan [id](#)¹²⁷, C.B. Gwilliam [id](#)⁹³, E.S. Haaland [id](#)¹²⁶, A. Haas [id](#)¹¹⁸, M. Habedank [id](#)⁴⁸, C. Haber [id](#)^{17a}, H.K. Hadavand [id](#)⁸, A. Hadeef [id](#)⁵⁰, S. Hadzic [id](#)¹¹¹, A.I. Hagan [id](#)⁹², J.J. Hahn [id](#)¹⁴², E.H. Haines [id](#)⁹⁷, M. Haleem [id](#)¹⁶⁷, J. Haley [id](#)¹²², J.J. Hall [id](#)¹⁴⁰, G.D. Hallelwell [id](#)¹⁰³, L. Halser [id](#)¹⁹, K. Hamano [id](#)¹⁶⁶, M. Hamer [id](#)²⁴, G.N. Hamity [id](#)⁵², E.J. Hampshire [id](#)⁹⁶, J. Han [id](#)^{62b}, K. Han [id](#)^{62a}, L. Han [id](#)^{14c}, L. Han [id](#)^{62a}, S. Han [id](#)^{17a}, Y.F. Han [id](#)¹⁵⁶, K. Hanagaki [id](#)⁸⁴, M. Hance [id](#)¹³⁷, D.A. Hangal [id](#)⁴¹, H. Hanif [id](#)¹⁴³, M.D. Hank [id](#)¹²⁹, J.B. Hansen [id](#)⁴², P.H. Hansen [id](#)⁴², K. Hara [id](#)¹⁵⁸, D. Harada [id](#)⁵⁶, T. Harenberg [id](#)¹⁷², S. Harkusha [id](#)³⁷, M.L. Harris [id](#)¹⁰⁴, Y.T. Harris [id](#)¹²⁷, J. Harrison [id](#)¹³, N.M. Harrison [id](#)¹²⁰, P.F. Harrison [id](#)¹⁶⁸, N.M. Hartman [id](#)¹¹¹, N.M. Hartmann [id](#)¹¹⁰, Y. Hasegawa [id](#)¹⁴¹, S. Hassan [id](#)¹⁶, R. Hauser [id](#)¹⁰⁸, C.M. Hawkes [id](#)²⁰, R.J. Hawkins [id](#)³⁶, Y. Hayashi [id](#)¹⁵⁴, S. Hayashida [id](#)¹¹², D. Hayden [id](#)¹⁰⁸, C. Hayes [id](#)¹⁰⁷, R.L. Hayes [id](#)¹¹⁵, C.P. Hays [id](#)¹²⁷, J.M. Hays [id](#)⁹⁵, H.S. Hayward [id](#)⁹³, F. He [id](#)^{62a}, M. He [id](#)^{14a,14e}, Y. He [id](#)¹⁵⁵, Y. He [id](#)⁴⁸, Y. He [id](#)⁹⁷, N.B. Heatley [id](#)⁹⁵, V. Hedberg [id](#)⁹⁹, A.L. Heggelund [id](#)¹²⁶, N.D. Hehir [id](#)^{95,*}, C. Heidegger [id](#)⁵⁴, K.K. Heidegger [id](#)⁵⁴, W.D. Heidorn [id](#)⁸¹, J. Heilman [id](#)³⁴, S. Heim [id](#)⁴⁸, T. Heim [id](#)^{17a}, J.G. Heinlein [id](#)¹²⁹, J.J. Heinrich [id](#)¹²⁴, L. Heinrich [id](#)^{111,ac}, J. Hejbal [id](#)¹³², A. Held [id](#)¹⁷¹, S. Hellesund [id](#)¹⁶, C.M. Helling [id](#)¹⁶⁵, S. Hellman [id](#)^{47a,47b}, R.C.W. Henderson [id](#)⁹², L. Henkelmann [id](#)³², A.M. Henriques Correia [id](#)³⁶, H. Herde [id](#)⁹⁹, Y. Hernández Jiménez [id](#)¹⁴⁶, L.M. Herrmann [id](#)²⁴, T. Herrmann [id](#)⁵⁰, G. Herten [id](#)⁵⁴, R. Hertenberger [id](#)¹¹⁰, L. Hervas [id](#)³⁶, M.E. Hesping [id](#)¹⁰¹, N.P. Hessey [id](#)^{157a}, M. Hidaoui [id](#)^{35b}, E. Hill [id](#)¹⁵⁶, S.J. Hillier [id](#)²⁰, J.R. Hinds [id](#)¹⁰⁸, F. Hinterkeuser [id](#)²⁴, M. Hirose [id](#)¹²⁵, S. Hirose [id](#)¹⁵⁸, D. Hirschbuehl [id](#)¹⁷², T.G. Hitchings [id](#)¹⁰², B. Hiti [id](#)⁹⁴, J. Hobbs [id](#)¹⁴⁶, R. Hobincu [id](#)^{27c}, N. Hod [id](#)¹⁷⁰, M.C. Hodgkinson [id](#)¹⁴⁰, B.H. Hodgkinson [id](#)¹²⁷, A. Hoecker [id](#)³⁶, D.D. Hofer [id](#)¹⁰⁷, J. Hofer [id](#)⁴⁸, T. Holm [id](#)²⁴, M. Holzbock [id](#)¹¹¹, L.B.A.H. Hommels [id](#)³², B.P. Honan [id](#)¹⁰², J. Hong [id](#)^{62c}, T.M. Hong [id](#)¹³⁰, B.H. Hooberman [id](#)¹⁶³, W.H. Hopkins [id](#)⁶, Y. Horii [id](#)¹¹², S. Hou [id](#)¹⁴⁹, A.S. Howard [id](#)⁹⁴, J. Howarth [id](#)⁵⁹, J. Hoya [id](#)⁶, M. Hrabovsky [id](#)¹²³, A. Hrynevich [id](#)⁴⁸, T. Hryn'ova [id](#)⁴, P.J. Hsu [id](#)⁶⁵, S.-C. Hsu [id](#)¹³⁹, T. Hsu [id](#)⁶⁶, M. Hu [id](#)^{17a}, Q. Hu [id](#)^{62a}, S. Huang [id](#)^{64b}, X. Huang [id](#)^{14a,14e}, Y. Huang [id](#)¹⁴⁰, Y. Huang [id](#)¹⁰¹, Y. Huang [id](#)^{14a}, Z. Huang [id](#)¹⁰², Z. Hubacek [id](#)¹³³, M. Huebner [id](#)²⁴, F. Hugging [id](#)²⁴, T.B. Huffman [id](#)¹²⁷, C.A. Hugli [id](#)⁴⁸, M. Huhtinen [id](#)³⁶, S.K. Huiberts [id](#)¹⁶, R. Hulsken [id](#)¹⁰⁵, N. Huseynov [id](#)¹², J. Huston [id](#)¹⁰⁸, J. Huth [id](#)⁶¹, R. Hyneman [id](#)¹⁴⁴, G. Iacobucci [id](#)⁵⁶, G. Iakovidis [id](#)²⁹, I. Ibragimov [id](#)¹⁴², L. Iconomidou-Fayard [id](#)⁶⁶, J.P. Iddon [id](#)³⁶, P. Iengo [id](#)^{72a,72b}, R. Iguchi [id](#)¹⁵⁴, T. Iizawa [id](#)¹²⁷, Y. Ikegami [id](#)⁸⁴, N. Ilic [id](#)¹⁵⁶, H. Imam [id](#)^{35a}, M. Ince Lezki [id](#)⁵⁶, T. Ingebretsen Carlson [id](#)^{47a,47b}, G. Introzzi [id](#)^{73a,73b}, M. Iodice [id](#)^{77a}, V. Ippolito [id](#)^{75a,75b}, R.K. Irwin [id](#)⁹³, M. Ishino [id](#)¹⁵⁴, W. Islam [id](#)¹⁷¹, C. Issever [id](#)^{18,48}, S. Istin [id](#)^{21a,ai}, H. Ito [id](#)¹⁶⁹, R. Iuppa [id](#)^{78a,78b}, A. Ivina [id](#)¹⁷⁰, J.M. Izen [id](#)⁴⁵, V. Izzo [id](#)^{72a}, P. Jacka [id](#)^{132,133}, P. Jackson [id](#)¹, B.P. Jaeger [id](#)¹⁴³, C.S. Jagfeld [id](#)¹¹⁰, G. Jain [id](#)^{157a}, P. Jain [id](#)⁵⁴, K. Jakobs [id](#)⁵⁴, T. Jakoubek [id](#)¹⁷⁰, J. Jamieson [id](#)⁵⁹, K.W. Janas [id](#)^{86a}, M. Javurkova [id](#)¹⁰⁴, L. Jeanty [id](#)¹²⁴, J. Jejelava [id](#)^{150a,z}, P. Jenni [id](#)^{54,g}, C.E. Jessiman [id](#)³⁴, C. Jia [id](#)^{62b}, J. Jia [id](#)¹⁴⁶, X. Jia [id](#)⁶¹, X. Jia [id](#)^{14a,14e}, Z. Jia [id](#)^{14c}, C. Jiang [id](#)⁵², S. Jiggins [id](#)⁴⁸, J. Jimenez Pena [id](#)¹³, S. Jin [id](#)^{14c}, A. Jinaru [id](#)^{27b}, O. Jinnouchi [id](#)¹⁵⁵, P. Johansson [id](#)¹⁴⁰, K.A. Johns [id](#)⁷, J.W. Johnson [id](#)¹³⁷, D.M. Jones [id](#)¹⁴⁷, E. Jones [id](#)⁴⁸, P. Jones [id](#)³², R.W.L. Jones [id](#)⁹², T.J. Jones [id](#)⁹³, H.L. Joos [id](#)^{55,36}, R. Joshi [id](#)¹²⁰, J. Jovicevic [id](#)¹⁵, X. Ju [id](#)^{17a}, J.J. Junggeburth [id](#)¹⁰⁴, T. Junkermann [id](#)^{63a}, A. Juste Rozas [id](#)^{13,s}, M.K. Juzek [id](#)⁸⁷, S. Kabana [id](#)^{138e}, A. Kaczmarska [id](#)⁸⁷, M. Kado [id](#)¹¹¹, H. Kagan [id](#)¹²⁰, M. Kagan [id](#)¹⁴⁴, A. Kahn [id](#)⁴¹, A. Kahn [id](#)¹²⁹, C. Kahra [id](#)¹⁰¹, T. Kaji [id](#)¹⁵⁴, E. Kajomovitz [id](#)¹⁵¹, N. Kakati [id](#)¹⁷⁰, I. Kalaitzidou [id](#)⁵⁴, C.W. Kalderon [id](#)²⁹, N.J. Kang [id](#)¹³⁷, D. Kar [id](#)^{33g}, K. Karava [id](#)¹²⁷, M.J. Kareem [id](#)^{157b}, E. Karentzos [id](#)⁵⁴, I. Karkanas [id](#)¹⁵³, O. Karkout [id](#)¹¹⁵, S.N. Karpov [id](#)³⁸, Z.M. Karpova [id](#)³⁸, V. Kartvelishvili [id](#)⁹², A.N. Karyukhin [id](#)³⁷, E. Kasimi [id](#)¹⁵³, J. Katzy [id](#)⁴⁸, S. Kaur [id](#)³⁴, K. Kawade [id](#)¹⁴¹, M.P. Kawale [id](#)¹²¹, C. Kawamoto [id](#)⁸⁸, T. Kawamoto [id](#)^{62a}, E.F. Kay [id](#)³⁶, F.I. Kaya [id](#)¹⁵⁹, S. Kazakos [id](#)¹⁰⁸, V.F. Kazanin [id](#)³⁷, Y. Ke [id](#)¹⁴⁶, J.M. Keaveney [id](#)^{33a}, R. Keeler [id](#)¹⁶⁶, G.V. Kehris [id](#)⁶¹, J.S. Keller [id](#)³⁴, A.S. Kelly [id](#)⁹⁷, J.J. Kempster [id](#)¹⁴⁷, P.D. Kennedy [id](#)¹⁰¹, O. Kepka [id](#)¹³², B.P. Kerridge [id](#)¹³⁵, S. Kersten [id](#)¹⁷²,

B.P. Kerševan ⁹⁴, L. Keszeghova ^{28a}, S. Ketabchi Haghghat ¹⁵⁶, R.A. Khan ¹³⁰, A. Khanov ¹²²,
 A.G. Kharlamov ³⁷, T. Kharlamova ³⁷, E.E. Khoda ¹³⁹, M. Kholodenko ³⁷, T.J. Khoo ¹⁸,
 G. Khoriauli ¹⁶⁷, J. Khubua ^{150b,*}, Y.A.R. Khwaira ⁶⁶, B. Kibirige ^{33g}, A. Kilgallon ¹²⁴,
 D.W. Kim ^{47a,47b}, Y.K. Kim ³⁹, N. Kimura ⁹⁷, M.K. Kingston ⁵⁵, A. Kirchoff ⁵⁵, C. Kirfel ²⁴,
 F. Kirfel ²⁴, J. Kirk ¹³⁵, A.E. Kiryunin ¹¹¹, C. Kitsaki ¹⁰, O. Kivernyk ²⁴, M. Klassen ¹⁵⁹,
 C. Klein ³⁴, L. Klein ¹⁶⁷, M.H. Klein ⁴⁴, S.B. Klein ⁵⁶, U. Klein ⁹³, P. Klimek ³⁶,
 A. Klimentov ²⁹, T. Klioutchnikova ³⁶, P. Kluit ¹¹⁵, S. Kluth ¹¹¹, E. Kneringer ⁷⁹,
 T.M. Knight ¹⁵⁶, A. Knue ⁴⁹, R. Kobayashi ⁸⁸, D. Kobylanski ¹⁷⁰, S.F. Koch ¹²⁷,
 M. Kocian ¹⁴⁴, P. Kodyš ¹³⁴, D.M. Koeck ¹²⁴, P.T. Koenig ²⁴, T. Koffas ³⁴, O. Kolay ⁵⁰,
 I. Koletsou ⁴, T. Komarek ¹²³, K. Köneke ⁵⁴, A.X.Y. Kong ¹, T. Kono ¹¹⁹, N. Konstantinidis ⁹⁷,
 P. Kontaxakis ⁵⁶, B. Konya ⁹⁹, R. Kopeliansky ⁴¹, S. Koperny ^{86a}, K. Korcyl ⁸⁷, K. Kordas ^{153,e},
 A. Korn ⁹⁷, S. Korn ⁵⁵, I. Korolkov ¹³, N. Korotkova ³⁷, B. Kortman ¹¹⁵, O. Kortner ¹¹¹,
 S. Kortner ¹¹¹, W.H. Kostecka ¹¹⁶, V.V. Kostyukhin ¹⁴², A. Kotsokechagia ¹³⁶, A. Kotwal ⁵¹,
 A. Koulouris ³⁶, A. Kourkoumeli-Charalampidi ^{73a,73b}, C. Kourkoumelis ⁹, E. Kourlitis ^{111,ac},
 O. Kovanda ¹²⁴, R. Kowalewski ¹⁶⁶, W. Kozanecki ¹³⁶, A.S. Kozhin ³⁷, V.A. Kramarenko ³⁷,
 G. Kramberger ⁹⁴, P. Kramer ¹⁰¹, M.W. Krasny ¹²⁸, A. Krasznahorkay ³⁶, J.W. Kraus ¹⁷²,
 J.A. Kremer ⁴⁸, T. Kresse ⁵⁰, J. Kretschmar ⁹³, K. Kreul ¹⁸, P. Krieger ¹⁵⁶,
 S. Krishnamurthy ¹⁰⁴, M. Krivos ¹³⁴, K. Krizka ²⁰, K. Kroeninger ⁴⁹, H. Kroha ¹¹¹, J. Kroll ¹³²,
 J. Kroll ¹²⁹, K.S. Krowpman ¹⁰⁸, U. Kruchonak ³⁸, H. Krüger ²⁴, N. Krumnack ⁸¹, M.C. Kruse ⁵¹,
 O. Kuchinskaia ³⁷, S. Kuday ^{3a}, S. Kuehn ³⁶, R. Kuesters ⁵⁴, T. Kuhl ⁴⁸, V. Kukhtin ³⁸,
 Y. Kulchitsky ^{37,a}, S. Kuleshov ^{138d,138b}, M. Kumar ^{33g}, N. Kumari ⁴⁸, P. Kumari ^{157b},
 A. Kupco ¹³², T. Kupfer ⁴⁹, A. Kupich ³⁷, O. Kuprash ⁵⁴, H. Kurashige ⁸⁵, L.L. Kurchaninov ^{157a},
 O. Kurdysh ⁶⁶, Y.A. Kurochkin ³⁷, A. Kurova ³⁷, M. Kuze ¹⁵⁵, A.K. Kvam ¹⁰⁴, J. Kvita ¹²³,
 T. Kwan ¹⁰⁵, N.G. Kyriacou ¹⁰⁷, L.A.O. Laatu ¹⁰³, C. Lacasta ¹⁶⁴, F. Lacava ^{75a,75b},
 H. Lacker ¹⁸, D. Lacour ¹²⁸, N.N. Lad ⁹⁷, E. Ladygin ³⁸, A. Lafarge ⁴⁰, B. Laforge ¹²⁸,
 T. Lagouri ¹⁷³, F.Z. Lahbabi ^{35a}, S. Lai ⁵⁵, I.K. Lakomic ^{86a}, J.E. Lambert ¹⁶⁶, S. Lammers ⁶⁸,
 W. Lampl ⁷, C. Lampoudis ^{153,e}, G. Lamprinoudis ¹⁰¹, A.N. Lancaster ¹¹⁶, E. Lançon ²⁹,
 U. Landgraf ⁵⁴, M.P.J. Landon ⁹⁵, V.S. Lang ⁵⁴, O.K.B. Langrekken ¹²⁶, A.J. Lankford ¹⁶⁰,
 F. Lanni ³⁶, K. Lantzsch ²⁴, A. Lanza ^{73a}, A. Lapertosa ^{57b,57a}, J.F. Laporte ¹³⁶, T. Lari ^{71a},
 F. Lasagni Manghi ^{23b}, M. Lassnig ³⁶, V. Latonova ¹³², A. Laudrain ¹⁰¹, A. Laurier ¹⁵¹,
 S.D. Lawlor ¹⁴⁰, Z. Lawrence ¹⁰², R. Lazaridou ¹⁶⁸, M. Lazzaroni ^{71a,71b}, B. Le ¹⁰²,
 E.M. Le Boulicaut ⁵¹, L.T. Le Pottier ^{17a}, B. Leban ^{23b,23a}, A. Lebedev ⁸¹, M. LeBlanc ¹⁰²,
 F. Ledroit-Guillon ⁶⁰, A.C.A. Lee ⁹⁷, S.C. Lee ¹⁴⁹, S. Lee ^{47a,47b}, T.F. Lee ⁹³, L.L. Leeuw ^{33c},
 H.P. Lefebvre ⁹⁶, M. Lefebvre ¹⁶⁶, C. Leggett ^{17a}, G. Lehmann Miotto ³⁶, M. Leigh ⁵⁶,
 W.A. Leight ¹⁰⁴, W. Leinonen ¹¹⁴, A. Leisos ^{153,r}, M.A.L. Leite ^{83c}, C.E. Leitgeb ¹⁸,
 R. Leitner ¹³⁴, K.J.C. Leney ⁴⁴, T. Lenz ²⁴, S. Leone ^{74a}, C. Leonidopoulos ⁵², A. Leopold ¹⁴⁵,
 C. Leroy ¹⁰⁹, R. Les ¹⁰⁸, C.G. Lester ³², M. Levchenko ³⁷, J. Levêque ⁴, L.J. Levinson ¹⁷⁰,
 G. Levrini ^{23b,23a}, M.P. Lewicki ⁸⁷, C. Lewis ¹³⁹, D.J. Lewis ⁴, A. Li ⁵, B. Li ^{62b}, C. Li ^{62a},
 C-Q. Li ¹¹¹, H. Li ^{62a}, H. Li ^{62b}, H. Li ^{14c}, H. Li ^{14b}, H. Li ^{62b}, J. Li ^{62c}, K. Li ¹³⁹,
 L. Li ^{62c}, M. Li ^{14a,14e}, Q.Y. Li ^{62a}, S. Li ^{14a,14e}, S. Li ^{62d,62c,d}, T. Li ⁵, X. Li ¹⁰⁵, Z. Li ¹²⁷,
 Z. Li ¹⁵⁴, Z. Li ^{14a,14e}, S. Liang ^{14a,14e}, Z. Liang ^{14a}, M. Liberatore ¹³⁶, B. Liberti ^{76a}, K. Lie ^{64c},
 J. Lieber Marin ^{83e}, H. Lien ⁶⁸, K. Lin ¹⁰⁸, R.E. Lindley ⁷, J.H. Lindon ², E. Lipeles ¹²⁹,
 A. Lipniacka ¹⁶, A. Lister ¹⁶⁵, J.D. Little ⁴, B. Liu ^{14a}, B.X. Liu ¹⁴³, D. Liu ^{62d,62c},
 E.H.L. Liu ²⁰, J.B. Liu ^{62a}, J.K.K. Liu ³², K. Liu ^{62d}, K. Liu ^{62d,62c}, M. Liu ^{62a}, M.Y. Liu ^{62a},
 P. Liu ^{14a}, Q. Liu ^{62d,139,62c}, X. Liu ^{62a}, X. Liu ^{62b}, Y. Liu ^{14d,14e}, Y.L. Liu ^{62b}, Y.W. Liu ^{62a},
 J. Llorente Merino ¹⁴³, S.L. Lloyd ⁹⁵, E.M. Lobodzinska ⁴⁸, P. Loch ⁷, T. Lohse ¹⁸,
 K. Lohwasser ¹⁴⁰, E. Loiacono ⁴⁸, M. Lokajicek ^{132,*}, J.D. Lomas ²⁰, J.D. Long ¹⁶³,

I. Longarini [id160](#), L. Longo [id70a,70b](#), R. Longo [id163](#), I. Lopez Paz [id67](#), A. Lopez Solis [id48](#),
 N. Lorenzo Martinez [id4](#), A.M. Lory [id110](#), G. Löschcke Centeno [id147](#), O. Loseva [id37](#), X. Lou [id47a,47b](#),
 X. Lou [id14a,14e](#), A. Lounis [id66](#), P.A. Love [id92](#), G. Lu [id14a,14e](#), M. Lu [id66](#), S. Lu [id129](#), Y.J. Lu [id65](#),
 H.J. Lubatti [id139](#), C. Luci [id75a,75b](#), F.L. Lucio Alves [id14c](#), F. Luehring [id68](#), I. Luise [id146](#),
 O. Lukianchuk [id66](#), O. Lundberg [id145](#), B. Lund-Jensen [id145,*](#), N.A. Luongo [id6](#), M.S. Lutz [id36](#),
 A.B. Lux [id25](#), D. Lynn [id29](#), R. Lysak [id132](#), E. Lytken [id99](#), V. Lyubushkin [id38](#), T. Lyubushkina [id38](#),
 M.M. Lyukova [id146](#), M.Firdaus M. Soberi [id52](#), H. Ma [id29](#), K. Ma [id62a](#), L.L. Ma [id62b](#), W. Ma [id62a](#),
 Y. Ma [id122](#), D.M. Mac Donnell [id166](#), G. Maccarrone [id53](#), J.C. MacDonald [id101](#),
 P.C. Machado De Abreu Farias [id83e](#), R. Madar [id40](#), T. Madula [id97](#), J. Maeda [id85](#), T. Maeno [id29](#),
 H. Maguire [id140](#), V. Maiboroda [id136](#), A. Maio [id131a,131b,131d](#), K. Maj [id36a](#), O. Majersky [id48](#),
 S. Majewski [id124](#), N. Makovec [id66](#), V. Maksimovic [id15](#), B. Malaescu [id128](#), Pa. Malecki [id87](#),
 V.P. Maleev [id37](#), F. Malek [id60,n](#), M. Mali [id94](#), D. Malito [id96](#), U. Mallik [id80](#), S. Maltezos [id10](#),
 S. Malyukov [id38](#), J. Mamuzic [id13](#), G. Mancini [id53](#), M.N. Mancini [id26](#), G. Manco [id73a,73b](#),
 J.P. Mandalia [id95](#), I. Mandić [id94](#), L. Manhaes de Andrade Filho [id83a](#), I.M. Maniatis [id170](#),
 J. Manjarres Ramos [id90](#), D.C. Mankad [id170](#), A. Mann [id110](#), S. Manzoni [id36](#), L. Mao [id62c](#),
 X. Mapekula [id33c](#), A. Marantis [id153,r](#), G. Marchiori [id5](#), M. Marcisovsky [id132](#), C. Marcon [id71a](#),
 M. Marinescu [id20](#), S. Marium [id48](#), M. Marjanovic [id121](#), A. Markhoos [id54](#), M. Markovitch [id66](#),
 E.J. Marshall [id92](#), Z. Marshall [id17a](#), S. Marti-Garcia [id164](#), T.A. Martin [id168](#), V.J. Martin [id52](#),
 B. Martin dit Latour [id16](#), L. Martinelli [id75a,75b](#), M. Martinez [id13,s](#), P. Martinez Agullo [id164](#),
 V.I. Martinez Outschoorn [id104](#), P. Martinez Suarez [id13](#), S. Martin-Haugh [id135](#), G. Martinovicova [id134](#),
 V.S. Martoiu [id27b](#), A.C. Martyniuk [id97](#), A. Marzin [id36](#), D. Mascione [id78a,78b](#), L. Masetti [id101](#),
 T. Mashimo [id154](#), J. Masik [id102](#), A.L. Maslennikov [id37](#), P. Massarotti [id72a,72b](#), P. Mastrandrea [id74a,74b](#),
 A. Mastroberardino [id43b,43a](#), T. Masubuchi [id154](#), T. Mathisen [id162](#), J. Matousek [id134](#), N. Matsuzawa [id154](#),
 J. Maurer [id27b](#), A.J. Maury [id66](#), B. Maček [id94](#), D.A. Maximov [id37](#), A.E. May [id102](#), R. Mazini [id149](#),
 I. Maznas [id116](#), M. Mazza [id108](#), S.M. Mazza [id137](#), E. Mazzeo [id71a,71b](#), C. Mc Ginn [id29](#),
 J.P. Mc Gowan [id166](#), S.P. Mc Kee [id107](#), C.C. McCracken [id165](#), E.F. McDonald [id106](#),
 A.E. McDougall [id115](#), J.A. Mcfayden [id147](#), R.P. McGovern [id129](#), G. Mchedlidze [id150b](#),
 R.P. Mckenzie [id33g](#), T.C. Mclachlan [id48](#), D.J. Mclaughlin [id97](#), S.J. McMahon [id135](#),
 C.M. Mcpartland [id93](#), R.A. McPherson [id166,w](#), S. Mehlhase [id110](#), A. Mehta [id93](#), D. Melini [id164](#),
 B.R. Mellado Garcia [id33g](#), A.H. Melo [id55](#), F. Meloni [id48](#), A.M. Mendes Jacques Da Costa [id102](#),
 H.Y. Meng [id156](#), L. Meng [id92](#), S. Menke [id111](#), M. Mentink [id36](#), E. Meoni [id43b,43a](#), G. Mercado [id116](#),
 C. Merlassino [id69a,69c](#), L. Merola [id72a,72b](#), C. Meroni [id71a,71b](#), J. Metcalfe [id6](#), A.S. Mete [id6](#),
 C. Meyer [id68](#), J-P. Meyer [id136](#), R.P. Middleton [id135](#), L. Mijović [id52](#), G. Mikenberg [id170](#),
 M. Mikestikova [id132](#), M. Mikuž [id94](#), H. Mildner [id101](#), A. Milic [id36](#), D.W. Miller [id39](#), E.H. Miller [id144](#),
 L.S. Miller [id34](#), A. Milov [id170](#), D.A. Milstead [id47a,47b](#), T. Min [id14c](#), A.A. Minaenko [id37](#),
 I.A. Minashvili [id150b](#), L. Mince [id59](#), A.I. Mincer [id118](#), B. Mindur [id86a](#), M. Mineev [id38](#), Y. Mino [id88](#),
 L.M. Mir [id13](#), M. Miralles Lopez [id59](#), M. Mironova [id17a](#), A. Mishima [id154](#), M.C. Missio [id114](#),
 A. Mitra [id168](#), V.A. Mitsou [id164](#), Y. Mitsumori [id112](#), O. Miu [id156](#), P.S. Miyagawa [id95](#),
 T. Mkrtchyan [id63a](#), M. Mlinarevic [id97](#), T. Mlinarevic [id97](#), M. Mlynarikova [id36](#), S. Mobius [id19](#),
 P. Mogg [id110](#), M.H. Mohamed Farook [id113](#), A.F. Mohammed [id14a,14e](#), S. Mohapatra [id41](#),
 G. Mokgatitswane [id33g](#), L. Moleri [id170](#), B. Mondal [id142](#), S. Mondal [id133](#), K. Mönig [id48](#),
 E. Monnier [id103](#), L. Monsonis Romero [id164](#), J. Montejo Berlingen [id13](#), M. Montella [id120](#),
 F. Montekali [id77a,77b](#), F. Monticelli [id91](#), S. Monzani [id69a,69c](#), N. Morange [id66](#),
 A.L. Moreira De Carvalho [id48](#), M. Moreno Llácer [id164](#), C. Moreno Martinez [id56](#), P. Morettini [id57b](#),
 S. Morgenstern [id36](#), M. Morii [id61](#), M. Morinaga [id154](#), F. Morodei [id75a,75b](#), L. Morvaj [id36](#),
 P. Moschovakos [id36](#), B. Moser [id36](#), M. Mosidze [id150b](#), T. Moskalets [id54](#), P. Moskvitina [id114](#),
 J. Moss [id31,k](#), P. Moszkowicz [id86a](#), A. Moussa [id35d](#), E.J.W. Moyse [id104](#), O. Mtintsilana [id33g](#),

S. Muanza ¹⁰³, J. Mueller ¹³⁰, D. Muenstermann ⁹², R. Müller ¹⁹, G.A. Mullier ¹⁶²,
 A.J. Mullin³², J.J. Mullin¹²⁹, D.P. Mungo ¹⁵⁶, D. Munoz Perez ¹⁶⁴, F.J. Munoz Sanchez ¹⁰²,
 M. Murin ¹⁰², W.J. Murray ^{168,135}, M. Muškinja ⁹⁴, C. Mwewa ²⁹, A.G. Myagkov ^{37,a},
 A.J. Myers ⁸, G. Myers ¹⁰⁷, M. Myska ¹³³, B.P. Nachman ^{17a}, O. Nackenhorst ⁴⁹, K. Nagai ¹²⁷,
 K. Nagano ⁸⁴, J.L. Nagle ^{29,ag}, E. Nagy ¹⁰³, A.M. Nairz ³⁶, Y. Nakahama ⁸⁴, K. Nakamura ⁸⁴,
 K. Nakkalil ⁵, H. Nanjo ¹²⁵, R. Narayan ⁴⁴, E.A. Narayanan ¹¹³, I. Naryshkin ³⁷, M. Naseri ³⁴,
 S. Nasri ^{117b}, C. Nass ²⁴, G. Navarro ^{22a}, J. Navarro-Gonzalez ¹⁶⁴, R. Nayak ¹⁵², A. Nayaz ¹⁸,
 P.Y. Nechaeva ³⁷, S. Nechaeva ^{23b,23a}, F. Nechansky ⁴⁸, L. Nedic ¹²⁷, T.J. Neep ²⁰,
 A. Negri ^{73a,73b}, M. Negrini ^{23b}, C. Nellist ¹¹⁵, C. Nelson ¹⁰⁵, K. Nelson ¹⁰⁷, S. Nemecek ¹³²,
 M. Nessi ^{36,h}, M.S. Neubauer ¹⁶³, F. Neuhaus ¹⁰¹, J. Neundorf ⁴⁸, R. Newhouse ¹⁶⁵,
 P.R. Newman ²⁰, C.W. Ng ¹³⁰, Y.W.Y. Ng ⁴⁸, B. Ngair ^{117a}, H.D.N. Nguyen ¹⁰⁹,
 R.B. Nickerson ¹²⁷, R. Nicolaidou ¹³⁶, J. Nielsen ¹³⁷, M. Niemeyer ⁵⁵, J. Niermann ⁵⁵,
 N. Nikipforou ³⁶, V. Nikolaenko ^{37,a}, I. Nikolic-Audit ¹²⁸, K. Nikolopoulos ²⁰, P. Nilsson ²⁹,
 I. Ninca ⁴⁸, H.R. Nindhito ⁵⁶, G. Ninio ¹⁵², A. Nisati ^{75a}, N. Nishu ², R. Nisius ¹¹¹,
 J-E. Nitschke ⁵⁰, E.K. Nkadimeng ^{33g}, T. Nobe ¹⁵⁴, D.L. Noel ³², T. Nommensen ¹⁴⁸,
 M.B. Norfolk ¹⁴⁰, R.R.B. Norisam ⁹⁷, B.J. Norman ³⁴, M. Noury ^{35a}, J. Novak ⁹⁴, T. Novak ⁴⁸,
 L. Novotny ¹³³, R. Novotny ¹¹³, L. Nozka ¹²³, K. Ntekas ¹⁶⁰, N.M.J. Nunes De Moura Junior ^{83b},
 J. Ocariz ¹²⁸, A. Ochi ⁸⁵, I. Ochoa ^{131a}, S. Oerdek ^{48,t}, J.T. Offermann ³⁹, A. Ogrodnik ¹³⁴,
 A. Oh ¹⁰², C.C. Ohm ¹⁴⁵, H. Oide ⁸⁴, R. Oishi ¹⁵⁴, M.L. Ojeda ⁴⁸, Y. Okumura ¹⁵⁴,
 L.F. Oleiro Seabra ^{131a}, S.A. Olivares Pino ^{138d}, G. Oliveira Correa ¹³, D. Oliveira Damazio ²⁹,
 D. Oliveira Goncalves ^{83a}, J.L. Oliver ¹⁶⁰, Ö.O. Öncel ⁵⁴, A.P. O'Neill ¹⁹, A. Onofre ^{131a,131c},
 P.U.E. Onyisi ¹¹, M.J. Oreglia ³⁹, G.E. Orellana ⁹¹, D. Orestano ^{77a,77b}, N. Orlando ¹³,
 R.S. Orr ¹⁵⁶, V. O'Shea ⁵⁹, L.M. Osojnak ¹²⁹, R. Ospanov ^{62a}, G. Otero y Garzon ³⁰,
 H. Otono ⁸⁹, P.S. Ott ^{63a}, G.J. Ottino ^{17a}, M. Ouchrif ^{35d}, F. Ould-Saada ¹²⁶,
 T. Ovsiannikova ¹³⁹, M. Owen ⁵⁹, R.E. Owen ¹³⁵, K.Y. Oyulmaz ^{21a}, V.E. Ozcan ^{21a},
 F. Ozturk ⁸⁷, N. Ozturk ⁸, S. Ozturk ⁸², H.A. Pacey ¹²⁷, A. Pacheco Pages ¹³,
 C. Padilla Aranda ¹³, G. Padovano ^{75a,75b}, S. Pagan Griso ^{17a}, G. Palacino ⁶⁸, A. Palazzo ^{70a,70b},
 J. Pampel ²⁴, J. Pan ¹⁷³, T. Pan ^{64a}, D.K. Panchal ¹¹, C.E. Pandini ¹¹⁵, J.G. Panduro Vazquez ⁹⁶,
 H.D. Pandya ¹, H. Pang ^{14b}, P. Pani ⁴⁸, G. Panizzo ^{69a,69c}, L. Panwar ¹²⁸, L. Paolozzi ⁵⁶,
 S. Parajuli ¹⁶³, A. Paramonov ⁵, C. Paraskevopoulos ⁵³, D. Paredes Hernandez ^{64b},
 A. Pareti ^{73a,73b}, K.R. Park ⁴¹, T.H. Park ¹⁵⁶, M.A. Parker ³², F. Parodi ^{57b,57a}, E.W. Parrish ¹¹⁶,
 V.A. Parrish ⁵², J.A. Parsons ⁴¹, U. Parzefall ⁵⁴, B. Pascual Dias ¹⁰⁹, L. Pascual Dominguez ¹⁵²,
 E. Pasqualucci ^{75a}, S. Passaggio ^{57b}, F. Pastore ⁹⁶, P. Patel ⁸⁷, U.M. Patel ⁵¹, J.R. Pater ¹⁰²,
 T. Pauly ³⁶, C.I. Pazos ¹⁵⁹, J. Pearkes ¹⁴⁴, M. Pedersen ¹²⁶, R. Pedro ^{131a}, S.V. Peleganchuk ³⁷,
 O. Penc ³⁶, E.A. Pender ⁵², G.D. Penn ¹⁷³, K.E. Penski ¹¹⁰, M. Penzin ³⁷, B.S. Peralva ^{83d},
 A.P. Pereira Peixoto ¹³⁹, L. Pereira Sanchez ¹⁴⁴, D.V. Perepelitsa ^{29,ag}, E. Perez Codina ^{157a},
 M. Perganti ¹⁰, H. Pernegger ³⁶, O. Perrin ⁴⁰, K. Peters ⁴⁸, R.F.Y. Peters ¹⁰², B.A. Petersen ³⁶,
 T.C. Petersen ⁴², E. Petit ¹⁰³, V. Petousis ¹³³, C. Petridou ^{153,e}, T. Petru ¹³⁴, A. Petrukhin ¹⁴²,
 M. Pettee ^{17a}, N.E. Pettersson ³⁶, A. Petukhov ³⁷, K. Petukhova ¹³⁴, R. Pezoa ^{138f},
 L. Pezzotti ³⁶, G. Pezzullo ¹⁷³, T.M. Pham ¹⁷¹, T. Pham ¹⁰⁶, P.W. Phillips ¹³⁵, G. Piacquadio ¹⁴⁶,
 E. Pianori ^{17a}, F. Piazza ¹²⁴, R. Piegai ³⁰, D. Pietreanu ^{27b}, A.D. Pilkington ¹⁰²,
 M. Pinamonti ^{69a,69c}, J.L. Pinfeld ², B.C. Pinheiro Pereira ^{131a}, A.E. Pinto Pinoargote ^{101,136},
 L. Pintucci ^{69a,69c}, K.M. Piper ¹⁴⁷, A. Pirttikoski ⁵⁶, D.A. Pizzi ³⁴, L. Pizzimento ^{64b},
 A. Pizzini ¹¹⁵, M.-A. Pleier ²⁹, V. Plesanovs⁵⁴, V. Pleskot ¹³⁴, E. Plotnikova³⁸, G. Poddar ⁹⁵,
 R. Poettgen ⁹⁹, L. Poggioli ¹²⁸, I. Pokharel ⁵⁵, S. Polacek ¹³⁴, G. Polesello ^{73a}, A. Poley ^{143,157a},
 A. Polini ^{23b}, C.S. Pollard ¹⁶⁸, Z.B. Pollock ¹²⁰, E. Pompa Pacchi ^{75a,75b}, D. Ponomarenko ¹¹⁴,
 L. Pontecorvo ³⁶, S. Popa ^{27a}, G.A. Popeneciu ^{27d}, A. Poreba ³⁶, D.M. Portillo Quintero ^{157a},

S. Pospisil ¹³³, M.A. Postill ¹⁴⁰, P. Postolache ^{27c}, K. Potamianos ¹⁶⁸, P.A. Potepa ^{86a},
 I.N. Potrap ³⁸, C.J. Potter ³², H. Potti ¹, J. Poveda ¹⁶⁴, M.E. Pozo Astigarraga ³⁶,
 A. Prades Ibanez ¹⁶⁴, J. Pretel ⁵⁴, D. Price ¹⁰², M. Primavera ^{70a}, M.A. Principe Martin ¹⁰⁰,
 R. Privara ¹²³, T. Procter ⁵⁹, M.L. Proffitt ¹³⁹, N. Proklova ¹²⁹, K. Prokofiev ^{64c}, G. Proto ¹¹¹,
 J. Proudfoot ⁶, M. Przybycien ^{86a}, W.W. Przygoda ^{86b}, A. Psallidas ⁴⁶, J.E. Puddefoot ¹⁴⁰,
 D. Pudzha ³⁷, D. Pyatiizbyantseva ³⁷, J. Qian ¹⁰⁷, D. Qichen ¹⁰², Y. Qin ¹³, T. Qiu ⁵²,
 A. Quadt ⁵⁵, M. Queitsch-Maitland ¹⁰², G. Quetant ⁵⁶, R.P. Quinn ¹⁶⁵, G. Rabanal Bolanos ⁶¹,
 D. Rafanoharana ⁵⁴, F. Ragusa ^{71a,71b}, J.L. Rainbolt ³⁹, J.A. Raine ⁵⁶, S. Rajagopalan ²⁹,
 E. Ramakoti ³⁷, I.A. Ramirez-Berend ³⁴, K. Ran ^{48,14e}, N.P. Rapheeha ^{33g}, H. Rasheed ^{27b},
 V. Raskina ¹²⁸, D.F. Rassloff ^{63a}, A. Rastogi ^{17a}, S. Rave ¹⁰¹, B. Ravina ⁵⁵, I. Ravinovich ¹⁷⁰,
 M. Raymond ³⁶, A.L. Read ¹²⁶, N.P. Readioff ¹⁴⁰, D.M. Rebutzi ^{73a,73b}, G. Redlinger ²⁹,
 A.S. Reed ¹¹¹, K. Reeves ²⁶, J.A. Reidelsturz ¹⁷², D. Reikher ¹⁵², A. Rej ⁴⁹, C. Rembser ³⁶,
 M. Renda ^{27b}, M.B. Rendel ¹¹¹, F. Renner ⁴⁸, A.G. Rennie ¹⁶⁰, A.L. Rescia ⁴⁸, S. Resconi ^{71a},
 M. Ressegotti ^{57b,57a}, S. Rettie ³⁶, J.G. Reyes Rivera ¹⁰⁸, E. Reynolds ^{17a}, O.L. Rezanova ³⁷,
 P. Reznicek ¹³⁴, H. Riani ^{35d}, N. Ribaric ⁹², E. Ricci ^{78a,78b}, R. Richter ¹¹¹, S. Richter ^{47a,47b},
 E. Richter-Was ^{86b}, M. Ridel ¹²⁸, S. Ridouani ^{35d}, P. Rieck ¹¹⁸, P. Riedler ³⁶, E.M. Riefel ^{47a,47b},
 J.O. Rieger ¹¹⁵, M. Rijssenbeek ¹⁴⁶, M. Rimoldi ³⁶, L. Rinaldi ^{23b,23a}, T.T. Rinn ²⁹,
 M.P. Rinnagel ¹¹⁰, G. Ripellino ¹⁶², I. Riu ¹³, J.C. Rivera Vergara ¹⁶⁶, F. Rizatdinova ¹²²,
 E. Rizvi ⁹⁵, B.R. Roberts ^{17a}, S.H. Robertson ^{105,w}, D. Robinson ³², C.M. Robles Gajardo ^{138f},
 M. Robles Manzano ¹⁰¹, A. Robson ⁵⁹, A. Rocchi ^{76a,76b}, C. Roda ^{74a,74b}, S. Rodriguez Bosca ³⁶,
 Y. Rodriguez Garcia ^{22a}, A. Rodriguez Rodriguez ⁵⁴, A.M. Rodríguez Vera ¹¹⁶, S. Roe ³⁶,
 J.T. Roemer ¹⁶⁰, A.R. Roepe-Gier ¹³⁷, J. Roggel ¹⁷², O. Røhne ¹²⁶, R.A. Rojas ¹⁰⁴,
 C.P.A. Roland ¹²⁸, J. Roloff ²⁹, A. Romaniouk ³⁷, E. Romano ^{73a,73b}, M. Romano ^{23b},
 A.C. Romero Hernandez ¹⁶³, N. Rompotis ⁹³, L. Roos ¹²⁸, S. Rosati ^{75a}, B.J. Rosser ³⁹,
 E. Rossi ¹²⁷, E. Rossi ^{72a,72b}, L.P. Rossi ⁶¹, L. Rossini ⁵⁴, R. Rosten ¹²⁰, M. Rotaru ^{27b},
 B. Rottler ⁵⁴, C. Rougier ⁹⁰, D. Rousseau ⁶⁶, D. Rouso ⁴⁸, A. Roy ¹⁶³, S. Roy-Garand ¹⁵⁶,
 A. Rozanov ¹⁰³, Z.M.A. Rozario ⁵⁹, Y. Rozen ¹⁵¹, A. Rubio Jimenez ¹⁶⁴, A.J. Ruby ⁹³,
 V.H. Ruelas Rivera ¹⁸, T.A. Ruggeri ¹, A. Ruggiero ¹²⁷, A. Ruiz-Martinez ¹⁶⁴, A. Rummler ³⁶,
 Z. Rurikova ⁵⁴, N.A. Rusakovich ³⁸, H.L. Russell ¹⁶⁶, G. Russo ^{75a,75b}, J.P. Rutherford ⁷,
 S. Rutherford Colmenares ³², K. Rybacki ⁹², M. Rybar ¹³⁴, E.B. Rye ¹²⁶, A. Ryzhov ⁴⁴,
 J.A. Sabater Iglesias ⁵⁶, P. Sabatini ¹⁶⁴, H.F.W. Sadrozinski ¹³⁷, F. Safai Tehrani ^{75a},
 B. Safarzadeh Samani ¹³⁵, S. Saha ¹, M. Sahinsoy ¹¹¹, A. Saibel ¹⁶⁴, M. Saimpert ¹³⁶,
 M. Saito ¹⁵⁴, T. Saito ¹⁵⁴, A. Sala ^{71a,71b}, D. Salamani ³⁶, A. Salnikov ¹⁴⁴, J. Salt ¹⁶⁴,
 A. Salvador Salas ¹⁵², D. Salvatore ^{43b,43a}, F. Salvatore ¹⁴⁷, A. Salzburger ³⁶, D. Sammel ⁵⁴,
 E. Sampson ⁹², D. Sampsonidis ^{153,e}, D. Sampsonidou ¹²⁴, J. Sánchez ¹⁶⁴,
 V. Sanchez Sebastian ¹⁶⁴, H. Sandaker ¹²⁶, C.O. Sander ⁴⁸, J.A. Sandesara ¹⁰⁴, M. Sandhoff ¹⁷²,
 C. Sandoval ^{22b}, D.P.C. Sankey ¹³⁵, T. Sano ⁸⁸, A. Sansoni ⁵³, L. Santi ^{75a,75b}, C. Santoni ⁴⁰,
 H. Santos ^{131a,131b}, A. Santra ¹⁷⁰, E. Sanzani ^{23b,23a}, K.A. Saoucha ¹⁶¹, J.G. Saraiva ^{131a,131d},
 J. Sardain ⁷, O. Sasaki ⁸⁴, K. Sato ¹⁵⁸, C. Sauer ^{63b}, F. Sauerburger ⁵⁴, E. Sauvan ⁴,
 P. Savard ^{156,ae}, R. Sawada ¹⁵⁴, C. Sawyer ¹³⁵, L. Sawyer ⁹⁸, I. Sayago Galvan ¹⁶⁴, C. Sbarra ^{23b},
 A. Sbrizzi ^{23b,23a}, T. Scanlon ⁹⁷, J. Schaarschmidt ¹³⁹, U. Schäfer ¹⁰¹, A.C. Schaffer ^{66,44},
 D. Schaile ¹¹⁰, R.D. Schamberger ¹⁴⁶, C. Scharf ¹⁸, M.M. Schefer ¹⁹, V.A. Schegelsky ³⁷,
 D. Scheirich ¹³⁴, F. Schenck ¹⁸, M. Schernau ¹⁶⁰, C. Scheulen ⁵⁵, C. Schiavi ^{57b,57a},
 M. Schioppa ^{43b,43a}, B. Schlag ^{144,m}, K.E. Schleicher ⁵⁴, S. Schlenker ³⁶, J. Schmeing ¹⁷²,
 M.A. Schmidt ¹⁷², K. Schmieden ¹⁰¹, C. Schmitt ¹⁰¹, N. Schmitt ¹⁰¹, S. Schmitt ⁴⁸,
 L. Schoeffel ¹³⁶, A. Schoening ^{63b}, P.G. Scholer ³⁴, E. Schopf ¹²⁷, M. Schott ¹⁰¹,
 J. Schovancova ³⁶, S. Schramm ⁵⁶, T. Schroer ⁵⁶, H-C. Schultz-Coulon ^{63a}, M. Schumacher ⁵⁴,

B.A. Schumm [ID137](#), Ph. Schune [ID136](#), A.J. Schuy [ID139](#), H.R. Schwartz [ID137](#), A. Schwartzman [ID144](#),
 T.A. Schwarz [ID107](#), Ph. Schwemling [ID136](#), R. Schwienhorst [ID108](#), A. Sciandra [ID29](#), G. Sciolla [ID26](#),
 F. Scuri [ID74a](#), C.D. Sebastiani [ID93](#), K. Sedlaczek [ID116](#), P. Seema [ID18](#), S.C. Seidel [ID113](#), A. Seiden [ID137](#),
 B.D. Seidlitz [ID41](#), C. Seitz [ID48](#), J.M. Seixas [ID83b](#), G. Sekhniaidze [ID72a](#), L. Selem [ID60](#),
 N. Semprini-Cesari [ID23b,23a](#), D. Sengupta [ID56](#), V. Senthilkumar [ID164](#), L. Serin [ID66](#), L. Serkin [ID69a,69b](#),
 M. Sessa [ID76a,76b](#), H. Severini [ID121](#), F. Sforza [ID57b,57a](#), A. Sfyrla [ID56](#), Q. Sha [ID14a](#), E. Shabalina [ID55](#),
 A.H. Shah [ID32](#), R. Shaheen [ID145](#), J.D. Shahinian [ID129](#), D. Shaked Renous [ID170](#), L.Y. Shan [ID14a](#),
 M. Shapiro [ID17a](#), A. Sharma [ID36](#), A.S. Sharma [ID165](#), P. Sharma [ID80](#), P.B. Shatalov [ID37](#), K. Shaw [ID147](#),
 S.M. Shaw [ID102](#), A. Shcherbakova [ID37](#), Q. Shen [ID62c,5](#), D.J. Sheppard [ID143](#), P. Sherwood [ID97](#), L. Shi [ID97](#),
 X. Shi [ID14a](#), C.O. Shimmin [ID173](#), J.D. Shinner [ID96](#), I.P.J. Shipsey [ID127](#), S. Shirabe [ID89](#),
 M. Shiyakova [ID38,u](#), J. Shlomi [ID170](#), M.J. Shochet [ID39](#), J. Shojaii [ID106](#), D.R. Shope [ID126](#),
 B. Shrestha [ID121](#), S. Shrestha [ID120,ah](#), E.M. Shrif [ID33g](#), M.J. Shroff [ID166](#), P. Sicho [ID132](#),
 A.M. Sickles [ID163](#), E. Sideras Haddad [ID33g](#), A.C. Sidley [ID115](#), A. Sidoti [ID23b](#), F. Siegert [ID50](#),
 Dj. Sijacki [ID15](#), F. Sili [ID91](#), J.M. Silva [ID52](#), M.V. Silva Oliveira [ID29](#), S.B. Silverstein [ID47a](#), S. Simion [ID66](#),
 R. Simoniello [ID36](#), E.L. Simpson [ID102](#), H. Simpson [ID147](#), L.R. Simpson [ID107](#), N.D. Simpson [ID99](#),
 S. Simsek [ID82](#), S. Sindhu [ID55](#), P. Sinervo [ID156](#), S. Singh [ID156](#), S. Sinha [ID48](#), S. Sinha [ID102](#),
 M. Sioli [ID23b,23a](#), I. Siral [ID36](#), E. Sitnikova [ID48](#), J. Sjölin [ID47a,47b](#), A. Skaf [ID55](#), E. Skorda [ID20](#),
 P. Skubic [ID121](#), M. Slawinska [ID87](#), V. Smakhtin [ID170](#), B.H. Smart [ID135](#), S.Yu. Smirnov [ID37](#), Y. Smirnov [ID37](#),
 L.N. Smirnova [ID37,a](#), O. Smirnova [ID99](#), A.C. Smith [ID41](#), D.R. Smith [ID160](#), E.A. Smith [ID39](#),
 H.A. Smith [ID127](#), J.L. Smith [ID102](#), R. Smith [ID144](#), M. Smizanska [ID92](#), K. Smolek [ID133](#), A.A. Snesarev [ID37](#),
 S.R. Snider [ID156](#), H.L. Snoek [ID115](#), S. Snyder [ID29](#), R. Sobie [ID166,w](#), A. Soffer [ID152](#),
 C.A. Solans Sanchez [ID36](#), E.Yu. Soldatov [ID37](#), U. Soldevila [ID164](#), A.A. Solodkov [ID37](#), S. Solomon [ID26](#),
 A. Soloshenko [ID38](#), K. Solovieva [ID54](#), O.V. Solovyanov [ID40](#), P. Sommer [ID36](#), A. Sonay [ID13](#),
 W.Y. Song [ID157b](#), A. Sopczak [ID133](#), A.L. Sopio [ID97](#), F. Sopkova [ID28b](#), J.D. Sorenson [ID113](#),
 I.R. Sotarriva Alvarez [ID155](#), V. Sothilingam [ID63a](#), O.J. Soto Sandoval [ID138c,138b](#), S. Sottocornola [ID68](#),
 R. Soualah [ID161](#), Z. Soumami [ID35e](#), D. South [ID48](#), N. Soybelman [ID170](#), S. Spagnolo [ID70a,70b](#),
 M. Spalla [ID111](#), D. Sperlich [ID54](#), G. Spigo [ID36](#), S. Spinali [ID92](#), D.P. Spiteri [ID59](#), M. Spousta [ID134](#),
 E.J. Staats [ID34](#), R. Stamen [ID63a](#), A. Stampeki [ID20](#), M. Standke [ID24](#), E. Stanecka [ID87](#),
 W. Stanek-Maslouska [ID48](#), M.V. Stange [ID50](#), B. Stanislaus [ID17a](#), M.M. Stanitzki [ID48](#), B. Stapf [ID48](#),
 E.A. Starchenko [ID37](#), G.H. Stark [ID137](#), J. Stark [ID90](#), P. Staroba [ID132](#), P. Starovoitov [ID63a](#), S. Stärz [ID105](#),
 R. Staszewski [ID87](#), G. Stavropoulos [ID46](#), J. Steentoft [ID162](#), P. Steinberg [ID29](#), B. Stelzer [ID143,157a](#),
 H.J. Stelzer [ID130](#), O. Stelzer-Chilton [ID157a](#), H. Stenzel [ID58](#), T.J. Stevenson [ID147](#), G.A. Stewart [ID36](#),
 J.R. Stewart [ID122](#), M.C. Stockton [ID36](#), G. Stoicea [ID27b](#), M. Stolarski [ID131a](#), S. Stonjek [ID111](#),
 A. Straessner [ID50](#), J. Strandberg [ID145](#), S. Strandberg [ID47a,47b](#), M. Stratmann [ID172](#), M. Strauss [ID121](#),
 T. Strebler [ID103](#), P. Strizenec [ID28b](#), R. Ströhmer [ID167](#), D.M. Strom [ID124](#), R. Stroynowski [ID44](#),
 A. Strubig [ID47a,47b](#), S.A. Stucci [ID29](#), B. Stugu [ID16](#), J. Stupak [ID121](#), N.A. Styles [ID48](#), D. Su [ID144](#),
 S. Su [ID62a](#), W. Su [ID62d](#), X. Su [ID62a](#), D. Suchy [ID28a](#), K. Sugizaki [ID154](#), V.V. Sulin [ID37](#), M.J. Sullivan [ID93](#),
 D.M.S. Sultan [ID127](#), L. Sultanaliyeva [ID37](#), S. Sultansoy [ID3b](#), T. Sumida [ID88](#), S. Sun [ID107](#), S. Sun [ID171](#),
 O. Sunneborn Gudnadottir [ID162](#), N. Sur [ID103](#), M.R. Sutton [ID147](#), H. Suzuki [ID158](#), M. Svatos [ID132](#),
 M. Swiatlowski [ID157a](#), T. Swirski [ID167](#), I. Sykora [ID28a](#), M. Sykora [ID134](#), T. Sykora [ID134](#), D. Ta [ID101](#),
 K. Tackmann [ID48,t](#), A. Taffard [ID160](#), R. Tafirout [ID157a](#), J.S. Tafoya Vargas [ID66](#), Y. Takubo [ID84](#),
 M. Talby [ID103](#), A.A. Talyshv [ID37](#), K.C. Tam [ID64b](#), N.M. Tamir [ID152](#), A. Tanaka [ID154](#), J. Tanaka [ID154](#),
 R. Tanaka [ID66](#), M. Tanasini [ID57b,57a](#), Z. Tao [ID165](#), S. Tapia Araya [ID138f](#), S. Tapprogge [ID101](#),
 A. Tarek Abouelfadl Mohamed [ID108](#), S. Tarem [ID151](#), K. Tariq [ID14a](#), G. Tarna [ID27b](#), G.F. Tartarelli [ID71a](#),
 M.J. Tartarin [ID90](#), P. Tas [ID134](#), M. Tasevsky [ID132](#), E. Tassi [ID43b,43a](#), A.C. Tate [ID163](#), G. Tateno [ID154](#),
 Y. Tayalati [ID35e,v](#), G.N. Taylor [ID106](#), W. Taylor [ID157b](#), A.S. Tee [ID171](#), R. Teixeira De Lima [ID144](#),
 P. Teixeira-Dias [ID96](#), J.J. Teoh [ID156](#), K. Terashi [ID154](#), J. Terron [ID100](#), S. Terzo [ID13](#), M. Testa [ID53](#),

R.J. Teuscher ^{156,w}, A. Thaler ⁷⁹, O. Theiner ⁵⁶, N. Themistokleous ⁵², T. Thevenaux-Pelzer ¹⁰³, O. Thielmann ¹⁷², D.W. Thomas ⁹⁶, J.P. Thomas ²⁰, E.A. Thompson ^{17a}, P.D. Thompson ²⁰, E. Thomson ¹²⁹, R.E. Thornberry ⁴⁴, Y. Tian ⁵⁵, V. Tikhomirov ^{37,a}, Yu.A. Tikhonov ³⁷, S. Timoshenko ³⁷, D. Timoshyn ¹³⁴, E.X.L. Ting ¹, P. Tipton ¹⁷³, S.H. Tlou ^{33g}, K. Todome ¹⁵⁵, S. Todorova-Nova ¹³⁴, S. Todt ⁵⁰, L. Toffolin ^{69a,69c}, M. Togawa ⁸⁴, J. Tojo ⁸⁹, S. Tokár ^{28a}, K. Tokushuku ⁸⁴, O. Toldaiev ⁶⁸, R. Tombs ³², M. Tomoto ^{84,112}, L. Tompkins ^{144,m}, K.W. Topolnicki ^{86b}, E. Torrence ¹²⁴, H. Torres ⁹⁰, E. Torró Pastor ¹⁶⁴, M. Toscani ³⁰, C. Toscirì ³⁹, M. Tost ¹¹, D.R. Tovey ¹⁴⁰, A. Traeet ¹⁶, I.S. Trandafir ^{27b}, T. Trefzger ¹⁶⁷, A. Tricoli ²⁹, I.M. Trigger ^{157a}, S. Trincaz-Duvold ¹²⁸, D.A. Trischuk ²⁶, B. Trocmé ⁶⁰, L. Truong ^{33c}, M. Trzebinski ⁸⁷, A. Trzupiek ⁸⁷, F. Tsai ¹⁴⁶, M. Tsai ¹⁰⁷, A. Tsiamis ^{153,e}, P.V. Tsiarehka ³⁷, S. Tsigaridas ^{157a}, A. Tsirigotis ^{153,r}, V. Tsiskaridze ¹⁵⁶, E.G. Tskhadadze ^{150a}, M. Tsopoulou ¹⁵³, Y. Tsujikawa ⁸⁸, I.I. Tsukerman ³⁷, V. Tsulaia ^{17a}, S. Tsuno ⁸⁴, K. Tsurii ¹¹⁹, D. Tsybychev ¹⁴⁶, Y. Tu ^{64b}, A. Tudorache ^{27b}, V. Tudorache ^{27b}, A.N. Tuna ⁶¹, S. Turchikhin ^{57b,57a}, I. Turk Cakir ^{3a}, R. Turra ^{71a}, T. Turtuvshin ^{38,x}, P.M. Tuts ⁴¹, S. Tzamarias ^{153,e}, E. Tzovara ¹⁰¹, F. Ukegawa ¹⁵⁸, P.A. Ulloa Poblete ^{138c,138b}, E.N. Umaka ²⁹, G. Unal ³⁶, A. Undrus ²⁹, G. Unel ¹⁶⁰, J. Urban ^{28b}, P. Urquijo ¹⁰⁶, P. Urrejola ^{138a}, G. Usai ⁸, R. Ushioda ¹⁵⁵, M. Usman ¹⁰⁹, Z. Uysal ⁸², V. Vacek ¹³³, B. Vachon ¹⁰⁵, T. Vafeiadis ³⁶, A. Vaitkus ⁹⁷, C. Valderanis ¹¹⁰, E. Valdes Santurio ^{47a,47b}, M. Valente ^{157a}, S. Valentinetti ^{23b,23a}, A. Valero ¹⁶⁴, E. Valiente Moreno ¹⁶⁴, A. Vallier ⁹⁰, J.A. Valls Ferrer ¹⁶⁴, D.R. Van Arneman ¹¹⁵, T.R. Van Daalen ¹³⁹, A. Van Der Graaf ⁴⁹, P. Van Gemmeren ⁶, M. Van Rijnbach ¹²⁶, S. Van Stroud ⁹⁷, I. Van Vulpen ¹¹⁵, P. Vana ¹³⁴, M. Vanadia ^{76a,76b}, W. Vandelli ³⁶, E.R. Vandewall ¹²², D. Vannicola ¹⁵², L. Vannoli ⁵³, R. Vari ^{75a}, E.W. Varnes ⁷, C. Varni ^{17b}, T. Varol ¹⁴⁹, D. Varouchas ⁶⁶, L. Varriale ¹⁶⁴, K.E. Varvell ¹⁴⁸, M.E. Vasile ^{27b}, L. Vaslin ⁸⁴, G.A. Vasquez ¹⁶⁶, A. Vasyukov ³⁸, R. Vavricka ¹⁰¹, F. Vazeille ⁴⁰, T. Vazquez Schroeder ³⁶, J. Veatch ³¹, V. Vecchio ¹⁰², M.J. Veen ¹⁰⁴, I. Veliscek ²⁹, L.M. Veloce ¹⁵⁶, F. Veloso ^{131a,131c}, S. Veneziano ^{75a}, A. Ventura ^{70a,70b}, S. Ventura Gonzalez ¹³⁶, A. Verbytskyi ¹¹¹, M. Verducci ^{74a,74b}, C. Vergis ⁹⁵, M. Verissimo De Araujo ^{83b}, W. Verkerke ¹¹⁵, J.C. Vermeulen ¹¹⁵, C. Vernieri ¹⁴⁴, M. Vessella ¹⁰⁴, M.C. Vetterli ^{143,ae}, A. Vgenopoulos ^{153,e}, N. Viaux Maira ^{138f}, T. Vickey ¹⁴⁰, O.E. Vickey Boeriu ¹⁴⁰, G.H.A. Viehhauser ¹²⁷, L. Vignani ^{63b}, M. Villa ^{23b,23a}, M. Villaplana Perez ¹⁶⁴, E.M. Villhauer ⁵², E. Vilucchi ⁵³, M.G. Vincter ³⁴, G.S. Virdee ²⁰, A. Visibile ¹¹⁵, C. Vittori ³⁶, I. Vivarelli ^{23b,23a}, E. Voevodina ¹¹¹, F. Vogel ¹¹⁰, J.C. Voigt ⁵⁰, P. Vokac ¹³³, Yu. Volkotrub ^{86b}, J. Von Ahnen ⁴⁸, E. Von Toerne ²⁴, B. Vormwald ³⁶, V. Vorobel ¹³⁴, K. Vorobev ³⁷, M. Vos ¹⁶⁴, K. Voss ¹⁴², M. Vozak ¹¹⁵, L. Vozdecky ¹²¹, N. Vranjes ¹⁵, M. Vranjes Milosavljevic ¹⁵, M. Vreeswijk ¹¹⁵, N.K. Vu ^{62d,62c}, R. Vuillermet ³⁶, O. Vujinovic ¹⁰¹, I. Vukotic ³⁹, S. Wada ¹⁵⁸, C. Wagner ¹⁰⁴, J.M. Wagner ^{17a}, W. Wagner ¹⁷², S. Wahdan ¹⁷², H. Wahlberg ⁹¹, M. Wakida ¹¹², J. Walder ¹³⁵, R. Walker ¹¹⁰, W. Walkowiak ¹⁴², A. Wall ¹²⁹, E.J. Wallin ⁹⁹, T. Wamorkar ⁶, A.Z. Wang ¹³⁷, C. Wang ¹⁰¹, C. Wang ¹¹, H. Wang ^{17a}, J. Wang ^{64c}, R.-J. Wang ¹⁰¹, R. Wang ⁶¹, R. Wang ⁶, S.M. Wang ¹⁴⁹, S. Wang ^{62b}, S. Wang ^{14a}, T. Wang ^{62a}, W.T. Wang ⁸⁰, W. Wang ^{14a}, X. Wang ^{14c}, X. Wang ¹⁶³, X. Wang ^{62c}, Y. Wang ^{62d}, Y. Wang ^{14c}, Z. Wang ¹⁰⁷, Z. Wang ^{62d,51,62c}, Z. Wang ¹⁰⁷, A. Warburton ¹⁰⁵, R.J. Ward ²⁰, N. Warrack ⁵⁹, S. Waterhouse ⁹⁶, A.T. Watson ²⁰, H. Watson ⁵⁹, M.F. Watson ²⁰, E. Watton ^{59,135}, G. Watts ¹³⁹, B.M. Waugh ⁹⁷, J.M. Webb ⁵⁴, C. Weber ²⁹, H.A. Weber ¹⁸, M.S. Weber ¹⁹, S.M. Weber ^{63a}, C. Wei ^{62a}, Y. Wei ⁵⁴, A.R. Weidberg ¹²⁷, E.J. Weik ¹¹⁸, J. Weingarten ⁴⁹, M. Weirich ¹⁰¹, C. Weiser ⁵⁴, C.J. Wells ⁴⁸, T. Wenaus ²⁹, B. Wendland ⁴⁹, T. Wengler ³⁶, N.S. Wenke ¹¹¹, N. Wermes ²⁴, M. Wessels ^{63a}, A.M. Wharton ⁹², A.S. White ⁶¹, A. White ⁸, M.J. White ¹, D. Whiteson ¹⁶⁰, L. Wickremasinghe ¹²⁵, W. Wiedenmann ¹⁷¹, M. Wielers ¹³⁵,

C. Wigglesworth ⁴², D.J. Wilbern ¹²¹, H.G. Wilkens ³⁶, J.J.H. Wilkinson ³², D.M. Williams ⁴¹, H.H. Williams ¹²⁹, S. Williams ³², S. Willocq ¹⁰⁴, B.J. Wilson ¹⁰², P.J. Windischhofer ³⁹, F.I. Winkel ³⁰, F. Winklmeier ¹²⁴, B.T. Winter ⁵⁴, J.K. Winter ¹⁰², M. Wittgen ¹⁴⁴, M. Wobisch ⁹⁸, T. Wojtkowski ⁶⁰, Z. Wolffs ¹¹⁵, J. Wollrath ¹⁶⁰, M.W. Wolter ⁸⁷, H. Wolters ^{131a,131c}, M.C. Wong ¹³⁷, E.L. Woodward ⁴¹, S.D. Worm ⁴⁸, B.K. Wosiek ⁸⁷, K.W. Woźniak ⁸⁷, S. Wozniowski ⁵⁵, K. Wraight ⁵⁹, C. Wu ²⁰, M. Wu ^{14d}, M. Wu ¹¹⁴, S.L. Wu ¹⁷¹, X. Wu ⁵⁶, Y. Wu ^{62a}, Z. Wu ⁴, J. Wuerzinger ^{111,ac}, T.R. Wyatt ¹⁰², B.M. Wynne ⁵², S. Xella ⁴², L. Xia ^{14c}, M. Xia ^{14b}, J. Xiang ^{64c}, M. Xie ^{62a}, X. Xie ^{62a}, S. Xin ^{14a,14e}, A. Xiong ¹²⁴, J. Xiong ^{17a}, D. Xu ^{14a}, H. Xu ^{62a}, L. Xu ^{62a}, R. Xu ¹²⁹, T. Xu ¹⁰⁷, Y. Xu ^{14b}, Z. Xu ⁵², Z. Xu ^{14c}, B. Yabsley ¹⁴⁸, S. Yacoob ^{33a}, Y. Yamaguchi ¹⁵⁵, E. Yamashita ¹⁵⁴, H. Yamauchi ¹⁵⁸, T. Yamazaki ^{17a}, Y. Yamazaki ⁸⁵, J. Yan ^{62c}, S. Yan ⁵⁹, Z. Yan ¹⁰⁴, H.J. Yang ^{62c,62d}, H.T. Yang ^{62a}, S. Yang ^{62a}, T. Yang ^{64c}, X. Yang ³⁶, X. Yang ^{14a}, Y. Yang ⁴⁴, Y. Yang ^{62a}, Z. Yang ^{62a}, W-M. Yao ^{17a}, H. Ye ^{14c}, H. Ye ⁵⁵, J. Ye ^{14a}, S. Ye ²⁹, X. Ye ^{62a}, Y. Yeh ⁹⁷, I. Yeletsikh ³⁸, B.K. Yeo ^{17b}, M.R. Yexley ⁹⁷, T.P. Yildirim ¹²⁷, P. Yin ⁴¹, K. Yorita ¹⁶⁹, S. Younas ^{27b}, C.J.S. Young ³⁶, C. Young ¹⁴⁴, C. Yu ^{14a,14e}, Y. Yu ^{62a}, M. Yuan ¹⁰⁷, R. Yuan ^{62d,62c}, L. Yue ⁹⁷, M. Zaazoua ^{62a}, B. Zabinski ⁸⁷, E. Zaid ⁵², Z.K. Zak ⁸⁷, T. Zakareishvili ¹⁶⁴, N. Zakharchuk ³⁴, S. Zambito ⁵⁶, J.A. Zamora Saa ^{138d,138b}, J. Zang ¹⁵⁴, D. Zanzi ⁵⁴, O. Zaplatilek ¹³³, C. Zeitnitz ¹⁷², H. Zeng ^{14a}, J.C. Zeng ¹⁶³, D.T. Zenger Jr ²⁶, O. Zenin ³⁷, T. Ženiš ^{28a}, S. Zenz ⁹⁵, S. Zerradi ^{35a}, D. Zerwas ⁶⁶, M. Zhai ^{14a,14e}, D.F. Zhang ¹⁴⁰, J. Zhang ^{62b}, J. Zhang ⁶, K. Zhang ^{14a,14e}, L. Zhang ^{62a}, L. Zhang ^{14c}, P. Zhang ^{14a,14e}, R. Zhang ¹⁷¹, S. Zhang ¹⁰⁷, S. Zhang ⁴⁴, T. Zhang ¹⁵⁴, X. Zhang ^{62c}, X. Zhang ^{62b}, Y. Zhang ^{62c,5}, Y. Zhang ⁹⁷, Y. Zhang ^{14c}, Z. Zhang ^{17a}, Z. Zhang ⁶⁶, H. Zhao ¹³⁹, T. Zhao ^{62b}, Y. Zhao ¹³⁷, Z. Zhao ^{62a}, Z. Zhao ^{62a}, A. Zhemchugov ³⁸, J. Zheng ^{14c}, K. Zheng ¹⁶³, X. Zheng ^{62a}, Z. Zheng ¹⁴⁴, D. Zhong ¹⁶³, B. Zhou ¹⁰⁷, H. Zhou ⁷, N. Zhou ^{62c}, Y. Zhou ^{14c}, Y. Zhou ⁷, C.G. Zhu ^{62b}, J. Zhu ¹⁰⁷, X. Zhu ^{62d}, Y. Zhu ^{62c}, Y. Zhu ^{62a}, X. Zhuang ^{14a}, K. Zhukov ³⁷, N.I. Zimine ³⁸, J. Zinsser ^{63b}, M. Ziolkowski ¹⁴², L. Živković ¹⁵, A. Zoccoli ^{23b,23a}, K. Zoch ⁶¹, T.G. Zorbas ¹⁴⁰, O. Zormpa ⁴⁶, W. Zou ⁴¹, L. Zwalinski ³⁶.

¹Department of Physics, University of Adelaide, Adelaide; Australia.

²Department of Physics, University of Alberta, Edmonton AB; Canada.

³(^a)Department of Physics, Ankara University, Ankara; (^b)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

⁴LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

⁵APC, Université Paris Cité, CNRS/IN2P3, Paris; France.

⁶High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

⁷Department of Physics, University of Arizona, Tucson AZ; United States of America.

⁸Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

⁹Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

¹⁰Physics Department, National Technical University of Athens, Zografou; Greece.

¹¹Department of Physics, University of Texas at Austin, Austin TX; United States of America.

¹²Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

¹³Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.

¹⁴(^a)Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (^b)Physics Department, Tsinghua University, Beijing; (^c)Department of Physics, Nanjing University, Nanjing; (^d)School of Science, Shenzhen Campus of Sun Yat-sen University; (^e)University of Chinese Academy of Science (UCAS), Beijing; China.

- ¹⁵Institute of Physics, University of Belgrade, Belgrade; Serbia.
- ¹⁶Department for Physics and Technology, University of Bergen, Bergen; Norway.
- ¹⁷(^a)Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA;(^b)University of California, Berkeley CA; United States of America.
- ¹⁸Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.
- ¹⁹Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.
- ²⁰School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.
- ²¹(^a)Department of Physics, Bogazici University, Istanbul;(^b)Department of Physics Engineering, Gaziantep University, Gaziantep;(^c)Department of Physics, Istanbul University, Istanbul; Türkiye.
- ²²(^a)Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá;(^b)Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia.
- ²³(^a)Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna;(^b)INFN Sezione di Bologna; Italy.
- ²⁴Physikalisches Institut, Universität Bonn, Bonn; Germany.
- ²⁵Department of Physics, Boston University, Boston MA; United States of America.
- ²⁶Department of Physics, Brandeis University, Waltham MA; United States of America.
- ²⁷(^a)Transilvania University of Brasov, Brasov;(^b)Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest;(^c)Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi;(^d)National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca;(^e)National University of Science and Technology Politehnica, Bucharest;(^f)West University in Timisoara, Timisoara;(^g)Faculty of Physics, University of Bucharest, Bucharest; Romania.
- ²⁸(^a)Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava;(^b)Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.
- ²⁹Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.
- ³⁰Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.
- ³¹California State University, CA; United States of America.
- ³²Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.
- ³³(^a)Department of Physics, University of Cape Town, Cape Town;(^b)iThemba Labs, Western Cape;(^c)Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg;(^d)National Institute of Physics, University of the Philippines Diliman (Philippines);(^e)University of South Africa, Department of Physics, Pretoria;(^f)University of Zululand, KwaDlangezwa;(^g)School of Physics, University of the Witwatersrand, Johannesburg; South Africa.
- ³⁴Department of Physics, Carleton University, Ottawa ON; Canada.
- ³⁵(^a)Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca;(^b)Faculté des Sciences, Université Ibn-Tofail, Kénitra;(^c)Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech;(^d)LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda;(^e)Faculté des sciences, Université Mohammed V, Rabat;(^f)Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- ³⁶CERN, Geneva; Switzerland.
- ³⁷Affiliated with an institute covered by a cooperation agreement with CERN.
- ³⁸Affiliated with an international laboratory covered by a cooperation agreement with CERN.
- ³⁹Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.
- ⁴⁰LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.
- ⁴¹Nevis Laboratory, Columbia University, Irvington NY; United States of America.

- ⁴²Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- ⁴³(^a)Dipartimento di Fisica, Università della Calabria, Rende; (^b)INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy.
- ⁴⁴Physics Department, Southern Methodist University, Dallas TX; United States of America.
- ⁴⁵Physics Department, University of Texas at Dallas, Richardson TX; United States of America.
- ⁴⁶National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.
- ⁴⁷(^a)Department of Physics, Stockholm University; (^b)Oskar Klein Centre, Stockholm; Sweden.
- ⁴⁸Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.
- ⁴⁹Fakultät Physik , Technische Universität Dortmund, Dortmund; Germany.
- ⁵⁰Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.
- ⁵¹Department of Physics, Duke University, Durham NC; United States of America.
- ⁵²SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.
- ⁵³INFN e Laboratori Nazionali di Frascati, Frascati; Italy.
- ⁵⁴Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- ⁵⁵II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.
- ⁵⁶Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁵⁷(^a)Dipartimento di Fisica, Università di Genova, Genova; (^b)INFN Sezione di Genova; Italy.
- ⁵⁸II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.
- ⁵⁹SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.
- ⁶⁰LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.
- ⁶¹Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.
- ⁶²(^a)Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; (^b)Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; (^c)School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; (^d)Tsung-Dao Lee Institute, Shanghai; (^e)School of Physics and Microelectronics, Zhengzhou University; China.
- ⁶³(^a)Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (^b)Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.
- ⁶⁴(^a)Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (^b)Department of Physics, University of Hong Kong, Hong Kong; (^c)Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.
- ⁶⁵Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.
- ⁶⁶IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.
- ⁶⁷Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain.
- ⁶⁸Department of Physics, Indiana University, Bloomington IN; United States of America.
- ⁶⁹(^a)INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (^b)ICTP, Trieste; (^c)Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.
- ⁷⁰(^a)INFN Sezione di Lecce; (^b)Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.
- ⁷¹(^a)INFN Sezione di Milano; (^b)Dipartimento di Fisica, Università di Milano, Milano; Italy.
- ⁷²(^a)INFN Sezione di Napoli; (^b)Dipartimento di Fisica, Università di Napoli, Napoli; Italy.
- ⁷³(^a)INFN Sezione di Pavia; (^b)Dipartimento di Fisica, Università di Pavia, Pavia; Italy.
- ⁷⁴(^a)INFN Sezione di Pisa; (^b)Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.
- ⁷⁵(^a)INFN Sezione di Roma; (^b)Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.
- ⁷⁶(^a)INFN Sezione di Roma Tor Vergata; (^b)Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy.

- ⁷⁷(*a*) INFN Sezione di Roma Tre; (*b*) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.
- ⁷⁸(*a*) INFN-TIFPA; (*b*) Università degli Studi di Trento, Trento; Italy.
- ⁷⁹Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.
- ⁸⁰University of Iowa, Iowa City IA; United States of America.
- ⁸¹Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.
- ⁸²Istinye University, Sariyer, Istanbul; Türkiye.
- ⁸³(*a*) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; (*b*) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (*c*) Instituto de Física, Universidade de São Paulo, São Paulo; (*d*) Rio de Janeiro State University, Rio de Janeiro; (*e*) Federal University of Bahia, Bahia; Brazil.
- ⁸⁴KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.
- ⁸⁵Graduate School of Science, Kobe University, Kobe; Japan.
- ⁸⁶(*a*) AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow; (*b*) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.
- ⁸⁷Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.
- ⁸⁸Faculty of Science, Kyoto University, Kyoto; Japan.
- ⁸⁹Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan.
- ⁹⁰L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.
- ⁹¹Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.
- ⁹²Physics Department, Lancaster University, Lancaster; United Kingdom.
- ⁹³Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.
- ⁹⁴Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.
- ⁹⁵School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.
- ⁹⁶Department of Physics, Royal Holloway University of London, Egham; United Kingdom.
- ⁹⁷Department of Physics and Astronomy, University College London, London; United Kingdom.
- ⁹⁸Louisiana Tech University, Ruston LA; United States of America.
- ⁹⁹Fysiska institutionen, Lunds universitet, Lund; Sweden.
- ¹⁰⁰Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.
- ¹⁰¹Institut für Physik, Universität Mainz, Mainz; Germany.
- ¹⁰²School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.
- ¹⁰³CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.
- ¹⁰⁴Department of Physics, University of Massachusetts, Amherst MA; United States of America.
- ¹⁰⁵Department of Physics, McGill University, Montreal QC; Canada.
- ¹⁰⁶School of Physics, University of Melbourne, Victoria; Australia.
- ¹⁰⁷Department of Physics, University of Michigan, Ann Arbor MI; United States of America.
- ¹⁰⁸Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ¹⁰⁹Group of Particle Physics, University of Montreal, Montreal QC; Canada.
- ¹¹⁰Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.
- ¹¹¹Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.
- ¹¹²Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.
- ¹¹³Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.
- ¹¹⁴Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen;

Netherlands.

¹¹⁵Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.

¹¹⁶Department of Physics, Northern Illinois University, DeKalb IL; United States of America.

¹¹⁷(^a)New York University Abu Dhabi, Abu Dhabi;(^b)United Arab Emirates University, Al Ain; United Arab Emirates.

¹¹⁸Department of Physics, New York University, New York NY; United States of America.

¹¹⁹Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.

¹²⁰Ohio State University, Columbus OH; United States of America.

¹²¹Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America.

¹²²Department of Physics, Oklahoma State University, Stillwater OK; United States of America.

¹²³Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.

¹²⁴Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.

¹²⁵Graduate School of Science, Osaka University, Osaka; Japan.

¹²⁶Department of Physics, University of Oslo, Oslo; Norway.

¹²⁷Department of Physics, Oxford University, Oxford; United Kingdom.

¹²⁸LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.

¹²⁹Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.

¹³⁰Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.

¹³¹(^a)Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa;(^b)Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa;(^c)Departamento de Física, Universidade de Coimbra, Coimbra;(^d)Centro de Física Nuclear da Universidade de Lisboa, Lisboa;(^e)Departamento de Física, Universidade do Minho, Braga;(^f)Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain);(^g)Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.

¹³²Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.

¹³³Czech Technical University in Prague, Prague; Czech Republic.

¹³⁴Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.

¹³⁵Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.

¹³⁶IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.

¹³⁷Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.

¹³⁸(^a)Departamento de Física, Pontificia Universidad Católica de Chile, Santiago;(^b)Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago;(^c)Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena;(^d)Universidad Andres Bello, Department of Physics, Santiago;(^e)Instituto de Alta Investigación, Universidad de Tarapacá, Arica;(^f)Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.

¹³⁹Department of Physics, University of Washington, Seattle WA; United States of America.

¹⁴⁰Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.

¹⁴¹Department of Physics, Shinshu University, Nagano; Japan.

¹⁴²Department Physik, Universität Siegen, Siegen; Germany.

¹⁴³Department of Physics, Simon Fraser University, Burnaby BC; Canada.

¹⁴⁴SLAC National Accelerator Laboratory, Stanford CA; United States of America.

¹⁴⁵Department of Physics, Royal Institute of Technology, Stockholm; Sweden.

- ¹⁴⁶Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America.
- ¹⁴⁷Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.
- ¹⁴⁸School of Physics, University of Sydney, Sydney; Australia.
- ¹⁴⁹Institute of Physics, Academia Sinica, Taipei; Taiwan.
- ¹⁵⁰^(a)E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi;^(b)High Energy Physics Institute, Tbilisi State University, Tbilisi;^(c)University of Georgia, Tbilisi; Georgia.
- ¹⁵¹Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.
- ¹⁵²Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.
- ¹⁵³Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.
- ¹⁵⁴International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.
- ¹⁵⁵Department of Physics, Tokyo Institute of Technology, Tokyo; Japan.
- ¹⁵⁶Department of Physics, University of Toronto, Toronto ON; Canada.
- ¹⁵⁷^(a)TRIUMF, Vancouver BC;^(b)Department of Physics and Astronomy, York University, Toronto ON; Canada.
- ¹⁵⁸Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.
- ¹⁵⁹Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.
- ¹⁶⁰Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.
- ¹⁶¹University of Sharjah, Sharjah; United Arab Emirates.
- ¹⁶²Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.
- ¹⁶³Department of Physics, University of Illinois, Urbana IL; United States of America.
- ¹⁶⁴Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain.
- ¹⁶⁵Department of Physics, University of British Columbia, Vancouver BC; Canada.
- ¹⁶⁶Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.
- ¹⁶⁷Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.
- ¹⁶⁸Department of Physics, University of Warwick, Coventry; United Kingdom.
- ¹⁶⁹Waseda University, Tokyo; Japan.
- ¹⁷⁰Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.
- ¹⁷¹Department of Physics, University of Wisconsin, Madison WI; United States of America.
- ¹⁷²Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.
- ¹⁷³Department of Physics, Yale University, New Haven CT; United States of America.
- ^a Also Affiliated with an institute covered by a cooperation agreement with CERN.
- ^b Also at An-Najah National University, Nablus; Palestine.
- ^c Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.
- ^d Also at Center for High Energy Physics, Peking University; China.
- ^e Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki; Greece.
- ^f Also at Centro Studi e Ricerche Enrico Fermi; Italy.
- ^g Also at CERN, Geneva; Switzerland.
- ^h Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁱ Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.
- ^j Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.

- k* Also at Department of Physics, California State University, Sacramento; United States of America.
- l* Also at Department of Physics, King's College London, London; United Kingdom.
- m* Also at Department of Physics, Stanford University, Stanford CA; United States of America.
- n* Also at Department of Physics, Stellenbosch University; South Africa.
- o* Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
- p* Also at Department of Physics, University of Thessaly; Greece.
- q* Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
- r* Also at Hellenic Open University, Patras; Greece.
- s* Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- t* Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- u* Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
- v* Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- w* Also at Institute of Particle Physics (IPP); Canada.
- x* Also at Institute of Physics and Technology, Mongolian Academy of Sciences, Ulaanbaatar; Mongolia.
- y* Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- z* Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.
- aa* Also at Lawrence Livermore National Laboratory, Livermore; United States of America.
- ab* Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
- ac* Also at Technical University of Munich, Munich; Germany.
- ad* Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- ae* Also at TRIUMF, Vancouver BC; Canada.
- af* Also at Università di Napoli Parthenope, Napoli; Italy.
- ag* Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
- ah* Also at Washington College, Chestertown, MD; United States of America.
- ai* Also at Yeditepe University, Physics Department, Istanbul; Türkiye.
- * Deceased